



**Government of Khyber Pakhtunkhwa  
Health Department  
Procurement Cell (DGHS)**

## **Standard Bidding Documents**

**For National Competitive Bidding  
Pakistan**

**For  
SELECTION & RATE CONTRACTING FOR MACHINERY &  
EQUIPMENT, FABRICATION OF AMBULANCES WITH  
AMBULATORY ITEMS, AIR CONDITIONS, INSTRUMENTS & OTHER  
HOSPITAL SUPPLIES, ETC FOR THE YEAR 2018-19.**

**September 2018**

## **PART ONE (UNCHANGEABLE)**

- | Instructions to Bidders (ITB)**
- General Conditions of Contract (GCC)**

## **PREFACE**

These Bidding Documents have been prepared for use by Procuring Entities and their implementing agencies in the procurement of Goods through National Competitive Bidding (NCBs) under Rule (06) as well International Competitive Bidding (ICBs) Rule 41(g) KPPRA Rules 2014. These SBDs are prepared for Rate Contract under Government of Khyber Pakhtunkhwa District Govt Rules of Business 2015, 2nd Schedule Rule 3 (2), and Serial No.11 (Health) Sub-rule xiii for procurement of Equipment

In order to simplify the preparation of bidding documents for all procurement, the Bidding Documents are grouped in two parts based on provisions, which would remain the same for all the related procurements and that which are specific for each procurement Provisions, which are intended to be used un-changed are in **Part one**, which includes

**Section I, Instructions to Bidders (ITB), and**  
**Section II, General Conditions of Contract (GCC).**

Data and provisions specific to each procurement and contract are included in **Part Two** which is further organized into six sections. **Sections I, II, III, IV, and V**, respectively contain Invitation for Bids; Bid Data Sheet; Special Conditions of Contract; Schedule of Requirements; Technical Specifications; and the forms to be used, while **Section VI** is about **Sample Forms**.

This is Part one, which is fixed and contains provisions, which are to be used, unchanged. Each section is prepared with notes intended only as information for the Procuring agency or the person drafting the bidding documents. They shall not be included in the final documents.

Table of Contents - Part One

<b>PART ONE - SECTION I. INSTRUCTIONS TO BIDDERS</b>	3
Notes on the Instruction to Bidders	4
Table of Clauses	5
Instructions to Bidders	6-20
<b>PART ONE – SECTION II. GENERAL CONDITIONS OF CONTRACT</b>	21
Notes on the General Conditions of Contracts	22
Table of Clauses	23
General Conditions Of Contracts	24-33

## **Part One – Section 1**

### **Instructions to Bidders**

#### **Notes on the Instructions to Bidders**

This section of the bidding documents provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring agency. It also provides information on bid submission, opening, and evaluation, and on the award of contract.

Part One Section I contains provisions that are to be used unchanged. Part Two Section II (Bid Data Sheet) consists of provisions that supplement, amend, or specify in detail information or requirements included in Part One Section I and which are specific to each/every procurement

Matters governing the performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are not normally included in this section, but rather under Part one Section II, General Conditions of Contract, and/or Part Two Section III, Special Conditions of Contract. If duplication of a subject is inevitable in the other sections of the document prepared by the Procuring agency, care must be exercised to avoid contradictions between clauses dealing with the same matter.

These Instructions to Bidders will not be part of the contract.

### Table of Clauses

<b>A.</b>	<b>Introduction</b>	<b>6</b>
1.	Source of Funds	6
2.	Eligible Bidders	6
3.	Eligible Goods and Service	7
4.	Cost of Bidding	7
<b>B.</b>	<b>The Bidding Document</b>	<b>7</b>
5.	Content of Bidding Documents	7
6.	Clarification of Bidding Documents	7
7.	Amendment of Bidding Documents	8
<b>C.</b>	<b>Preparation of Bids</b>	<b>8</b>
8.	Language of Bid	8
9.	Documents Comprising the Bid	8
10.	Bid Form	8
11.	Bid Prices	8
12.	Bid Currencies	9
13.	Documents Establishing Bidder's Eligibility and Qualification	9
14.	Documents Establishing Goods' Eligibility and Conformity to the Bidding Documents	9
15.	Bid Security	10
16.	Period of Validity of bids	11
17.	Format and Signing of Bid	11
<b>D.</b>	<b>Submission of Bids</b>	<b>12</b>
18.	Sealing and Marking of bids	12
19.	Deadline for Submission of bids	12
20.	Late bids	12
21.	Modification and Withdrawal of Bids	12
<b>E.</b>	<b>Opening and Evaluation of Bids</b>	<b>13</b>

22.	Opening of Bids by the Procuring Agency	13
23.	Clarification of Bids	13
24.	Preliminary Examination	13
25.	Evaluation and Comparison of Bids	14
26.	Contacting the Procuring Agency	17
<b>F.</b>	<b>Award of Contract</b>	<b>17</b>
27.	Post-Qualification	17
28.	Award Criteria	18
29.	Procuring Agency's Right To Vary Quantities At Time Of Award	18
30.	Procuring Agency's Right To Accept Any Bid And To Reject Any Or All Bids	18
31.	Notification of Award	18
32.	Signing of Contract	18
33.	Performance Security	19
34.	Corrupt Or Fraudulent Practices	19
35.	Integrity Pact	20

## Instructions to Bidders

### A. Introduction

<b>1. Source of Funds</b>	1.1	The Procuring agency/ies have received/applied for Loan/grant/federal/provincial/local government funds from the source(s) indicated in the bidding data in various currencies towards the cost of the project /schemes specified in the bidding data and it is intended that part of the proceeds of this loan/grant/funds/ will be applied to eligible payments under the contract for which these Bidding documents are issued.
	1.2	The funds referred to above in addition shall be —Public Fund which according to 2 (l) of KPPRA Rules 2014 means ( i ) Provincial Consolidated Fund; ( ii) foreign assistance; ( iii) all moneys standing in the Public Account; and (iv) Funds of enterprises wholly or partly owned or managed or controlled by Government.
	1.3	Payment by the Fund will be made only at the request of the Procuring agency and upon approval by the Government of Khyber Pakhtunkhwa, and in case of a project will be subject in all respect to the terms and conditions of the agreement. The Project Agreement prohibits a withdrawal from the allocated fund account for the purpose of any payment to persons or entities, or for any import of goods, if such payment or import, to the knowledge of the Federal Government/ Khyber Pakhtunkhwa Government, is prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations. No party other than the Procuring agency shall derive any rights from the Project Agreement or have any claim to the allocated fund proceeds.
<b>2. Eligible Bidders</b>	2.1	This Invitation for Bids is open to all eligible bidders from eligible source as defined in the KPPRA Rules, 2014 and its Bidding Documents except as provided hereinafter.
	2.2	Bidders should not be associated, or have been associated in the Past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring agency to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be Purchased under this Invitation for Bids.
	2.3	Government-owned enterprises in the Province of Khyber Pakhtunkhwa may participate only if they are legally and financially autonomous, if they operate under commercial law, and if they are not a dependent agency of the Government of Khyber Pakhtunkhwa.
	2.4	Bidders shall not be eligible to bid if they are under a declaration of Ineligibility for corrupt and fraudulent practices issued by any government organization in accordance with the Section 44(1) KPP Rules 2014.



<b>3. Eligible Goods &amp; Services</b>	3.1	All goods and related services to be supplied under the contract Shall have their origin in eligible source countries of the world with whom the Islamic Republic of Pakistan has commercial relations and its Bidding Documents and all expenditures made under the Contract will be limited to such goods and services.
	3.2	For purposes of this clause, —origin means the place where the Goods are mind, grown, or produced, or the place from which the Related services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially recognized product results that is substantially different in basic characteristics or in purpose or utility from its components.
	3.3	The origin of goods and services is distinct from the nationality of the Bidder.
<b>4. Cost of Bidding</b>	4.1	The Bidder shall bear all costs associated with the preparation and Submission of its bid, and the Procuring agency named in the Bid Data Sheet, hereinafter referred to, as —the Procuring agency, will in no case be responsible or liable for those costs, regardless of the Conduct or outcome of the bidding process.
		<b>B. The Bidding Documents</b>
<b>5. Content of Bidding Documents</b>	5.1	The bidding documents include: a) Instructions to Bidders (ITB) b) Bid Data Sheet c) General Conditions of Contract (GCC) d) Special Conditions of Contract (SCC) e) Schedule of Requirements f) Technical Specifications g) Bid Form and Price Schedules h) Bid Security Form i) Contract Form j) Performance Security Form k) Manufacturer's Authorization Form
	5.2	The Bidder is expected to examine all instructions, forms, terms and Specifications in the bidding documents. Failure to furnish all information required by the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in the rejection of Its bid.
<b>6. Clarification of Bidding Documents</b>	6.1	An interested Bidder requiring any clarification of the bidding documents may notify the Procuring agency in writing. The Bidding Procuring agency will respond in writing to any request for Documents clarification of the bidding documents which it receives no later than three working days prior to the deadline for the submission of bids prescribed in the Bid Data Sheet. Written copies of the Procuring agency's response (including an explanation of the query but without identifying the source of inquiry) will be sent to all interested bidders that have received the bidding documents.

<b>7. Amendment of Bidding Documents</b>	7.1	At any time prior to the deadline for submission of bids, the Procuring agency, for any reason, whether at its own initiative or in response to a clarification requested by an interested Bidder, may modify the bidding documents by amendment.
	7.2	All interested bidders that have received the bidding documents will be notified of the amendment in writing, and will be binding On them.
	7.3	In order to allow interested bidders reasonable time in which to take the amendment into account in preparing their bids, the Procuring agency, at its discretion, may extend the deadline for the submission of bids.
<b>C. Preparation of Bids</b>		
<b>8. Language of Bid</b>	8.1	The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring agency shall be written in the language specified in the Bid Data Sheet. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the Bid Data Sheet, in which case, for purposes of interpretation of the Bid, the translation shall govern.
<b>9. Documents Comprising the Bid</b>	9.1	The bid prepared by the Bidder shall comprise the following components: a) a Bid Form and a Price Schedule completed in accordance with ITB Clauses 10, 11, and 12 b) Documentary evidence established in accordance with ITB Clause 13 that the Bidder is eligible to bid and is qualified to perform the contract if its bid is accepted; c) Documentary evidence established in accordance with ITB Clause 14 that the goods and ancillary services to be supplied by the Bidder are eligible goods and services and conform to the bidding documents; and d) Bid security furnished in accordance with ITB Clause 15.
<b>10. Bid Form</b>	10.1	The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, Quantity, and prices.
<b>11. Bid Prices</b>	11.1	The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the goods it proposes to supply under the contract.
	11.2	Prices indicated on the Price Schedule shall be delivered duty paid (DDP) prices. The price of other (incidental) services, if any, listed in the Bid Data Sheet will be entered separately.
	11.3	The Bidder's separation of price components in accordance with ITB Clause 11.2 above will be solely for the purpose of facilitating

		the comparison of bids by the Procuring agency and will not in any way limit the Procuring agency's right to contract on any of the Terms offered.
	11.4	Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any Account, unless otherwise specified in the Bid Data Sheet. A bid submitted with an adjustable price quotation will be treated as Nonresponsive and will be rejected, In pursuance to ITB Clause 24. If, however, in accordance with the Bid Data Sheet, prices quoted by the Bidder shall be subject to adjustment during the performance of the contract, a bid submitted with a fixed price quotation will not be Rejected, but the price adjustment would be treated as zero.
<b>12. Bid Currencies</b>	12.1	Prices shall be quoted in Pak Rupees unless otherwise specified in the Bid Data Sheet.
<b>13. Documents Establishing Bidder's</b>	13.1	Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the Bidder's eligibility to bid and its Qualifications to perform the contract if its bid is accepted.
<b>Eligibility and Qualification</b>	13.2	The documentary evidence of the Bidder's eligibility to bid shall establish to the Procuring agency's satisfaction that the Bidder, at the time of submission of its bid, is from an eligible country as defined Under ITB Clause 3.
	13.3	<p>The documentary evidence of the Bidder's qualifications to perform the contract if its bid is accepted, shall establish to the Procuring agency's satisfaction:</p> <p>a) That, in the case of a Bidder offering to supply goods under the contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the goods' Manufacturer or producer to supply the goods in the Procuring agency's country;</p> <p>b) That the Bidder has the financial, technical, and production capability necessary to perform the contract;</p> <p>c) That, in the case of a Bidder not doing business within the Procuring agency's country, the Bidder is or will be (if awarded the contract) represented by an Agent in that country equipped, and able to carry out the Supplier's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or technical Specifications; and</p> <p>d) That the Bidder meets the qualification criteria listed in the Bid Data Sheet.</p>
<b>14. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents</b>	14.1	Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the eligibility and conformity to the bidding documents of all goods and services, which the Bidder proposes to Supply under the contract.

	14.2	The documentary evidence of the eligibility of the goods and services shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which, shall be confirmed by a certificate of origin issued at the time of shipment
	14.3	<p>The documentary evidence of conformity of the goods and services to the bidding documents may be in the form of literature, drawings, and data, and shall consist of:</p> <ul style="list-style-type: none"> <li>a) A detailed description of the essential technical and performance characteristics of the goods;</li> <li>b) A list giving full particulars, including available e sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period to be specified in the Bid Data Sheet, following commencement of the use of the goods by the Procuring agency; and</li> <li>c) An item-by-item commentary on the Procuring agency's Technical Specifications demonstrating substantial responsiveness of the goods and services to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.</li> </ul>
		<p>14.4 For purposes of the commentary to be furnished pursuant to ITB Clause 14.3(c) above, the Bidder shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procuring agency in its Technical Specifications, are intended to be descriptive Only and not restrictive. The Bidder may substitute alternative standards, brand names, and/or catalogue numbers in its bid, provided that it demonstrates to the Procuring agency's satisfaction that the substitutions ensure substantial equivalence to those Designated in the Technical Specifications.</p>
<b>15. Bid Security</b>	15.1	Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, a bid security in the amount specified in the Bid Data Sheet.
	15.2	The bid security is required to protect the Procuring agency against the risk of Bidder's conduct, which would warrant the security's Forfeiture, pursuant to ITB Clause 15.7.
	15.3	<p>The bid security shall be in Pak. Rupees and shall be in one of the following forms:</p> <ul style="list-style-type: none"> <li>a) A bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the Procuring agency's country, in the form provided in the bidding documents or another form acceptable to the Procuring agency and valid for thirty (30) days beyond the validity of the bid; or</li> <li>b) Irrevocable en-cashable on-demand Bank call-deposit.</li> </ul>

	15.4	Any bid not secured in accordance with ITB Clauses 15.1 and 15.3 will be rejected by the Procuring agency as non-responsive, Pursuant to ITB Clause 24.
	15.5	Unsuccessful bidders' bid security will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of bid validity prescribed by the procuring Agency pursuant to ITB Clause 16.
	15.6	The successful Bidder's bid security will be discharged upon the Bidder signing the contract, pursuant to ITB Clause 32, and Furnishing the performance security, pursuant to ITB Clause 33.
	15.7	The bid security may be forfeited: a) If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or b) In the case of a successful Bidder, if the Bidder fails: i. To sign the contract in accordance with ITB Clause 32; Or ii. To furnish performance security in accordance with ITB Clause 33.
<b>16. Period of Validity of Bids</b>	16.1	Bids shall remain valid for the period specified in the Bid Data Sheet after the date of bid opening prescribed by the Procuring Agency, pursuant to ITB Clause 19. A bid valid for a shorter period Shall be rejected by the Procuring agency as non -responsive.
	16.2	In exceptional circumstances, the Procuring agency may solicit the Bidder's consent to an extension of the period of validity. The Request and the responses thereto shall be made in writing. The bid security provided under ITB Clause 15 shall also be suitably Extended. A Bidder may refuse the request without forfeiting its bid Security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding Document.
<b>17. Format and Signing of Bid</b>	17.1	The Bidder shall prepare an original and the number of copies of the bid indicated in the Bid Data Sheet, clearly marking each —ORIGINAL BID and —COPY OF BID, as appropriate. In the event Of any discrepancy between them, the original shall govern.
	17.2	The original and the copy or copies of the bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person Or persons duly authorized to bind the Bidder to the contract. The bidder/ person or persons signing the bid shall initial all pages of the bid, except for un -amended printed literature.
	17.3	Any interlineations, erasures, or overwriting shall be valid only if They are initialed by the person or persons signing the bid.
	17.4	The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid, and to the contract execution if the Bidder is Awarded the contract.

		<b>D. Submission of Bids</b>
<b>18. Sealing and Marking of Bids</b>	18.1	The Bidder shall seal the original and each copy of the bid in separate envelopes, duly marking the envelopes as —ORIGINAL and —COPY. The envelopes shall then be sealed in an Outer envelope.
	18.2	The inner and outer envelopes shall: <ul style="list-style-type: none"> <li>a. Be addressed to the Procuring agency at the address given in the Bid Data Sheet; and</li> <li>b. Bear the Project name indicated in the Bid Data Sheet, the Invitation for Bids (IFB) title and number indicated in the Bid Data Sheet, and a statement: —DO NOT OPEN BEFORE, to be completed with the time and the date specified in the Bid Data Sheet, Pursuant to ITB Clause 2.2.</li> </ul>
	18.3	The inner envelopes shall also indicate the name and address of the Bidder to enable the bid to be returned unopened in case it is declared “Late” .
	18.4	If the outer envelope is not sealed and marked as required by ITB Clause 18.2, the Procuring agency will assume no responsibility for The bid’s misplacement or premature opening.
<b>19. Deadline for Submission of Bids</b>	19.1	Bids must be received by the Procuring agency at the address specified under ITB Clause 18.2 no later than the time and date Specified in the Bid Data Sheet.
	19.2	The Procuring agency may, at its discretion, extend this deadline for the submission of bids by amending the bidding documents in accordance with ITB Clause 7, in which case all rights and obligations of the Procuring agency and bidders previously subject to the deadline Will thereafter be subject to the deadline as extended.
	19.3	In order to avoid the delays, the Procuring agency will hold a pre-bid meeting under section 24 (6) of KPPRA Act 2012 as per details given In Bid Data Sheet. The purpose of the pre-bid meeting is to clarify the functional requirements of the Procuring agency and the feedback From the bidders so offered. This is in line with the general principles of procurement as enunciated under section 03 of the KPPRA Act 2012
<b>20. Late Bids</b>	20.1	Any bid received by the Procuring agency after the deadline for submission of bids prescribed by the Procuring agency pursuant to ITB Clause 19 will be rejected and returned unopened to the Bidder.
<b>21. Modification And Withdrawal Of Bids</b>	21.1	The Bidder may modify or withdraw its bid after the bid’s submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the Procuring agency prior to the deadline prescribed for submission of Bids.
	21.2	The Bidder’s modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of ITB Clause 18 by a signed confirmation copy, postmarked no later Than the deadline for submission of bids.

	21.3	No bid may be modified after the deadline for submission of bids.
	21.4	No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity Specified by the Bidder on the Bid Form. Withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security, Pursuant to the ITB Clause 15.7.
		<b>E. Opening and Evaluation of Bids</b>
<b>22. Opening of Bids by the Procuring Agency</b>	22.1	The Procuring agency will open all bids in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the Bid Data Sheet. The bidders' representatives Who are present shall sign a register evidencing their attendance.
	22.2	The bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presence or absence of requisite bid security and such other details as the Procuring agency, at its discretion, may rejected at bid opening, except for late bids, which shall be returned Unopened to the Bidder pursuant to ITB Clause 20.
	22.3	Bids (and modifications sent pursuant to ITB Clause 21.2) that are not opened and read out at bid opening shall not be considered further for evaluation, irrespective of the circumstances. Withdrawn bids will be returned unopened to the bidders.
	22.4	The Procuring agency will prepare minutes of the bid opening.
<b>23. Clarification of Bids</b>	23.1	During evaluation of the bids, the Procuring agency may, at its discretion, ask the Bidder for a clarification of its bid. The Bids request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted. The minor informality as indicated in ITB 24 will be waived of by getting written clarification regarding authenticity/visibility/health of the bids submitted. This communication shall be with the prior approval of chairman T&E committee
<b>24. Preliminary Examination</b>	24.1	The Procuring agency will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.
	24.2	Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Supplier does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited. If there is a discrepancy between words and figures, the amount in words will prevail.
	24.3	The Procuring agency may waive any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any Bidder.

24.4 Prior to the detailed evaluation, pursuant to ITB Clause 25 the

		Procuring agency will determine the substantial responsiveness of Each bid to the bidding documents. For purposes of these Clauses, a substantially responsive bid is one, which conforms to all the terms and conditions of the bidding documents without material deviations. Deviations from, or objections or reservations to critical provisions, such as those concerning Bid Security (ITB Clause 15), Applicable Law (GCC Clause 30), and Taxes and Duties (GCC Clause 32), will be deemed to be a material deviation. The Procuring agency's determination of a bid's responsiveness is to be based on the Contents of the bid itself without recourse to extrinsic evidence.
--	--	--

	24.5	If a bid is not substantially responsive, it will be rejected by the Procuring agency and may not subsequently be made responsive by the Bidder by correction of the nonconformity. The bids upon preliminary examinations would be dropped from detailed evaluation by declaring them NON-RESPONSIVE in the first phase, if they lack any of primary/mandatory documents in Their technical bid.
--	------	--

<b>25. Evaluation and Comparison of Bids</b>	25.1	The Procuring agency will evaluate and compare the bids which have been determined to be substantially responsive, pursuant to ITB Clause 24.
--	------	---

	25.2	The Procuring agency's evaluation of a bid will be on delivered duty paid (DDP) price inclusive of prevailing duties and will exclude any allowance for price adjustment during the period of execution of the Contract, if provided in the bid.
--	------	--

	25.3	The Procuring agency's evaluation of a bid will take into account, in addition to the bid price quoted in accordance with ITB Clause 11.2, one or more of the following factors as specified in the Bid Data Sheet, and quantified in ITB Clause 25.4:  a. Incidental costs b. Delivery schedule offered in the bid; c. Deviations in payment schedule from that specified in the Special Conditions of Contract; d. The cost of components, mandatory spare parts, and service; e. The availability Procuring agency of spare parts and after - sales services for the equipment offered in the bid; f. The projected operating and maintenance costs during the life of the equipment; the performance and productivity of the equipment offered; and/or g. Other specific criteria indicated in the Bid Data Sheet and/or h. In the Technical Specifications.
--	------	---

	25.4	For factors retained in the Bid Data Sheet pursuant to ITB 25.3, one or more of the following quantification methods will be applied, as detailed in the Bid Data Sheet:  a. Incidental costs provided by the bidder will be added by Procuring agency to the delivered duty paid (DDP) price at the final destination
--	------	--

		<b>b. Delivery schedule.</b> (i) The Procuring agency requires that the goods under the Invitation for Bids shall be delivered at the time Specified in the Schedule of Requirements, which will be treated as the base, a delivery —adjustmentll will be calculated for bids by applying a percentage, specified in the Bid Data Sheet, of the DDP price for each week of delay beyond the base, and this will be added to the bid price for evaluation. No credit shall be given to early delivery OR
--	--	--



		(ii) The goods covered under this invitation are to be delivered (shipped), within an acceptable range of weeks specified in the Schedule of Requirement. No credit will be given to earlier deliveries, and bids offering delivery beyond this range will be treated as non-responsive. Within this acceptable range, an adjustment per week, as specified in the Bid Data Sheet, will be added for evaluation to the bid price of bids offering deliveries later than the earliest delivery period specified in the Schedule of Requirements. OR	
		(iii) The goods covered under this invitation are required to be delivered in partial shipments, as specified in the Schedule of Requirements. Bids offering deliveries earlier or later than the specified deliveries will be adjusted in the evaluation by adding to the bid price a factor equal to a percentage, specified in the Bid Data Sheet, of DDP price per week of variation from the specified delivery schedule.	
		<p>Specified under the relevant provision in the Technical Specifications to be considered responsive. Evaluation shall be based on the cost per unit of the actual productivity of goods offered in the bid, and adjustment will be added to the bid price using the methodology specified in the Bid Data Sheet or in the Technical Specifications.</p> <p>h. Specific additional criteria indicated in the Bid Data Sheet and/or in the Technical Specifications.</p> <p>The relevant evaluation method shall be detailed in the Bid Data Sheet and/or in the Technical Specifications.</p>	
<b>Alternative</b>	25.4	25.4 Merit Point System:	
		The following merit point system for weighing evaluation factors can be applied if none of the evaluation methods listed in 25.4 above has been retained in the Bid Data Sheet. The number of points allocated to each factor shall be specified in the Bid Data Sheet.	
		[In the Bid Data Sheet, choose from the range of]	
		Evaluated price of the goods	60 to 90
		Cost of common list spare parts	0 to 20
		Technical features, and maintenance & operating costs	0 to 20
		Availability of service and spare parts	0 to 20
		Standardization	0 to 20
		Total	100
		The bid scoring the highest number of points will be deemed to be the lowest evaluated bid.	
<b>26. Contacting the Procuring Agency</b>	26.1	Subject to ITB Clause 23, no Bidder shall contact the Procuring agency on any matter relating to its bid, from the time of the bid Opening to the time the contract is awarded. If the Bidder wishes to bring additional information to the notice of the Procuring agency, it should do so in writing.	

	26.2	Any effort by a Bidder to influence the Procuring agency in its decisions on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.
		<b>F. Award of Contract</b>
<b>27. Post-qualification</b>	27.1	In the absence of prequalification, the Procuring agency will determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily, in accordance with the criteria listed in ITB Clause 13.3.

	27.2	The determination will take into account the Bidder's financial, Technical, and production capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB Clause 13.3, as well as such other information as the Procuring agency Deems necessary and appropriate.
	27.3	An affirmative determination will be a prerequisite for award of the Contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which event the Procuring agency will proceed to the next lowest evaluated bid to make a similar Determination of that Bidder's capabilities to perform satisfactorily.
<b>28. Award Criteria</b>	28.1	Subject to ITB Clause 30, the Procuring agency will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the Highest Ranking fair bid/ Best evaluated bid under Section 2 (c)(i) of the KPPRA Act 2012, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.
<b>29. Procuring agency's Right to Vary Quantities at Time of Award</b>	29.1	The Procuring agency reserves the right at the time of contract award to increase or decrease, by the percentage indicated in the Bid Data Sheet, the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions.
<b>30. Procuring agency's Right to Accept any Bid and to Reject any or All Bids</b>	30.1	The Procuring agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder or bidders or any obligation to inform the affected Bidder or bidders of the grounds for the Procuring agency's action.
<b>31. Notification of Award</b>	31.1	Prior to the expiration of the period of bid validity, the Procuring agency will notify the successful Bidder in writing by registered letter or by cable, to be confirmed in writing by registered letter, that its bid has been accepted.
	31.2	The notification of award will constitute the formation of the Contract.
	31.3	Upon the successful Bidder's furnishing of the performance security pursuant to ITB Clause 33, the Procuring agency will promptly notify each unsuccessful Bidder and will discharge its bid Security, pursuant to ITB Clause 15.

<b>32. Signing of Contract</b>	32.1	At the same time as the Procuring agency notifies the successful Bidder that its bid has been accepted, the Procuring agency will send the Bidder the Contract Form provided in the bidding documents, Incorporating all agreements between the parties.
	32.2	Within twenty (20) days of receipt of the Contract Form, the successful Bidder shall sign and date the contract and return it to the Procuring agency.
<b>33 Performance Security</b>	33.1	Within ten (10) days of the receipt of notification of award from the Procuring agency, the successful Bidder shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the bidding Documents, or in another form acceptable to the Procuring agency.
	33.2	Failure of the successful Bidder to comply with the requirement of ITB Clause 32 or ITB Clause 33.1 shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Procuring agency may make the award to the next lowest evaluated Bidder or call for new bids.
<b>34. Corrupt or Fraudulent Practices</b>	34.1	<p>The Government of Khyber Pakhtunkhwa requires that Procuring agency's (including beneficiaries of donor agencies' loans), as well as Bidders/Suppliers/Contractors under Government -financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the KPPRA, in accordance with the KPPRA Act, 2012 and Rules made there under:</p> <p>a. Defines, for the purposes of this provision, the terms set forth below as follows:</p> <p>i. —Corrupt practice means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and</p> <p>ii. —Fraudulent practice means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring agency, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non - competitive levels and to deprive the Procuring agency of the benefits of free and open competition;</p> <p>b. Will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;</p> <p>c. Will forfeit the bid security for that particular bid/proposal in due course if the bidder could not establish his plea for not being involved in the corrupt or fraudulent practices</p> <p>d. Will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a Government -financed contract if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a Government-financed contract.</p>
	34.2	Furthermore, Bidders shall be aware of the provision stated in sub - clause 5.4 and sub-clause 24.1 of the General Conditions of Contract.

<b>35. Integrity Pact</b>	35.1	The Bidder shall sign and stamp the Integrity Pact provided at Form - 7 to Bid in the Bidding Document for all Provincial Government procurement contracts exceeding Rupees ten million. Failure to such Integrity Pact shall make the bidder non - responsive.
---------------------------	------	---

## **Part One - Section II.**

### **General Conditions of Contract**

#### **Notes on the General Conditions of Contract (GCC)**

The General Conditions of Contract in Part One Section II, read in conjunction with the Special Conditions of Contract in Part Two Section-III and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

The General Conditions of Contract herein shall not be altered. Any changes and complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract in Part Two Section III.

## Table of Clauses

1.	Definitions	24
2.	Application	24
3.	Country of Origin	24
4.	Standards	25
5.	Use of Contract Documents and Information; Inspection and Audit by the Bank	25
6.	Patent Rights	25
7.	Performance Security	25
8.	Inspections and Tests	26
9.	Packing	26
10.	Delivery and Documents	27
11.	Insurance	27
12.	Transportation	27
13.	Incidental Services	27
14.	Spare Parts	28
15.	Warranty	28
16.	Payment	29
17.	Prices	29
18.	Change Orders	29
19.	Contract Amendments	29
20.	Assignment	30
21.	Subcontracts	30
22.	Delays in the Supplier's Performance	30
23.	Liquidated Damages	30
24.	Termination for Default	30
25.	Force Majeure	31
26.	Termination for Insolvency	31
27.	Termination for Convenience	32
28.	Resolution of Disputes	32
29.	Governing Language	32
30.	Applicable Law	32
31.	Notices	32
32.	Taxes and Duties	33

## General Conditions of Contract

<b>1. Definitions</b>	1.1	<p>In this Contract, the following terms shall be interpreted d as indicated:</p> <ul style="list-style-type: none"> <li>a. —“The Contract” means the agreement entered into between the Procuring agency and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.</li> <li>b. —The Contract Price means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.</li> <li>c. —The Goods means all of the equipment, machinery, and/or other materials, which the Supplier is required to supply to the Procuring agency under the Contract.</li> <li>d. — The Services means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.</li> <li>e. — GCC means the General Conditions of Contract contained in this section.</li> <li>f. —SCC means the Special Conditions of Contract.</li> <li>g. —The Procuring agency means the organization purchasing the Goods, as named in SCC.</li> <li>h. — The Procuring agency’s country is the country named in SCC.</li> <li>i. —The Supplier means the individual or firm supplying the Goods and Services under this Contract.</li> <li>j. —The Project Site, where applicable, means the place or places named in SCC.</li> <li>k. — Day means calendar day.</li> </ul>
<b>2. Application</b>	2.1	These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract
<b>3. Country of Origin</b>	3.1	All Goods and Services supplied under the Contract shall have their Origin in the countries and territories eligible under the rules and `Further elaborated in the SCC.
	3.2	For purposes of this Clause, —origin means the place where the Goods were mined, grown, or produced, or from, which the Services are supplied. Goods are produced when, through manufacturing,

		Processing, or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its Components.
	3.3	The origin of Goods and Services is distinct from the nationality of the Supplier.
<b>4. Standards</b>	4.1	The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the concerned institution.
<b>5. Use of Contract Documents and Information; Inspection and Audit by the Government</b>	5.1	The Supplier shall not, without the Procuring agency's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring agency in connection therewith, to any person other than a person employed by the Supplier in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
	5.2	The Supplier shall not, without the Procuring agency's prior written consent, make use of any document or information enumerated in GCC Clause 5.1 except for purposes of performing the Contract.
	5.3	Any document, other than the Contract itself, enumerated in GCC Clause 5.1 shall remain the property of the Procuring agency and shall be returned (all copies) to the Procuring agency on completion of the Supplier's performance under the Contract if so required by the Procuring agency.
	5.4	The Supplier shall permit the Procuring agency to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the procuring agency, if so required.
<b>6. Patent Rights</b>	6.1	The Supplier shall indemnify the Procuring agency against all third - party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring Agency's country.
<b>7. Performance Security</b>	7.1	Within ten (10) days of receipt of the notification of Contract award, the successful Bidder shall furnish to the Procuring agency the Performance security in the amount specified in SCC.
	7.2	The proceeds of the performance security shall be payable to the Procuring agency as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
	7.3	The performance security shall be denominated in the currency of the Contract acceptable to the Procuring agency and shall be in one of the following forms:



		<p>a. A bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the Procuring agency's country, in the form provided in the bidding documents or another form acceptable to the Procuring agency; or</p> <p>b. A cashier's check or certified check.</p>
	7.4	The performance security will be discharged by the Procuring agency and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified Otherwise in SCC.
<b>8. Inspections and Tests</b>	8.1	The Procuring agency or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring agency. SCC and the Technical Specifications shall specify what inspections and tests the Procuring agency requires and where they are to be Conducted. The Procuring agency shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
	8.2	The inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to The inspectors at no charge to the Procuring agency.
	8.3	Should any inspected or tested Goods fail to conform to the Specifications, the Procuring agency may reject the Goods, and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Procuring agency.
	8.4	The Procuring agency's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival in the Procuring agency's country shall in no way be limited or waived by reason of the Goods having previously been inspected, tested, and passed by the Procuring agency or its representative prior to the Goods' shipment from the country of origin.
	8.5	Nothing in GCC Clause 8 shall in any way release the Supplier from any warranty or other obligations under this Contract.
<b>9. Packing</b>	9.1	The Supplier shall provide such packing of the Goods as is required to Prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

	9.2	The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the Procuring agency.
<b>10. Delivery and Documents</b>	10.1	The Supplier in accordance with the terms specified in the Schedule of Requirements shall make delivery of the Goods. The details of shipping and/or other documents to be furnished by the Supplier are Specified in SCC.
	10.2	Documents to be submitted by the Supplier are specified in SCC.
<b>11. Insurance</b>	11.1	The Goods supplied under the Contract shall be delivered duty paid (DDP) under which risk is transferred to the buyer after having been Delivered; hence insurance coverage is seller's responsibility.
<b>12. Transportation</b>	12.1	The Supplier is required under the Contract to transport the Goods to a specified place of destination within the Procuring agency's country, transport to such place of destination in the Procuring agency's country, including insurance and storage, as shall be specified in the Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.
<b>13. Incidental Services</b>	13.1	<p>The Supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:</p> <ul style="list-style-type: none"> <li>a. Performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. Furnishing of tools required for assembly and / or maintenance of the supplied Goods;</li> <li>c. Furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. Performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>e. Training of the Procuring agency's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ul>
	13.2	Prices charged by the Supplier for incidental services, if not included in the Contract Price for the Goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged for other parties by the Supplier for similar services.
<b>14. Spare Parts</b>	14.1	As specified in SCC, the Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

		<p>a. Such spare parts as the Procuring agency may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under the Contract; and</p> <p>b. In the event of termination of production of the spare parts:</p> <p>i. Advance notification to the Procuring agency of the pending termination, in sufficient time to permit the Procuring agency to procure needed requirements;</p> <p>ii. Following such termination, furnishing at no cost to the Procuring agency, the blueprints, drawings, and specifications of the spare parts, if requested.</p>
<b>15. Warranty</b>	15.1	The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the Procuring agency's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
	15.2	This warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
	15.3	The Procuring agency shall promptly notify the Supplier in writing of any claims arising under this warranty.
	15.4	Upon receipt of such notice, the Supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective Goods or parts thereof, without costs to the Procuring agency.
	15.5	If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, within a reasonable period, the Procuring agency may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring agency may have against the Supplier under the Contract.
<b>16. Payment</b>	16.1	The method and conditions of payment to be made to the Supplier under this Contract shall be specified in SCC.
	16.2	The Supplier's request(s) for payment shall be made to the Procuring agency in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and Services performed, and by documents submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the Contract.

	16.3	Payments shall be made promptly by the Procuring agency, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier
	16.4	The currency of payment is Pak. Rupees.
<b>17. Prices</b>	17.1	Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments authorized in SCC or in the Procuring agency's request for bid validity extension, as the case may be.
<b>18. Change Orders</b>	18.1	<p>The Procuring agency may at any time, by a written order given to the Supplier pursuant to GCC Clause 31, make changes within the general scope of the Contract in any one or more of the following:</p> <ul style="list-style-type: none"> <li>a. Drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Procuring agency;</li> <li>b. The method of shipment or packing;</li> <li>c. The place of delivery; and/or</li> <li>d. The Services to be provided by the Supplier.</li> </ul>
	18.2	If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the Supplier's receipt of the Procuring agency's change order.
<b>19. Contract Amendments</b>	19.1	Subject to GCC Clause 18, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties. However the covenants of the contract shall be qualified in SCC relating to the issues arriving out in contract Administration phase in line with GCC at the time of award of contract
<b>20. Assignment</b>	20.1	The Supplier shall not assign, in whole or in part, its obligations to perform Under this Contract, except with the Procuring agency's prior written consent.
<b>21. Subcontracts</b>	21.1	The Supplier shall notify the Procuring agency in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.
	21.2	Subcontracts must comply with the provisions of GCC Clause 3.
<b>22. Delays in the Supplier's Performance</b>	22.1	Delivery of the Goods and performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring agency in the Schedule of Requirements.
	22.2	If at any time during performance of the Contract, the Supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Procuring agency in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of

		Supplier's notice, the Procuring agency shall evaluate the situation and may at its discretion extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.
	22.3	Except as provided under GCC Clause 25, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 23, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of liquidated damages.
<b>23. Liquidated Damages</b>	23.1	Subject to GCC Clause 25, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Procuring agency shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in SCC. Once the maximum is reached, the Procuring agency may consider termination of the Contract pursuant to GCC Clause 24.
<b>24. Termination for Default</b>	24.1	<p>The Procuring agency, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:</p> <p>a. If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring agency pursuant to GCC Clause 22; or</p> <p>b. If the Supplier fails to perform any other obligation(s) under the Contract.</p> <p>c. if the Supplier, in the judgment of the Procuring agency has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.</p> <p>For the purpose of this clause:</p> <p>—Corrupt practice, means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.</p> <p>—Fraudulent practice means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non -competitive levels and to deprive the Borrower of the benefits of free and open competition.</p>
		24.2 In the event the Procuring agency terminates the Contract in whole or in part, pursuant to GCC Clause 24.1, the Procuring agency may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall

		<p>Liable to the Procuring agency for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.</p>
<b>25. Force Majeure</b>	25.1	<p>Notwithstanding the provisions of GCC Clauses 22, 23, and 24, the Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.</p>
	25.2	<p>For purposes of this clause, —Force Majeure means an event beyond the control of the Supplier and not involving the Supplier’s fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Procuring agency in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.</p>
	25.3	<p>If a Force Majeure situation arises, the Supplier shall promptly notify the Procuring agency in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring agency in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.</p>
<b>26. Termination for Insolvency</b>	26.1	<p>The Procuring agency may at any time terminate the Contract by giving written notice to the Supplier if the Supplier becomes bankrupt or Otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or Will accrue thereafter to the Procuring agency.</p>
<b>27. Termination For Convenience</b>	27.1	<p>The Procuring agency, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its Convenience. The notice of termination shall specify that termination be for the Procuring agency’s convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.</p>
	27.2	<p>The Goods that are complete and ready for shipment within thirty (30) days after the Supplier’s receipt of notice of termination shall be accepted by the Procuring agency at the Contract terms and prices. For the remaining Goods, the Procuring agency may elect:</p> <ul style="list-style-type: none"> <li>to have any portion completed and delivered at the Contract terms and prices; and/or</li> <li>to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Services and for materials and parts previously procured by the Supplier.</li> </ul>
<b>28. Resolution of Disputes</b>	28.1	<p>The Procuring agency and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.</p>

	28.2	If, after thirty (30) days from the commencement of such informal negotiations, the Procuring agency and the Supplier have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified in SCC. These mechanisms may include, but are not restricted to, conciliation mediated by a third party, adjudication in an agreed manner and/or arbitration.
<b>29. Governing Language</b>	29.1	The Contract shall be written in the language specified in SCC. Subject to GCC Clause 30, the version of the Contract written in the specified language shall govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the same language.
<b>30. Applicable Law</b>	30.1	The Contract shall be interpreted in accordance with the laws of the Procuring agency's country, unless otherwise specified in SCC.
<b>31. Notices</b>	31.1	Any notice given by one party to the other pursuant to this Contract shall be sent to the other party in writing or by cable, telex, or facsimile and confirmed in writing to the other party's address specified in SCC.
	31.2	A notice shall be effective when delivered or on the notice's effective date, whichever is later.
<b>32. Taxes and Duties</b>	32.1	Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Procuring agency.



**Government of Khyber Pakhtunkhwa Health Department**

**Procurement Cell (DGHS)**

## **Standard Bidding Documents**

**For National Competitive Bidding  
Pakistan**

**For  
SELECTION & RATE CONTRACTING FOR MACHINERY &  
EQUIPMENT, AMBULANCES WITH AMBULATORY ITEMS,  
INSTRUMENTS & OTHER HOSPITAL SUPPLIES ETC  
FOR THE YEAR 2018-19**

### **PART TWO (PROCUREMENT SPECIFIC PROVISIONS)**

- ☐ Invitation for Bids (IFB)
- ☐ Bid Data Sheet (BDS)
- ☐ Special Conditions of Contract (SCC)
- ☐ Schedule of Requirements
- ☐ Technical Specifications
- ☐ Sample Forms
- ☐ Eligibility



### **NOTE**

The forms provided in Section VI should be complete d by the Bidder or the Supplier; the footnotes in these forms should remain, since they contain instructions, which the Bidder or the Supplier should follow.

## **Table of Contents - Part Two**

<b>Contents</b>	<b>Page No.</b>
Section I. Invitation for Bids	38
Section II. Bid Data Sheet	40
Section III. Special Conditions of Contract	43
Table of clauses	43
Section IV. Schedule of Requirements	47
Section V. Technical Specifications	63
Section VI. Sample Forms	76
Sample Forms	76
1. Bid Cover sheet Form-1	76
2. Letter of Intention Bid Form 2	78
3. Affidavit Form -3	79
4. Price Schedule Format Form -4	81
5. Integrity Pact	82
6. Rate Contract Agreement	84

**Part Two**  
**Section I. Invitation for Bids**

Notes on the Invitation for Bids

The Invitation for Bids (IFB) has been issued as an advertisement in leading newspapers of general circulation in the Province of Khyber Pakhtunkhwa as well as on the web site of the Health Department ([www.healthkp@gov.pk](mailto:www.healthkp@gov.pk)) by allowing at least fifteen days for NCB for bid preparation and submission.

The Invitation for Bids provides information that enables interested bidders to decide whether to participate. Apart from the essential items listed in the Standard Bidding Documents (SBD), the Invitation for Bids also indicates the important bid evaluation criteria or qualification requirement (for example, a requirement for a minimum level of experience in manufacturing a similar type of goods for which the Invitation for Bids is issued) so that the bidders should give their best and final prices as no negotiations are allowed.

The Invitation for Bids is incorporated into these Standard Bidding Documents (SBDs). The information contained in the Invitation for Bids (IFB) conforms to the bidding documents and in particular to the relevant information in the Bid Data Sheet.

## **Invitation for Bids**

**Directorate General Health Services Khyber  
Pakhtunkhwa, Peshawar Procurement Cell**

### **SELECTION & RATE CONTRACTING FOR MACHINERY & EQUIPMENT, FABRICATION OF AMBULANCES WITH AMBULATORY ITEMS, AIR CONDITIONS, INSTRUMENTS & OTHER HOSPITAL SUPPLIES, ETC FOR THE YEAR 2018-19.**

1. The Procurement Cell, Directorate General Health Services, Khyber Pakhtunkhwa Peshawar invites sealed bids under National Competitive Bidding from Manufacturers & Importers of Machinery, Equipment, Ambulances with Ambulatory items, Instruments, and other Hospital supplies etc. to Select & Rate Contract the same for procurement by various Procuring Entities of Health Department, Government of Khyber Pakhtunkhwa during the financial year 2018-19.
2. Bidding shall be conducted through **Single Stage –Two Envelopes Bidding Procedure** comprising a single package containing two envelopes as per KPPRA Rules-2014. Each envelope shall contain separately Technical and financial bid clearly marked in bold & legible letters. The firms are bound to provide complete information of the bidder along with its postal as well as valid email address and phone number/s on each of the respective envelope.
3. Interested Manufacturers & Importers must obtain Application Form along with complete set of bidding documents from the Procurement cell at the Directorate General Health Services, Khyber Road Peshawar during office hours on any working day till **Thursday, October 25, 2018**, against the non-refundable cash payment of Pak Rupees Two thousand per application form. Original Receipt of the paid amount must be attached to the Technical Bid inside its sealed envelope. The Bidding Documents can also be downloaded from the following official website. [www.healthkp.gov.pk](http://www.healthkp.gov.pk) & [www.dhiskp.gov.pk](http://www.dhiskp.gov.pk).
4. A pre-bid meeting with the interested bidder's category wise on specified dates in bid data sheet in the Conference Room of this Directorate.
5. Interested Bidders must submit sealed bids to the Procurement Cell at the Directorate General Health Services, Khyber Road Peshawar on or before 11:00 AM, **Thursday, October 25, 2018** which will be opened on the same day at 11:30 AM in the presence of those bidders or their representatives, who choose to attend the process. Bid submitted after 11:00 AM shall not be entertained.
6. Financial bid must be accompanied with Bid Security as per details given in bid data sheet and the same shall be in the shape of Pay Order (PO) / Demand Draft (DD) / Call Deposit Receipt (CDR) / Bankers Cheque in the name of the undersigned. Ordinary cheque in the form of bid security will result in bid rejection summarily.
7. Technical bid must be accompanied with a photocopy of the bid security (not showing the amount) and an Affidavit on Judicial Stamp paper to the effect that bid security as per Bid data Sheet is attached in the financial bid, failing which the technical bid will be considered as non-responsive.
8. Bid must be hard bind, computer typed & printed; and the offered bid price must be written both in words & figures. Bid price/ quotations with cutting and over-writing shall not be accepted to the extent of that particular quoted item. An authorized person of the bidder/firm shall sign & stamp all pages of the hard bind bid having numbers on each page. Bids in box file will not be entertained.
9. The technical proposal shall contain all the details in accordance with standard specification of the items/goods mentioned in the Schedule of Requirements (SOR) which must be supported by original catalogue/Brochures. All bidders are also required to submit the relevant detail of technical proposal and required documents in soft copies on Computer USB and official email of procurement Cell in PDF format, duly labeled by a permanent marker with the name of bidder/ firm.
10. Bidders are required to offer the most competitive lowest rate of their items, as negotiations on quoted rates are not allowed under the rules.
11. The undersigned reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Procurement Rules 2014.

Director General Health Services  
Khyber Pakhtunkhwa Peshawar  
Tel No: 091- 9210269  
Fax No: 091- 9210230  
Procurement Cell  
Tel No: 091-9210196  
Email: [pcdgsh@gmail.com](mailto:pcdgsh@gmail.com)

## **Section II. Bid Data Sheet**

### **BID DATA SHEET**

<b>ITB Re f.</b>	<b>Introduction/Description</b>	<b>Detail</b>
<b>ITB 1.1</b>	Name of Procuring Agency of Government Of Khyber Pakhtunkhwa.	Procurement Cell, DGHS Peshawar Health Department Government of Khyber Pakhtunkhwa
<b>ITB 1.1</b>	Loan or credit or Project allocation Number. Loan or credit or Project Allocation amount.	Budget allocated or any other Source through which amount is allocated for Health department for the year 2018-19.
<b>ITB 1.1</b>	Name of Project	Selection & Rate Contracting under Khyber Pakhtunkhwa District Govt. Rules of Business 2015.
ITB 1.1	Name of Contract	S&RCC
ITB 4.1	Name of Procuring agency.	Procurement Cell, DGHS Peshawar Health Department Government of Khyber Pakhtunkhwa
ITB 6.1	Procuring agency's address, telephone, Telex, and facsimile, numbers.	Director General Health Services Khyber Pakhtunkhwa Peshawar Tel No: 091- 9210269 Fax No: 091- 9210230 Procurement Cell Office Tel No: 091-9210196 Email: <a href="mailto:pcdgghs@gmail.com">pcdgghs@gmail.com</a>
ITB 8.1	Language of the bid.	English
<b>Bid Price and Currency</b>		
ITB 11.2	Price quoted shall be:	Pakistan Rupees (Rs.)
ITB 11.5	The price shall be fixed	The quoted prices will be valid till 30th June 2019
<b>Preparation and Submission of Bids</b>		
ITB 13.3 (d)	Qualification requirements.	<ol style="list-style-type: none"> <li>1) Manufacturer/Importer (Authorized agent of manufacturer) for category A, B &amp; C specified in SOR.</li> <li>2) Manufacturer/Importer/Authorized dealer for category D specified in SOR.</li> <li>3) Firm having manufacturing plant of fabrication for Category E specified in SOR</li> </ol>
10	Spare parts required for period of years of Operation	<ol style="list-style-type: none"> <li>1) Three Years free of cost provision of services and spare parts under warranty period.</li> <li>2) Two Years free of cost service after warranty period.</li> <li>3) Ten Years parts availability in market and will provide certificate for the same.</li> </ol>
ITB 15.1	Amount of bid security.	<b>Bid security shall be:</b> <ol style="list-style-type: none"> <li>1. Rs. <b>2.00 (Two) Millions</b> for <b>Category-A.</b></li> <li>2. Rs. <b>1.00 (One) Million</b> for <b>Category-B, C and E</b> each.</li> <li>3. <b>Rs.500, 000/-</b>(Five Hundred Thousand only) for <b>Category-D.</b></li> </ol>
ITB 16.1	Bid validity period.	120 days from the date of opening of bids
ITB 17.1	Number of copies.	One (original bid)
ITB 18.2 (a)	Address for bid submission.	Procurement Cell Directorate General Health Services, Khyber Road, Peshawar
ITB 18.2 (b)	IFB title and number.	SELECTION & RATE CONTRACTING FOR MACHINERY & EQUIPMENT, FABRICATION OF AMBULANCES WITH AMBULATORY ITEMS, AIR CONDITIONS, INSTRUMENTS &

		OTHER HOSPITAL SUPPLIES, ETC FOR THE YEAR 2018-19.
ITB 19.1	Deadline for bid submission.	11:00 AM Sharp. Thursday, October 25, 2018
ITB 19.3	Pre-Bid meeting with the bidders	1) 15th October 2018 for Category A 2) 16th October 2018 for Category B. 3) 17th October 2018 for Category C, D & E. At 10 Am in Conference Room, Directorate General Health Services, Khyber Road, Peshawar
ITB 22.1	Time, Date, and Place for bid opening.	11:30 AM, Thursday, October 25, 2018 Conference Room, Directorate General Health Services, Khyber Road, Peshawar
<b>Bid Evaluation</b>		
ITB 23.1	Clarification of Bids	The Procuring agency may ask the Bidder in writing, only for clarification regarding the received documents in the bid; however no change in the prices or substance of the bid shall be sought, offered, permitted or entertained. This communication shall be with the prior approval of chairman T&E committee.
ITB 25.3	Criteria for bid evaluation	<b>Merit Point Evaluation</b> The items ranked highest in merit points (obtained through and based on technical and financial evaluation) will get unit rate central Contract.
ITB 25.4 (a) ITB 25.4 (b)	One option only Delivery schedule. Relevant parameters in accordance with Option selected.	Not Applicable
Option I Option II Option III	Adjustment expressed as a Percentage, or adjustment expressed in an amount in the currency of bid evaluation, or adjustment expressed in an amount in the currency of bid evaluation.	Not Applicable
ITB 25.4 (c)(ii)	Deviation in payment schedule. Annual interest rate.	Not Applicable
ITB 25.4 (d)	Cost of spare parts.	Not Applicable
ITB 25.4 (e)	Spare parts and after sales service facilities in the Procuring agency's Country.	Not Applicable
ITB 25.4 (f)	Operating and maintenance costs.	Not Applicable
ITB 25.4 (g)	Performance and productivity of Equipment.	Not Applicable
ITB 25.4 (h)	Details on the evaluation method or reference to the Technical Specifications	As in section on Technical Evaluation of bids.
ITB 25.4 alternative	Specify the evaluation factors.	Not Applicable
ITB 28.1	Award Criteria	Section 2 (c)(i)
<b>Contract Award</b>		
ITB 29.1	Percentage for quantity increase or Decrease.	Number of items can be increased and Decreased as per requirement of the PE within permissible limits under the rules.

### **Section III. Special Conditions of Contract**

**Table of Clauses**

S. No.	Contents	Page
1.	DEFINITIONS (GCC CLAUSE 1)	43
2.	COUNTRY OF ORIGIN (GCC CLAUSE 3)	43
3.	PERFORMANCE SECURITY (GCC CLAUSE 7)	43
4.	INSPECTIONS AND TESTS (GCC CLAUSE 8)	45
5.	PACKING (GCC CLAUSE 9)	45
6.	DELIVERY AND DOCUMENTS (GCC CLAUSE 10)	45
7.	WARRANTY (GCC CLAUSE 15)	45
8.	PAYMENT (GCC CLAUSE 16)	45
9.	PRICES (GCC CLAUSE 17)	45
10.	LIQUIDATED DAMAGES (GCC CLAUSE 23)	46
11.	RESOLUTION OF DISPUTES (GCC CLAUSE 28)	46
12.	GOVERNING LANGUAGE (GCC CLAUSE 29)	46
13.	APPLICABLE LAW (GCC CLAUSE 30)	46
14.	NOTICES (GCC CLAUSE 31)	46

## **Special Conditions of Contract**

The following Special Conditions of Contract shall supplement & qualify the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

### **1. Definitions (GCC Clause 1)**

GCC 1.1 (c) The Goods are: Machinery & Equipment, Ambulances with Ambulatory items, Instruments and other Hospital Supplies etc.

GCC 1.1 (g) **The Procuring Agency is:** Procurement Cell, Directorate General Health Services, Health Department, Government of Khyber Pakhtunkhwa, Peshawar; and

**The Purchasing Agency/is /are:** District Health Officers, Medical Superintendents, and other Heads of the Primary, Secondary and / or Tertiary Level Health Care Institutions of the Health Department, Government of Khyber Pakhtunkhwa.

GCC 1.1 (i) The Supplier is: i) Manufacturer and/or Importer registered with relevant sales and income tax authorities and have requisite qualification and eligibility for supply of Goods in the specialized categories of health sector; and

ii) Manufacture of Medical Equipment/ Machinery, Instruments & Medical Devices in Pakistan; and

iii) Importer of Medical Equipment/ Machinery, Instruments & Medical Devices in Pakistan.

iv). Firm having manufacturing plant/unit for fabrication.

### **2. Sample Provision:**

**GCC 1.1 (j)—The Project Site is: Procurement Cell, Directorate General Health Service s, Khyber Road, Peshawar**

When required, the Focal Person of the bidder will be informed on phone or through email to provide samples of the items in sufficient / required quantity for examination / analysis to the Procurement Cell, DGHS or any other place notified by the procurement Cell, at bidder's own risk and cost at the time and date communicated. The samples will be returnable and no payment shall be made to bidder / Focal Person on this account.

### **3. Country of Origin (GCC Clause 3)**

All countries and territories as indicated in Part Two Section.VI of the bidding documents Eligibility for the Provisions of Goods, Works, and Services in Government-Financed Procurement. The bidder shall have to provide the details regarding country of origin, Model, Make, manufacturer, along with details of Manufacturing Units and mode of supply, shipment, and any other associated details of the component items and that of the quoted equipment.

### **4. Performance Security (GCC Clause 7)**

**GCC 7.1**—The amount of performance security, as a percentage of the Contract Price, shall be 10% i.e. (8+2) of the total value of each individual supply order placed to the successful bidder.

However, the Standard bid security of Flat Rate of Rs. (2) Two Million for Category A, and (1) one million for Category B & C , while Bid Security for Category D Rs.500000/- flat rate and Rs.1000000/- for category E. as elaborated in Section-IV, Statement of Requirement, of this document, from the successful bidders as received at the time of bids submission under GCC Clause 15 shall be retained by the Procurement Cell as Bid Security and will be released back to successful bidders after receipt of 10% performance security on each individual supply order placed by the respective procuring entity and will be retained by procuring entity till completion of warranty period.

### **5. Standards (GCC Clause 4):** As mentioned in GCC clause 4.1.



**6. Inspections and Tests (GCC Clause 8 and in accordance with the clauses of contract with the Procuring Agency)**

- i. The Technical Evaluation shall be conducted by the Technical and Evaluation (T&E) Committee to undertake verification of documents submitted by the bidder/s along with the technical bids as well as to conduct the physical inspection of the various samples/relevant premises etc. (Section-V -Technical Specification of the Part II of these SBDs).
- ii. Machinery & Equipment and other items supplied for sample tests shall be examined and tested by a panel of experts of the T&E Committee and / or the S&RCC of the Government for submission of technical report to the relevant forum for the needful.
- iii. Sample tests as well as pre-shipment inspections will also be carried out as and when needed before signing of contract agreement with all the successful bidders for Machinery & Equipment, instruments etc.
- iv. Any other appropriate method may be adopted by the T&E Committee, and / or S&RCC to assess and/or assure the quality of goods being purchased. The Procuring Agency i.e. Procurement Cell reserves the rights to reject the quoted items/equipment at any stage before award of contract in case of any deviation from the standard specs.

**7. Packing (GCC Clause 9)**

In accordance with the GCC Clause 9 as well as provided in the relevant clauses of Contract agreement of DGHS with the Supplier/s (Section-VI of these SBDs –Rate Contract Agreement).

**8. Delivery and Documents (GCC Clause 10)**

Applicable Delivery Mode: Delivered Duty Paid (DDP) as per contract agreement of the Successful with the Procuring Agency

**9. Warranty (GCC Clause 15)**

The Supplier shall provide warranty as per the terms and conditions of the Rate Contract Agreement with Procuring Agency

GCC 15.2—In partial modification of the provisions, the warranty period shall be as per contract terms and conditions. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the Contract. If, for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall, at its discretion, either:

- a. Make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests in accordance with SCC 4,

or

- b. Pay liquidated damages to the Procuring agency with respect to the failure to meet the contractual guarantees. The rate of these liquidated damages shall be higher than the adjustment price used in bid evaluation.

**GCC 15.4 & 15.5**— The period for correction of defects in the free warranty period is three years after installation with free parts and free services, including all incidental charges, and for the next two years for free services only without parts but with all incidental charges related to services provision on the site of installation

**GCC 10 . 3** —Upon shipment, the Supplier shall notify the Procuring agency the full details of the shipment, including Contract number, description of Goods, quantity and usual transport document. The Supplier shall mail the following documents to the Procuring agency:

- i. Copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- ii. Original and two copies of the usual transport document (for example, a negotiable bill of lading, a non-negotiable sea waybill, an inland waterway document, an air waybill, a railway consignment note, a road consignment note, or a multimodal transport document) which the buyer may require to take the goods;
- iii. Copies of the packing list identifying contents of each package;
- iv. Insurance certificate;
- v. Manufacturer's or Supplier's warranty certificate;
- vi. Inspection certificate, issued by the nominated inspection agency, and the Supplier's factory inspection report.
- vii. Certificate of origin; and

viii. Custom clearing documents.

**10. Payment (GCC Clause 16):**

- (i) GCC Clause 16 as well as under the terms and condition in Rate Contract Agreement with the Procuring Agency, the goods supplied under the Contract shall be delivered duty paid (DDP) under which risk is transferred to the buyer after the goods having been delivered; hence insurance coverage is seller's responsibility, for which they may arrange appropriate coverage. Payment shall be made in Pak. Rupees in accordance with the relevant and applicable government rules and regulations
- (ii) Payment shall not be made for partial and incomplete supply of goods.

**11. Prices (GCC Clause 17)**

- i) The bidder shall not quote price of any item/s which is/are higher than the prices quoted by the bidder across the country to any procuring entity of the quoted item/s through public funding.
- ii) In case the bid price is higher on estimated cost, the Procuring agency has the right to reject the bid and scrap the process without any liability.
- iii) In case of single bid after technical evaluation, the procuring agency will carry out the market analysis before issuing a letter of consent to the successful bidder.

**13. Liquidated Damages (GCC Clause 23)**

As in relevant clauses of the Rate Contract Agreement signed by the Supplier with the Procuring Agency.

**14. Disputes Resolution (GCC Clause 28)**

The dispute resolution mechanism to be applied will be pursuant to relevant clauses of Rate Contract Agreement signed by Supplier with the Procuring Agency.  
If at all required, the jurisdiction of Court shall be of Peshawar, Khyber Pakhtunkhwa.

**15. Bid Tie.**

In case of tie in the final score of two bidders, and unless otherwise not in contradiction to any of the terms & conditions and specifications of that item, the rate contracting will be offered to the bidder having higher score in its technical bid and the same will be declared as highest fair bid (successful bidder).

**16. Governing Language (GCC Clause 29)**

The Governing Language shall be: **English**

**17. Applicable Law (GCC Clause 30)**

The Contract shall be interpreted in accordance with the laws of Islamic Republic of Pakistan, which includes the following legislation:

- i. The KPPRA Act 2012
- ii. The KPPRA Rules 2014
- iii. The Contract Laws
- iv. The General Financial Rules of the Govt. of Khyber Pakhtunkhwa and all the Relevant laws, rules and regulations pertaining to budgeting & financial management of public fund
- vi. The Bonded Labor System (Abolition) Act of 1992
- vii. The Factories Act 1934

**18. Notices (GCC Clause 31)**

GCC 31.1—Procuring Agency address for notice purposes: **Director Procurement Cell (PC)**, Directorate General Health Services, Khyber Pakhtunkhwa, Khyber Road, Peshawar.  
Tel: 091-9210196, Fax:091-9210230, Email: pcdghs@gmail.com

Supplier's address for notice purposes: As mentioned in their bidding documents

**19. Duties & Taxes (GCC clause 32)**

The Unit price quoted by the bidder shall be: **inclusive** of all applicable duties and taxes. All prices shall include relevant taxes & duties, where applicable. The benefit of exemption from or reduction in the GST or other taxes shall be passed on to the Procuring Agency.

**20. Legal Documentary Proof**

The bidder must possess valid legal enforceable exclusive authorization from the Foreign/Local Manufacturer; they should have a documentary proof to the effect that they are the original Manufacturer of the required goods.

**21. Ineligibility for Corrupt and Fraudulent Practices**

Bidders should not be under a declaration of ineligibility for corrupt and fraudulent practices issued by any Government (Federal, Provincial), a local body or a public sector organization.

**22. Letter of Authorization**

- (i) The Authorized agent shall have to produce Exclusive letter of embassy attested authorization / Sole Agency Certificate from Manufacturer and in case of Manufacturer, documentary proof to the effect that they are the original Manufacturer of the required goods shall be provided, or joint venture/ consortium/ alliance of the local Sole agents/manufacturers.
- (ii) In case of imported products, the authorization shall be attested from the embassy of Pakistan in the country of manufacturing or embassy of the manufacturing country in Pakistan.
- (iii) Goods Manufacturing Practices (cGMP) certificate must be submitted along with Bid, otherwise bid will be considered non responsive.

**23. Technical Staff and Tools**

The Bidder should have strong engineering background and necessary tools/ testing equipment, trained staff for the goods required after sales services.

**24. Minor Deviation**

The Procuring Agency may waive off any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation (or changes the substance of the bid), provided such waiver does not prejudice or affect the relative ranking of any Bidder.

**25. Deviation from critical Provision**

- i. Deviations from, or objections or reservations to critical provisions shall be deemed to be a material deviation from technical proposals and thus the bid will be declared as Non-responsive.
- ii. Any model supplied other than quoted and approved will be considered as deviation/ forgery and will be rejected straightaway at the cost and risk of the supplier.

**26. Prevailing Rules, Regulation and Policies**

A bid once opened in accordance with the prescribed procedure shall be subject to only those rules, regulations and policies that are in force at the time of issue of notice for invitation of bids.

**27. Alternate Bid**

Different models offered for a single item by the same bidder shall be considered as alternate bid and shall be non-responsive.

**28. After Sale Service**

Certificate from the manufacturer that the after sales services / backup services shall be provided jointly with the local sole agent and in case of change of local agent, they will provide the after sales services themselves or through newly appointed agent for the period mentioned from the date of commissioning.

**29. Testing and Calibration**

The firm must have all kind of testing and calibration equipment, which is required to maintain the products, which they are dealing. The list of all required testing equipment would be provided along with the bid. The available testing equipment must be calibrated.

**30. Manufacturer Official Website**

The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/ redundant and will straight away be rejected.

**31. Inspection the Premises**

The Procuring Agency has the right to inspect the premises of bidder to inspect the setups ensuring proper after sales services, documents mentioned in technical bids and any other relevant details (if required).

**32. Opening of the Financial Proposals**

After technical evaluation is completed, the Procuring Agency shall notify the date, time and location for opening of the financial proposals. Bidders' attendance at the opening of financial proposals is optional.

**33. Incomplete and Conditional Bids**

Incomplete bid shall stand rejected. All items described in the technical proposal must be priced in financial proposal. No conditional bid in term of Technical/Financial bid will be entertained and the bidder will straight away be disqualified

**34. Bidders Influence**

Any effort by a Bidder to influence the Procuring Agency in its decisions on bid evaluation, bid comparison, or Contract Award will result in the rejection of the Bidder's bid and subsequent black listing, if Procuring agency so desires. Canvassing by any Bidder at any stage of the Tender evaluation is strictly prohibited.

**35. Quantity Variation**

The Procuring Agency reserves the right at the time of Contract award to increase or decrease the quantity of goods as per permissible limits under the Rules 2014 originally specified in Schedule of Requirements without any change in unit price or other terms and conditions.

**36). OECD Countries:**

The 33 OECD member countries are:

Australia, Austria, Belgium, Canada, Chile, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Japan, Korea, Luxembourg, Mexico, the Netherlands, New Zealand, Norway, Poland, Portugal, Slovak Republic, Slovenia, Spain, Sweden, Switzerland, Turkey, the United Kingdom, and the United States.

## **Section IV. Schedule of Requirements**

### **Instructions relating to Category A, B, C items:**

- ☐ As detailed elsewhere in this document, Standard Flat Rate of **Rs.2 Million** of bid security for **Category A**, Standard Flat Rate of **Rs. 1 Million** for **Category B & C**, the equipment/items as mentioned in category A,B & C shall be submitted by each bidder on the total quantity of items for which bid is being submitted.
- ☐ Any two of the following three product / item specific valid international certifications shall be mandatory for the items enlisted/included in category-A, whereas in other categories the certificates are given due weightages in the respective evaluation criteria, to qualify for bidding competition:  
US FDA  
JIS-PAL/MHLW  
CE (MDD)
- ☐ It is further clarified that the bid not possessing any two of the above mentioned certificates for category-A shall be dis-qualified for this bidding competition.
- ☐ The mode of provision of bid security shall be in accordance with the modalities as laid down in the relevant KPPRA Rules and these Revised Standard Bidding Documents.
- ☐ In case of imported items, the quoted items should be registered for use in their country of origin, for which the Importers should provide valid authorization Certificate for their quoted products duly attested by the embassy of the country of origin in Pakistan or the embassy of Pakistan in the country of origin of the quoted items.
- ☐ Valid product authorization certificate (attested from the embassy of the country of origin in Pakistan or Pakistani embassy in the country of origin). Non-provision of the embassy attested certificate will lead to disqualification of firm in Category A & B.
- ☐ All ISO certifications shall be valid, accredited and validated by PNAC (Pakistan National Accreditation Council). T&E committee will carry out the verifications before award of contract and in case of any fraudulent practice; legal action will be taken against the bidder concerned.
- ☐ Non-Provision of these mandatory documents shall lead to disqualification of the quoted items
- ☐ The bidding is carried out for Rate Contract and hence the quantity mentioned against each of the following items is an estimated one and may be increased as per requirement / decision of the procuring entity and in this connection no claim shall be entertained.
- ☐ The Procuring Agency, at any stage of the procurement proceedings, having credible reasons for or prima facie evidence of any defect in Supplier's capacities may require the Suppliers to provide information concerning their professional, technical, financial, legal or managerial competence
- ☐ The bidder shall provide the shipment trail of the quoted item from the manufacturing site till final destination.
- ☐ Goods Manufacturing Practices (cGMP) certificate must be submitted along with Bid, otherwise bid shall be considered non responsive.
- ☐ The schedule for supply of goods shall be as under:
  - o Within 90 days from the date of issuance of supply order by the Purchasing Agency for items to be imported.
  - o Within 60 days from the date of issuance of supply order by the Purchasing Agency for items to be locally manufactured.

### **Instructions relating to Category-D & E items:**

- ☐ For all other items enlisted/included in category-D, a standard bid security at a flat rate of Rs. 500,000/-(Five hundred thousand), whereas for that of Category-E, Rs.1000000/-(Ten Hundred Thousand only) shall be required, inter alia, for each bid to be responsive.
- ☐ Two stage inspection shall be carried out by the technical committee for Category-E before award of contract.
- ☐ The fabricator shall be responsible for the installation/ fixing of ambulatory equipment to be purchase separately by Procuring entity.
- ☐ Goods Manufacturing Practices (cGMP) certificate must be submitted along with Bid, otherwise bid shall be considered non responsive.
- ☐ The bidding is carried out for Rate Contract and hence the quantity mentioned against each of the following items is an estimated one and may be increased as per requirement / decision of the procuring entity and in this connection no claim shall be entertained.

### **List of Equipment/Items**

<b>S.No</b>	<b>Nomenclature (Specifications are given at SOR Section IV)</b>	<b>Category</b>
1	Computerized ECT	A
2	EEG 32 Channels	A
3	EMG 4 Channels	A
4	ICU Central Station with Cardiac Monitors for 8/10/12 Beds	A
5	Cardiac Monitor for DHQ level hospital.	A
6	Cardiac Monitor for category C and low level hospitals.	A
7	Anesthesia Machine Having Two Vaporizers with Cardiac Monitor	A
8	Echo Machine	A
9	ICU Ventilator	A
10	ETT	A
11	Bronchoscope full set with all accessories.	A
12	Cystoscope with Light Source complete	A
13	Endoscope Gastro duodenal	A
14	Laparoscope Machine for Gynea/OBS and general	A
15	Naso-pharyngoscope with Suction & Forceps	A
16	Esophagoscopes with instrument set.	A
17	Bronchoscope rigid	A
18	Sinus endoscopy set with proof puncture needles.	A
19	Sigmoido scope with Universal Lighting.	A
20	X-ray plants 500mA AC and battery operated in built or external AVR provided by the manufacturer.	A
21	X-ray plants 300mA AC and battery operated in built or external AVR provided by the manufacturer.	A
22	Mobile X-ray plant 300mA AC & battery operated.	A
23	Ultrasound Machine (general purpose) with multiple probes and thermal printer	A
24	Fluoroscopy Machine	A
25	C- Arm (Image Intensifier)	A
26	B.Scan.	A
27	Auto Refractor with karactometer.	A
28	Operating Microscope.	A
29	Dialysis Machine	A
30	Slit lamp	A
31	Argon Laser	A
32	Dental OPG X Ray	A
33	Air Purification System	A
34	Transport Ventilator for Ambulance	A
35	ENT Examination unit with ENT Examination Chair and Cautery suction.	B
36	Temporary Pace Maker Single Chamber	B
37	Temporary Pace Maker Dual Chamber	B
38	Autoclave Automatic 100 liters.	B
39	Autoclave Automatic 150 liters.	B
40	Autoclave Automatic 200 liters.	B
41	Defibrillator	B
42	ECG Machine 12 channels (for DHQ level hospitals).	B

43	ECG Machine 3 channels (for category C and low level hospitals).	B
44	Infusion Pump.	B
45	Pulse Oximeter.	B
46	Humidifier.	B
47	Electric Ripple Mattress	B
48	24 hour BP monitory machine	B
49	Nebulizer.	B
50	Oxygen Concentrator	B
51	Electric Surgical unit diathermy.	B
52	Emergency Light with single reflector AC/DC or examination light AC/DC.	B
53	Hydraulic Operation Table.	B
54	Portable lamps AC/DC or emergency light AC/DC.	B
55	Resuscitation Trolley.	B
56	ICU Trolley/CPR Trolley	B
57	Shadow less lamp/ceiling type or ceiling OT light for minor OT or ceiling OT light for post-mortem.	B
58	Suction Machine Heavy Duty/Electric Suction Machine.	B
59	Manual ESR System.	B
60	Blood Screening Counter.	B
61	Centrifuge (bench top) for DHQ level hospital.	B
62	Laboratory centrifuge for category C or level hospitals.	B
63	Deionizer.	B
64	Laboratory Incubator.	B
65	Distillation Water Assembly	B
66	PH Meter.	B
67	SS Filtration Assembly.	B
68	Urine Meter.	B
69	Vortex Mixer.	B
70	Binocular Microscope.	B
71	Blood bank Refrigerator.	B
72	Dry Heat Sterilizer/Hot Air Oven.	B
73	Automated Blood Shaker.	B
74	Water Bath.	B
75	Microtome Machine	B
76	Automatic Film Processor	B
77	Pure Tone Audiometer	B
78	Head Light with Cool Illumination.	B
79	Air Drill with Cylinder/Orthopedic Pneumatic Drill with Cylinder.	B
80	Fracture Operation Table with Ortho Traction Attachment.	B
81	Indirect Ophthalmoscope	B
82	Baby Incubator.	B
83	Phototherapy Unit.	B
84	Infant Warmers (Radiant Warmer)	B
85	Baby Suction Machine	B
86	Electric Amalgamator.	B
87	Electric Cautery(dental)	B
88	Dental Unit with chair.	B
89	Dental X-ray unit.	B
90	Mini Autoclave Automatic.	B

91	CTG Machine.	B
92	Sonic Aid Machine/ Fetus Heart Detector	B
93	Gynae Vacuum Suction apparatus/ vacuum extractor with accessories.	B
94	D & C Table/ Delivery Table.	B
95	Glucometer	B
96	Therapeutic Ultrasound	B
97	Cervical And Lumbar Traction Table	B
98	Transcutaneous Electrical Nerve Stimulators (Tens)/Electric Stimulator	B
99	Infra-Red Radiator Large	B
100	Infra-Red Radiator Small	B
101	Paraffin Wax Bath For Foot	B
102	Paraffin Wax Bath For Hand	B
103	Ultra Violet Lamp Small	B
104	Ultra Violet Lamp Large	B
105	Bed side steel stairs	C
106	Bed with side Table and over bed trolley.	C
107	Bed side table.	C
108	Drip stand	C
109	Couch for Ultrasound / Examination couch	C
110	Gynae examination couch	C
111	Instrument trolley.	C
112	Patient Trolley.	C
113	Railing for beds	C
114	Cardiac Bed/ICU Bed Trendlenberg with side support	C
115	Orthopedic Traction Bed	C
116	Dressing Trolley	C
117	Eclampsia Bed	C
118	Revolving steel stool	C
119	Surgeon revolving steel stool	C
120	Folding Screen	C
121	Baby Cots	C
122	Cylinder Trolley 48 CFT	C
123	Cylinder Trolley 240 CFT	C
124	All Surgical instruments and instrument sets	C
125	Wheel Chair	D
126	Adult weighing scale	D
127	OPD chairs S.S	D
128	Baby weighing scale	D
129	BP apparatus with stand	D
130	BP mercury desktop.	D
131	BP Set Wall Mounted	D
132	Ear Syringe	D
133	ENT Diagnostic Set (adult and Paeds)	D
134	Otoscope Rechargeable	D
135	Peak Flow Meter	D
136	Stethoscope	D
137	Stethoscope Nursery	D
138	Ambo bag Paeds	D
139	Ambo bag Adult	D



140	Manual Suction apparatus for ICU	D
141	Baby Resuscitation Apparatus	D
142	Vision testing drum	D
143	Lens Set (Plus 78D)	D
144	Binocular Magnifier	D
145	Ophthalmoscope	D
146	Ophthalmoscope + Retinoscope Rechargeable	D
147	Measuring stand for infant	D
148	Baby Anesthesia Set	D
149	Bain Circuit	D
150	Endo Tracheal Tube	D
151	Face mask all sizes	D
152	Laryngeal Face mask	D
153	Airways all sizes	D
154	Pediatric circuit	D
155	Randall Baker face mask	D
156	Sam Circuit all sizes	D
157	Stylets Adult	D
158	Stylets Paeds	D
159	Oxygen 240 Cft Cylinder	D
160	Oxygen 48 Cft Cylinder	D
161	Nitrous Oxide 240 Cft Cylinder	D
162	Nitrous Oxide 48 Cft Cylinder	D
163	CO2 240 Cft Cylinder	D
164	CO2 48 Cft Cylinder	D
165	Air 240 Cft Cylinder	D
166	Air 48 Cft Cylinder	D
167	Oxygen Cylinder Key	D
168	Oxygen flow Meter	D
169	Oxygen Gauge	D
170	Automatic pipette (Full Set)	D
171	Blood grouping viewing box	D
172	Bone Marrow needles (Adults)	D
173	Bone Marrow needles (Pediatrics)	D
174	Centrifuge Tubes (Glass)	D
175	Centrifuge Tubes (Plastic)	D
176	Containers for sputum	D
177	Containers for Urine	D
178	Cover Slip	D
179	ESR Pipettes	D
180	DLC Counter	D
181	ESR Rack	D
182	ESR stand for five Tube	D
183	FSP Pipette	D
184	Glass pipettes (different sizes)	D
185	Lancets	D
186	Glass Wares	D
187	Glass Slide	D
188	Micropipette Digital Different size	D

189	Pipette assorted sizes	D
190	Pipette stands	D
191	Reagent Bottles	D
192	Sahli Hemoglobin meter	D
193	Test Tube holder	D
194	Test Tube Racks Stainless Steel	D
195	Test Tubes	D
196	Test Tubes Racks wooden	D
197	Tube Sealer	D
198	Wire Loops	D
199	Trephine biopsy needle	D
200	Wooden Boxes	D
201	Haemo cytometer	D
202	Analytical/Electronic Balance	D
203	Jester (1 to 10 ul)	D
204	Jester (10 to 100 ul)	D
205	Jester (100 to 1000 ul)	D
206	Jester Fix 5uL	D
207	Jester Fix 10uL	D
208	Jester Fix 20uL	D
209	Jester Fix 50uL	D
210	Jester Fix 100uL	D
211	Jester Fix 500uL	D
212	Jester Fix 1000 uL	D
213	X-Ray Viewer /X-Ray Viewing Box	D
214	X-Ray Cassette 12 x 15 with Green screen	D
215	X-Ray Cassette 10 x 12 with Green screen.	D
216	X-Ray Cassette 8 x 10 with Green screen.	D
217	Hangers Various Size	D
218	Safe Light for Dark Room	D
219	Lead Apron	D
220	Lead Gloves	D
221	Lead Glass Shield	D
222	Immersion Rod	D
223	Plastic Apron	D
224	Clamps	D
225	Wet Film Stand	D
226	Manual Film Processor	D
227	Tonometer	D
228	Refraction Box	D
229	Plaster Cutting Electric Saw	D
230	Mattress Foam with Raxine Cover	D
231	Blanket	D
232	Bed Sheet	D
233	Pillow with cover	D
234	OT Gown	D
235	OT Caps	D
236	OT Sheet	D
237	OT Shoes	D

238	Table Cover small	D
239	Table Cover large	D
240	AC 1 tones Split unit inverter type	D
241	AC 1 tones Split unit	D
242	AC 1.5 tones split unit inverter type	D
243	AC 1.5 tones split unit	D
244	AC Split 02 Ton split unit inverter type	D
245	AC Split 02 Ton split unit	D
246	Deep Freezer	D
247	Electric Geysers 10 Gallons	D
248	Electric Geysers 15 Gallons	D
249	Gas Geyser 30 Gallon	D
250	Gas Geyser 50 Gallon	D
251	Refrigerator 14Cft	D
252	Refrigerator 12 CFT	D
253	Refrigerator 18 CFT	D
254	Electric Water Cooler 40 Litters with Filter	D
255	Electric Water Cooler 60 Litters with Filter	D
256	Electric Water Cooler 80 Litters with Filter	D
257	Steel Almirah for medicine	D

## Section V. Technical Specifications

**Note: Model, Make and Country origin of manufacturing unit of the main equipment as well that of associated/sub equipment must be mentioned for all categories.**

### **Category: Psychiatry**

01	Computerized ECT	<ul style="list-style-type: none"> <li>• Should have constant current bi-directional square wave brief pulses</li> <li>• Parameter display on LCD as well as on monitor screen</li> <li>• Should be able to deliver ECT from 50-400volts</li> <li>• Should have protection against paddle to paddle short circuit or open circuit conditions.</li> <li>• Should have stimulus current from 500mA to 800mA or better on either side</li> <li>• Frequency: 20-120 Hz or better on either side</li> <li>• Pulse width: 0.5ms-1.5 ms or better</li> <li>• Stimulation duration: 0.1-5.9 sec</li> <li>• Power Range: 0.6 to 205 joules (or better on either side), for 220 ohm patient impedance</li> <li>• Charge: 5 – 1150 milicolumbs (or better on either side), in both manual and timer mode</li> <li>• With optical motion sensor</li> <li>• Should have provision of monitoring EEG, EMG, ECG, stimulus and movement with optical motion sensor for providing assessing seizures efficacy.</li> <li>• With monitoring software to view physiological monitoring of up to 4 traces in real time throughout the treatment.</li> <li>• With the facility to store patient data on the PC hard disk and can be transferred to CD.</li> <li>• With comprehensive database to store the complete information of patient and can be configure according to the user needs.</li> <li>• Output should displays in joules or in millicoulombs.</li> </ul> <p><b><u>Computer Desktop (branded) (Model and Make must be mentioned)</u></b></p> <ul style="list-style-type: none"> <li>• CPU Core i 7 Processor: 3.4 GHz.</li> <li>• Bit Processing: 64 Bits.</li> <li>• RAM: 8GB.</li> <li>• Hard disk 1TB.</li> <li>• DVD writer.</li> <li>• Printer: laser printer.</li> <li>• Monitor size: 19 inch or better.</li> <li>• Key board.</li> <li>• Mouse etc.</li> </ul> <p><b><u>Accessories:</u></b></p> <ul style="list-style-type: none"> <li>• Spring Loaded ECT Head band</li> <li>• EEG, EMG,&amp; ECG Electrodes</li> <li>• Bite Block</li> <li>• OSM Sensor</li> <li>• Earthing Wire</li> <li>• Conductive Gell</li> <li>• Rubber Strap Electrodes</li> <li>• Instruction Manual</li> </ul>	
02	EEG 32 Channels	<ul style="list-style-type: none"> <li>• 32 channels EEG amplifier</li> <li>• Input noise: 3 uv or less</li> <li>• A/D resolution : 16 bit or better</li> <li>• CMRR: 100dB or more</li> <li>• Dynamic range : +/- 200 mv</li> <li>• Sampling rate : 1000 Hz or more</li> <li>• Input impedance: 100M ohm or more</li> <li>• DC coupling.</li> <li>• With high pass and low pass filters</li> </ul> <p><b><u>Computer Desktop (branded) (Model and Make must be mentioned)</u></b></p> <ul style="list-style-type: none"> <li>• CPU Core i 7 Processor: 3.4 GHz.</li> <li>• Bit Processing: 64 Bits.</li> <li>• RAM: 8GB.</li> </ul>	

		<ul style="list-style-type: none"><li>• Graphic card latest technology</li><li>• Hard disk 1TB.</li><li>• DVD writer. Printer: laser printer <b>(Model and Make must be mentioned).</b></li><li>• Genuine Anti Virus</li><li>• LED Monitor: 19 inch or better. <b>(Model and Make must be mentioned).</b></li><li>• Key board.</li><li>• Mouse etc.</li><li>• With associated software</li><li>• With trolley ( <b>from same Manufacturer</b>)</li><li>• <b>With Compatible UPS having at least one hour back up. (Model and Make must be mentioned)</b></li></ul> <p><u><b>Consumable item</b></u></p> <ul style="list-style-type: none"><li>• Two sets of three caps/nets, different sizes</li><li>• Each of the head cap/net must include its own set of electrode</li><li>• Associated consumable such as conduction gel, peeling gel, saline electrolyte etc. should be provided free.</li><li>• One full software license for power full EEG acquisition, review and analysis software must be included.</li></ul>																									
3	EMG 4 Channels	<ul style="list-style-type: none"><li>• A/D conversion resolution: 10 Bits or better</li><li>• Input Impedence: &gt; 1000M OHM</li><li>• Sensitivity: 0.5µV-30mV/Grid or better</li><li>• Earth noise: EMG &lt; 5µV(Vrms)</li><li>• Common-mode rejection ratio (CMRR): &gt;=100dB</li><li>• High Cut Filter-frequency: 20kHz or better</li><li>• Low Cut Filter-frequency: 0.1Hz or better</li><li>• Notch Filter 50Hz/60Hz</li><li>• With Junction Box</li><li>• With Trolley( <b>from same Manufacturer</b>)</li><li>• With Laser Printer <b>(Model and Make must be mentioned)</b></li><li>• <b>With Compatible UPS having at least one hour back up. (Model and Make must be mentioned)</b></li></ul> <p><u><b>Computer Desktop (branded) (Model and Make must be mentioned)</b></u></p> <ul style="list-style-type: none"><li>• CPU Core i 7 Processor: 3.4 GHz.</li><li>• Bit Processing: 64 Bits.</li><li>• RAM: 8GB.</li><li>• Graphic card latest technology</li><li>• Hard disk 1TB.</li><li>• DVD writer.</li><li>• Printer: laser printer.</li><li>• Genuine anti virus</li><li>• LED Monitor: 19 inch or better.</li><li>• Key board.</li><li>• Mouse</li></ul> <p>Accessories:</p> <table><tr><td>1.</td><td>EMG Interface Box</td><td>01</td></tr><tr><td>2.</td><td>28G Concentrate Needles</td><td>25</td></tr><tr><td>3.</td><td>Needle Holder</td><td>01</td></tr><tr><td>4.</td><td>NCS Cable Reusable</td><td>01</td></tr><tr><td>5.</td><td>Ring Electrode</td><td>03</td></tr><tr><td>6.</td><td>Surface Electrode</td><td>50</td></tr><tr><td>7.</td><td>Ground Electrode</td><td>01</td></tr><tr><td>8.</td><td>Foot Switch</td><td>01</td></tr></table>	1.	EMG Interface Box	01	2.	28G Concentrate Needles	25	3.	Needle Holder	01	4.	NCS Cable Reusable	01	5.	Ring Electrode	03	6.	Surface Electrode	50	7.	Ground Electrode	01	8.	Foot Switch	01	
1.	EMG Interface Box	01																									
2.	28G Concentrate Needles	25																									
3.	Needle Holder	01																									
4.	NCS Cable Reusable	01																									
5.	Ring Electrode	03																									
6.	Surface Electrode	50																									
7.	Ground Electrode	01																									
8.	Foot Switch	01																									

**Category: Medical Equipment**

S#	Nomenclature	Specification	Qty
1	ICU Central Station with cardiac monitors for 8/10/12 beds	<p><b><u>CENTRAL MONITOR FOR A MINIMUM FOR 12 BEDSIDE MONITORS</u></b></p> <p>Central Station Monitor for use in intensive and coronary care units</p> <ul style="list-style-type: none"> <li>Unit shall be capable of monitoring a minimum of 8 beds and a maximum of 12 beds.</li> <li>Shall provide a minimum of five 24 hour trends per monitor</li> <li>Shall allow instant alarm bed viewing</li> <li>The bed status shall always be displayed</li> <li>The user shall be able to easily configure the display</li> <li>Shall be capable of producing a shift report</li> <li><u>Shall be supplied with the following:-</u></li> <li>Hub Controller</li> <li>Hub – central Nurse Station interface</li> <li>Cabling</li> <li>Installation Kit</li> <li>8/10/12 Bed Installation Kit (according to the need of institution)</li> <li>Laser Printer Interface, Laser Printer <b><u>(Model and Make must be mentioned)</u></b></li> </ul> <p><b>Central Monitor (Dual) Size <u>(Model and Make must be mentioned)</u>: 32” or better</b></p> <ul style="list-style-type: none"> <li>Software from same manufacturer with all certificates</li> </ul> <p><b><u>Branded CPU (Model and Make must be mentioned):</u></b></p> <ul style="list-style-type: none"> <li>Intel Core i7,</li> <li>Processor 8Mb cache 3.40GHz</li> <li>16GB RAM DDR3</li> <li>1TB internal Hard Disk</li> <li>8GB graphic card</li> <li>DVD R/W</li> <li>With Keyboard and Mouse</li> </ul> <ul style="list-style-type: none"> <li><b><u>All the parameters displayed on the monitors should also be displayed on the central station monitor and will be compatible with each other.</u></b></li> </ul> <p><b><u>Multi Parameter Patient Monitor. (Model and Make must be mentioned)</u></b></p> <ul style="list-style-type: none"> <li><b>(6ch ECG, SpO2, NIBP, IBP, TEMP, Resp., ETCO2)</b></li> <li>Display for easy Viewing 12” or better color TFT/LCD for easy set-up User selective up to 8 traces display.</li> <li><u>Advance for high-end-user</u></li> <li>ECG, SpO2, NIBP, IBP, 2-TEMP, and Respiration</li> <li>EtCO2 (Side stream type with basic accessories)</li> <li>15 or more Arrhythmias analysis</li> <li>S-T segment</li> <li>Pacemaker detection.</li> <li>Save up to 30 Event management</li> <li>(15 sec Arrhythmia ECG wave recall)</li> <li>Fast set-up time</li> <li>VGA signal output to external monitor</li> <li>IBP cable and sensor kit</li> <li>Oximeter available</li> <li>Up to 72 hours of graphic and tabular trend of all parameters,</li> <li><b><u>PERFORMANCE:</u></b></li> </ul> <p><b><u>Heart rate:</u></b> 30 ~ 300 bpm or better on either sides</p> <p><b><u>Respiration</u></b></p> <ul style="list-style-type: none"> <li>Respiration rate: 2~150bpm or better on either side.</li> <li><b><u>SPO2</u></b></li> </ul>	

		<ul style="list-style-type: none"> <li>• Range: 30 ~ 100% or better on either side</li> <li>• Neonate and adult probe.</li> <li>• Temperature range; 0 -50C(32 - 122F)</li> </ul> <p><b>GENERAL:</b></p> <ul style="list-style-type: none"> <li>• <u>Display:</u> 12” or better Color TFT/ LCD or better(with all parameters display)</li> <li>• <u>Alarm</u></li> <li>• Alarm: All parameters on/off selective independently</li> <li>• Power input 220Vac,50Hz</li> <li>• With Battery backup.</li> <li>• Backup time: Minimum 02 hours or better</li> </ul> <p><b>ACCESSORIES:</b></p> <ul style="list-style-type: none"> <li>• · ECG 5 Lead cable with disposable electrodes. 1</li> <li>• · ECG 3Lead Extension cable minimum 3 meters. 1</li> <li>• · Disposable Electrodes Adult, Neonate &amp; Paeds. 10each</li> <li>• · SPO2 Finger sensor with fixed or detachable extension (for adult,Paeds and neonate)</li> <li>• Cable of minimum 3 meter length. 1</li> <li>• NIBP Reusable Neonate, Paeds &amp; Adult Cuff 1</li> <li>• NIBP Hose 1</li> <li>• ·AC power code 1</li> <li>• Ground cable 1</li> <li>• Operation Manual 1</li> <li>• ETCO2 (Side stream) with basic acc. 1</li> <li>• ·IBP Cable 1</li> <li>• Temperature sensor &amp; cable 1</li> </ul> <p><b>Note: Prices of Central Station Monitor and Patient Monitor must be quoted separately.</b></p>	
2	Cardiac Monitor for Higher level Hospital	<p><b><u>Multi Parameter Patient Monitor</u></b></p> <ul style="list-style-type: none"> <li>• <b>(6ch ECG, SpO2, NIBP, IBP, TEMP, Resp.,ETCO2)</b></li> <li>• Display for easy Viewing 12” or better color TFT/LCD for easy set-up User selective upto 8 traces display.</li> <li>• Advance for high-end-user</li> <li>• ECG, SpO2, NIBP, IBP, 2-TEMP, and Respiration</li> <li>• EtCO2 (Side stream type with basic accessories)</li> <li>• 15 or more Arrhythmias analysis</li> <li>• S-Segment</li> <li>• Pacemaker detection</li> <li>• Save up to 30 Event management</li> <li>• (15 sec Arrhythmia ECG wave recall)</li> <li>• Fast set-up time</li> <li>• VGA signal output to external monitor</li> <li>• IBP cable and sensor kit</li> <li>• Oximeter available</li> <li>• Up to 72 hours of graphic and tabular trend of all parameters,</li> <li>• <b>PERFORMANCE:</b></li> <li>• Heart rate: 30 ~ 300 bpm or better on either sides</li> </ul> <p><b>Respiration</b></p> <ul style="list-style-type: none"> <li>• Respiration rate: 2~150bpm or better on either side.</li> <li>• SPO2</li> <li>• Range: 30 ~ 100% or better on either side</li> <li>• Neonate and adult finger probe.</li> <li>• Temperature range; 0 -50C(32 - 122F)</li> <li>• <b>GENERAL:</b></li> <li>• Display: 12” or better Color TFT/ LCD or better(with all parameters display)</li> <li>• Alarm</li> <li>• Alarm: All parameters on/off selective independently</li> <li>• Power input 220Vac,50Hz</li> <li>• With Battery backup.</li> <li>• Backup time: Minimum 02 hours or better</li> </ul> <p><b>ACCESSORIES:</b></p> <ul style="list-style-type: none"> <li>• ECG 5 Lead cable with disposable electrodes. 1</li> </ul>	

		<ul style="list-style-type: none"> <li>• ECG 3 Lead Extension cable minimum 3 meters. 1</li> <li>• Disposable Electrodes Adult, Neonate &amp; Paeds. 10each</li> <li>• SPO2 Finger sensor with fixed or detachable extension (for adult, Paeds and neonate)</li> <li>• Cable of minimum 3 meter length. 1</li> <li>• NIBP Reusable Neonate, Paeds &amp; Adult Cuff 1</li> <li>• NIBP Hose 1</li> <li>• AC power code 1</li> <li>• Ground cable 1</li> <li>• Operation Manual 1</li> <li>• ETCO2 (Side stream) with basic acc. 1</li> <li>• IBP Cable 1</li> <li>• Temperature sensor &amp; cable 1</li> </ul>	
3	Cardiac Monitor for Category C & low level Hospitals	<p><b><u>Multi Parameter Patient Monitor</u></b></p> <ul style="list-style-type: none"> <li>• <b>(6ch ECG, SpO2, NIBP, TEMP, Resp.)</b></li> <li>• Display for easy Viewing 12" or better color TFT/LCD for easy set-up User selective up to 6 traces display.</li> </ul> <p><b><u>Advance for high-end-user</u></b></p> <ul style="list-style-type: none"> <li>• ECG, SpO2, NIBP, 2-TEMP, and Respiration</li> <li>• 15 or more Arrhythmias analysis</li> <li>• S-T segment</li> <li>• Pace maker detection</li> <li>• Save up to 30 Event management</li> <li>• (15 sec Arrhythmia ECG wave recall)</li> <li>• Fast set-up time</li> <li>• VGA signal output to external monitor</li> <li>• Oximeter available</li> <li>• Up to 72 hours of graphic and tabular trend of all parameters,</li> </ul> <p><b><u>PERFORMANCE:</u></b></p> <ul style="list-style-type: none"> <li>• <b>Heart rate:</b> 30 ~ 300 bpm or better on either sides</li> </ul> <p><b><u>Respiration</u></b></p> <ul style="list-style-type: none"> <li>• Respiration rate: 2~150bpm or better on either side.</li> <li>• <b><u>SPO2</u></b></li> <li>• Range: 30 ~ 100% or better on either side</li> <li>• Neonate and adult probe.</li> <li>• Temperature range; 0 -50C(32 - 122F)</li> </ul> <p><b><u>GENERAL:</u></b></p> <ul style="list-style-type: none"> <li>• Display: 12" or better Color TFT/ LCD or better (with all parameters display)</li> <li>• Alarm: All parameters on/off selective independently</li> <li>• Power input 220Vac, 50Hz</li> <li>• With Battery backup.</li> <li>• Backup time: Minimum 02 hours or better</li> </ul> <p><b><u>ACCESSORIES:</u></b></p> <ul style="list-style-type: none"> <li>• ECG 5 Lead cable with disposable electrodes. 1</li> <li>• ECG 3 Lead Extension cable minimum 3 meters. 1</li> <li>• Disposable Electrodes Adult, Neonate &amp; Paeds. 10each</li> <li>• SPO2 Finger sensor with fixed or detachable extension (for adult, Paeds and neonate)</li> <li>• Cable of minimum 3 meter length. 1</li> <li>• NIBP Reusable Neonate, Paeds &amp; Adult Cuff 1</li> <li>• NIBP Hose 1</li> <li>• AC power code 1</li> <li>• Ground cable 1</li> <li>• Operation Manual 1</li> <li>• Temperature sensor &amp; cable 1</li> </ul>	



4	Echo Machine	<ul style="list-style-type: none"> <li>• Digital Echocardiography Machine</li> <li>• Fully Digital Beam Former Having 128 Physical Channels and 100,000 Or More Processing Channels With Integrated Data Management System Having 250GB Hard Disk Drive for Still and Cine Clips Storage.</li> <li>• <u>Modes</u></li> <li>• 2D/M-Mode, Doppler, Pw, Cw &amp; Hprf Doppler, Color Flow Imaging</li> <li>• <u>System Capability</u> 2.5 – 14 MHz or More, M-Mode, Tissue Harmonic Imaging, Tissue Doppler Imaging With Pulse Wave TDI Doppler Spectrum.</li> <li>• <u>Viewing Depth</u>: 30cms or better.</li> <li>• <u>Frame Rate</u>: 1000 or better.</li> <li>• <u>Built-In Cine Loop</u>: 2000 Frames/256 MB or better.</li> <li>• <u>Real Time Freeze &amp; Image Magnification Ability better than</u> 4x Pre &amp; Post Processing</li> <li>• Sweep Speed: Slow, Medium, Fast</li> <li>• Touch Command Screen for easy Operation of the System.</li> <li>• System Dynamic Range :30 to 212db or better</li> </ul> <p><u>Doppler Mode Specifications:</u></p> <ul style="list-style-type: none"> <li>• <u>Pulse Repetition Frequency Range;</u> PWD: 0.5 To 10Khz CWD: 1.6 To 50Khz</li> <li>• Highest Velocity Range; 130cm Or More</li> <li>• Lowest Detectable Velocity Range; 3.2 cm for better For Sector Probe and 0.5 for Linear Probe or better</li> <li>• <u>Maximum Detectable Velocity Range;</u> PWD= 20cm or better CWD= 21cm or better</li> <li>• Doppler Beam Steering</li> <li>• On Line 3-Ports for Trans-thoracic Probes.</li> <li>• Doppler Beam Steering and Bi-Directional Stereo Audio.</li> <li>• Color Doppler</li> <li>• Both CW &amp; PW Doppler Must Be Continuously Steerable In Color Blood Flow Imaging Mode in Real Time Colorized <u>Spectrum Display</u>.</li> <li>• Tissue Harmonic Imaging With Two Frequencies</li> <li>• 2D Image With Color Flow</li> <li>• Power Doppler</li> <li>• Auto Image Optimization/Quick Scan for Single Button Optimization Of All Scanning Parameters Including STC</li> <li>• Overall Gain And Doppler Spectrum. Compound Scanning Using Frequency As Well As Spatial Compounding.</li> <li>• Trapezoid Imaging for Linear Probes.</li> </ul> <p><u>Measurement Package:</u></p> <ul style="list-style-type: none"> <li>• To Provide Comprehensive Software Package For Measurement Of Distance Circumference, Area, Time, Depth etc. And Separate Software For, Cardiovascular Including Venous Doppler Study, IMT (Intima Medial Thickness)</li> </ul> <p><u>System Complete With Following Facilities and Accessories:</u></p> <ul style="list-style-type: none"> <li>• Medical grad 18-Inches or better Color Monitor.</li> <li>• ECG Including Cables and Transducers/Electrodes.</li> </ul> <p><u>Standard Probes</u></p> <ul style="list-style-type: none"> <li>• 2-4MHz or More Multi-frequency Sector Probe For Adult. <b><u>(Model and Make must be mentioned)</u></b></li> <li>• 5.0 MHz Sector Probe for Paeds. <b><u>(Model and Make must be mentioned)</u></b></li> </ul> <p><u>STD Recording Devices</u></p> <ul style="list-style-type: none"> <li>• Built-In CD/DVD Recorder For Digital Image Storage</li> <li>• Built-In / Separate Compatible Imported Ups (Minimum Backup Time &gt; 10Minutes)</li> <li>• B/W Thermal Printer. (Model/make must be mentioned)</li> <li>• <b><u>Optional: T. Probe (Trans Esophageal probe) for adults and child/paeds. (Model and Make must be mentioned)</u></b></li> <li>• Frequency range: 2.3 - 7.2 MHz</li> </ul>	
5	Defibrillator	<ul style="list-style-type: none"> <li>• Semi-automatic maximum 270 joules biphasic defibrillator with monitor and AED mode.</li> <li>• Synchronized output with ECG.</li> <li>• Control of energy charging/ delivering on main panel &amp; apex paddle.</li> <li>• Charging Indicators.</li> </ul>	

		<ul style="list-style-type: none"> <li>• The energy range should be adjustable for Paeds and adults up to 270Joules.</li> <li>• Charging Time for full energy will be less than 10sec.</li> <li>• Screen Size of approx.5 inch or better colored.</li> <li>• Display of HR, ECG through paddles and Lead I.II &amp;III patient cable.</li> <li>• Built in recorder for printing of full summery on standard paper.</li> <li>• Alarms for High and low Heart rate, low battery warning.</li> <li>• AC 220V / 50 Hz operated.</li> <li>• Built-in Rechargeable battery with charger for at least 50 shocks at max. Energy.</li> <li>• Auto tester/self-check.</li> <li>• External pediatric and adults Paddles, ECG cable with reusable electrodes for adult &amp; Paeds.</li> <li>• AED facility.</li> </ul>	
6	ECG Machine 12 channels (for DHQ level Hospitals)	<ul style="list-style-type: none"> <li>• Simultaneous acquisition of 12 channels, and 5” or more LCD display.</li> <li>• Inbuilt thermal recorder for printing out 12 channels simultaneously.</li> <li>• ECG Interpretation Software with 200 or better findings for complete ECG Analysis reports with measurement data table should be provided.</li> <li>• Must be able to indicate at least four critical values that require immediate clinical attention.</li> <li>• AC as well battery operated.</li> <li>• Complete with Patient Cable,</li> <li>• Reusable Electrodes Set,</li> <li>• ECG Rolls 20 Nos,</li> <li>• Gel 5 litres and Standard Accessories with each unit.</li> </ul>	
7	ECG Machine 3 channels (for Category C or lower level Hospitals)	<ul style="list-style-type: none"> <li>• 03 channels ECG Machine</li> <li>• Should be portable and lightweight.</li> <li>• Voltage 220 volts, 50hz</li> <li>• Display 5” or more</li> <li>• Simultaneous 12 leads acquisition...</li> <li>• Must have continuous display of patient heart</li> <li>• Must have integrated pediatric analysis.</li> <li>• Up to 600 interpretive statements</li> <li>• Must be able to indicate at least four critical values that require immediate clinical attention.</li> <li>• <u>Printer</u>: High Resolution and in built thermal array printer.</li> <li>• Battery Capacity: Must be 4 hours without printing.</li> <li>• Complete with Patient Cable.</li> <li>• Reusable Electrodes Set.</li> <li>• ECG Rolls 20 Nos.</li> <li>• Gel 5 liters and Standard Accessories with each unit.</li> </ul>	
8	Infusion pump	<ul style="list-style-type: none"> <li>• With electrically operated pump.</li> <li>• Power requirements: 220v; 50Hz</li> <li>• Infusion rates 1 to 999ml/hr.</li> <li>• Volume accuracy over range of infusion rates.</li> <li>• Volume infusion switch.</li> <li>• Facility with reduction to keep vein open.</li> <li>• Volume infused display.</li> <li>• Full alarm system.</li> <li>• Air in line detection.</li> <li>• Occlusion detection capability.</li> <li>• Vertical stand mobile type</li> <li>• Built in battery backup: 1 hour or better</li> <li>• With all accessories.</li> </ul>	
9	Pulse Oximeter	<ul style="list-style-type: none"> <li>• Sensors: Finger clip with probe for neonatal , Paeds &amp; adult</li> <li>• All sensors pre calibrated and interchangeable</li> <li>• Range: O2 saturation 45 -100%</li> <li>• Pulse rate 20 - 300bpm</li> <li>• Display: Pulse waveform, SPO2 short trend and pulse rate and O2 Saturation</li> <li>• Resolution: O2 saturation1%</li> <li>• Accuracy: O2 saturation 80-100% ±2%</li> </ul>	

		<ul style="list-style-type: none"> <li>Pulse rate <math>\pm 1\%</math> <math>\pm 1</math>digit</li> <li>220V/50Hz</li> <li>Battery backup: 1 hour or better</li> </ul>	
10	ICU Ventilator	<p>Ventilator, electrically operated microprocessor controlled, time cycles, volume, pressure limited, suitable for adult/Paeds/Neonate use.</p> <ul style="list-style-type: none"> <li>Tidal Volume: 2 ~ 1500ml or better on either side.</li> <li>Frequency: 4 ~ 150b/min or better on either side.</li> <li>Inspiratory relief pressure with audible alarm: 20 ~ 80cm H<sub>2</sub>O</li> <li>Patient Circuit: Autoclavable/ dis infectible (adult, Paeds &amp; Neonate)</li> <li>Tube supplied with rail &amp; pole clamp</li> <li>Patient circuit hose</li> <li>Expiration pressure in dilator.</li> <li>Probe gas inlet.</li> <li>O<sub>2</sub> and Air input hoses</li> <li><u>Monitoring</u> of FiO<sub>2</sub>/IV/Exp. Minute volume,RR, Pressure Ratio, PIP, PEEP, BiPAP, APRV, and BPRV, bi-level ventilation, VTPC</li> <li>PEEP: 0 ~ 30cmH<sub>2</sub>O</li> <li><input type="checkbox"/> FiO<sub>2</sub> 21 ~100%</li> <li>Pressure support mode</li> <li>One Hour or more Built-in Battery Backup</li> <li>TFT / LCD Monitor Size: 14" or more</li> <li>Loops and waveform display.</li> <li>Should operate on O<sub>2</sub> &amp; Air</li> <li>Alarms for Gas failure, RR, Pressure, Apnea, Volume, Low Battery</li> <li>With inbuilt HMES Filter</li> <li>With built in compressor from same manufacturer</li> </ul>	
11	Humidifier	<ul style="list-style-type: none"> <li>Adjustable exit steam Moisture sensors for adjusting required moisture.</li> <li>Transparent water container. Easy to clean thermo steam maker parts.</li> <li>Applicable to create desirable atmosphere for children.</li> <li>Built-in circuit breaker to be operated in time of dry up.</li> <li>Must have cool body all through the operation.</li> <li>Should have thermo steamer element with Teflon resistant coating.</li> <li>Easy cleaning.</li> </ul>	
12	Electric Ripple mattress	<ul style="list-style-type: none"> <li>Alternating pressure mattress with support area of 1720mmX 860mm or more.</li> <li>To contain 14 or more air cells with variable geometric section.</li> <li>The material to contain an anti-bacterial agent.</li> <li>To have a reinforced base sheet membrane with removable cells and protective cover.</li> <li>Within built compression pumps having equalizing device to prevent over inflation.</li> <li>Cycle time to be 10 minutes.</li> <li>To have a low-pressure indicator.</li> <li>To be supplied with a case having handles for easy storage.</li> <li>With five spare cells.</li> </ul>	
13	24 Hour BP Monitoring machine	<ul style="list-style-type: none"> <li>The system should have               <ol style="list-style-type: none"> <li>Solid State light weight</li> <li>02 No's Digital Recorders.</li> <li>Two Cuffs</li> <li>Artifact subtraction</li> <li>With USB port.</li> </ol> </li> <li>Analyzer with Auto analysis Facility</li> <li>Complete with software</li> <li>Compatible with PC to get analysis on printer.</li> </ul> <p><b><u>Branded CPU and Monitor (Model and Make must be mentioned):</u></b></p> <ul style="list-style-type: none"> <li>Intel Core i7,</li> <li>Processor 8Mb cache 3.40GHz</li> <li>16GB RAM DDR3</li> </ul>	

		<ul style="list-style-type: none"> <li>• 1TB internal Hard Disk</li> <li>• 8GB graphic card</li> <li>• DVD R/W</li> <li>• With Keyboard and Mouse</li> <li>• LCD Monitor Size: 17 Inch or more</li> </ul>	
14	Nebulizer	<ul style="list-style-type: none"> <li>• Aerosol with piston Electro compressor.</li> <li>• Nebulizing rate: 0.35 ml/minute or better</li> <li>• Compressor Pressure 40 psi or better.</li> <li>• Compressor air flow: 10lit/min or more.</li> <li>• Noise Level: 60db or less.</li> <li>• Granule-metric size of medication: 1-10 microns by means of multi PIPSER Component.</li> </ul>	
15	ICU Trolley/ CPR Trolley	<ul style="list-style-type: none"> <li>• Emergency Crash Cart, unit to be supplied completely equipped:</li> <li>• With stainless steel top, 600 x 400mm or better.</li> <li>• 25mm or better dished. Lift -up laminated work flap Approx. 300mm x 450mms or better.</li> <li>• Three or more drawers with Lower cup board with central locking/ securing all drawers and cupboard.</li> <li>• Double hook Stainless steel I.V Pole.</li> <li>• Double push handle.</li> <li>• Low level plastic bumper bar.</li> <li>• Quality castors 04 No's (2 with braking)</li> <li>• 2x stainless steel cylinder holders for D or E size cylinders.</li> <li>• With Cardiac board 600 x 400 x 55mm or better. With stainless steel housing brackets at rear of trolley.</li> <li>• Universal rail system fitted on top of trolley.</li> <li>• Aneroid sphygmomanometer with adult and Paeds Velcro cuffs.</li> <li>• Rail clamp Venturi suction unit with 02 litters jar and Suction tube.</li> <li>• Connecting tubing for 0- 15 rpm O2 flow meter fitted to O2 venturi outlet Pin Index.</li> <li>• Regulator with outlet for connection to remote venturi hose and O2 outlet.</li> <li>• <u>Intubation set comprising of: -</u> <ol style="list-style-type: none"> <li>1. Macintosh Laryngoscope with 3 blades.</li> <li>2. Magill introducing forceps.</li> <li>3. Adult resuscitator-set Reusable and Autoclavable comprising of: <ul style="list-style-type: none"> <li>• Silicon Resuscitation Bag with adult face mask sizes 3, 4, 5 &amp; Airway size 3, 4, 5 with E2 valve and fully autoclavable.</li> <li>• Reservoir Bag volume 2Liter or more.</li> <li>• Oxygen Reservoir Volume approximately 2500 ml for adult.</li> <li>• Tidal maximum volume: approximately 1000ml for adult.</li> <li>• Resuscitation bag to be manually operable and able to be connected to an oxygen source up to 100% for ventilation through a mask or an endotracheal tube.</li> <li>• To be able to connect to an oxygen source up to 100%. Unit to be supplied with a carrying case.</li> </ul> </li> <li>• Endo tracheal tubes Set 12 No's Different Sizes</li> </ol> </li> <li>4. Pen torch-artery forceps 02 No's.</li> <li>5. Dressing scissors 02 No's.</li> <li>6. Examination light to rail clamp.</li> </ul>	
16	Oxygen Concentrator	<ul style="list-style-type: none"> <li>• Micro Processor controlled.</li> <li>• Oxygen Flow Range: 0 to 5 liter per Minute</li> <li>• Noise level (&lt;45dbA).</li> <li>• With filter.</li> <li>• With OPI (oxygen purity indicator) &amp; Alarm at very low oxygen level.</li> <li>• Audio visual alarm for: <ul style="list-style-type: none"> <li>• Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure.</li> </ul> </li> <li>• Oxygen Percentage level:</li> </ul>	

		<ul style="list-style-type: none"> <li>• 1-3 Ltr per Minute 93%±3%</li> <li>• 4 Ltr per Minute 95%±3%</li> <li>• 5 Ltr per Minute 95%±3%</li> <li>• With Humidifier</li> <li>• With Reusable mask Sizes: 0,1,2,3,4,5</li> <li>• With Connecting Pipe</li> <li>• Mobile on 04 Castors</li> </ul>	
17	ETT Machine	<p><b><u>Specification</u></b></p> <ul style="list-style-type: none"> <li>• PC based computerized stress test machine with window based software</li> <li>• 12-Channel Stress Test with recording, presentation and Evaluation of ECG.</li> <li>• Manual and automatic event memory</li> <li>• ST-Trend and ST-Level display of all 12 channels.</li> <li>• Display of blood pressure, heart rate and arrhythmia.</li> <li>• QRS-Complex show in a superimposed mode.</li> <li>• Review function at any time during exercise</li> <li>• Standard or individual protocols.</li> <li>• Automatic control of treadmills in speed and elevation in load</li> </ul> <p><b><u>QRS-Analysis:</u></b></p> <ul style="list-style-type: none"> <li>• Analysis of the stress Test with control of histograms.</li> <li>• ST level and Trend histograms of all leads.</li> <li>• Display of QRS complex</li> <li>• Manual ECG with time cursor.</li> <li>• With built-in calipers for measurement control</li> <li>• ECG analysis during exercise</li> </ul> <p><b><u>Resting software:</u></b></p> <ul style="list-style-type: none"> <li>• Resting ECG software 12 Leads simultaneous</li> <li>• Data management software</li> <li>• Rhythm recording in resting mode</li> <li>• QT desperation software</li> <li>• Interpretation</li> </ul> <p><b><u>Treadmill( Medical Grade) (Model and Make must be mentioned)</u></b></p> <ul style="list-style-type: none"> <li>• Heavy duty whispers quiet even at high speed</li> <li>• Speed :0 – 16.0 km/h or better</li> <li>• Speed tolerance:&lt; 5 %</li> <li>• Elevation: 0 ° to 22 °</li> <li>• AC 220V / 50Hz</li> <li>• Patient weight :170 kg, or better</li> <li>• Emergency stop button</li> <li>• Side and front rail,</li> </ul> <p><b><u>computer system (Model and Make must be mentioned):</u></b></p> <ul style="list-style-type: none"> <li>• Branded computer system compatible with Unit.</li> <li>• 19 inch TFT monitor with resolution of 1024x1024.</li> <li>• Alphanumeric key board and mouse.</li> </ul> <p><b><u>CPU (Model and Make must be mentioned)</u></b></p> <ul style="list-style-type: none"> <li>• <u>Intel Core i7,</u></li> <li>• <u>Processor 8Mb cache 3.40GHz</u></li> <li>• <u>16GB RAM DDR3</u></li> <li>• <u>1TB internal Hard Disk</u></li> <li>• <u>8GB graphic card</u></li> <li>• <u>DVD R/W</u></li> <li>• <u>With Mouse and Keyboard</u></li> </ul> <p><b><u>COMPONENTS:</u></b></p> <ul style="list-style-type: none"> <li>• ECG Amplifier <b><u>(Model and Make must be mentioned)</u></b></li> <li>• Patient cable</li> <li>• Laser printer <b><u>(Model and Make must be mentioned)</u></b></li> </ul>	

		<ul style="list-style-type: none"> <li>• UPS for at least 30 minutes for computer system <b><u>(Model and Make must be mentioned)</u></b></li> </ul>	
18	Dailysis Machine	<ul style="list-style-type: none"> <li>• Color TFT Monitor 10 or above</li> <li>• Computerized programmable with graphic screen</li> <li>• Electronic control of flow rate and blood flow.</li> <li>• Both Bicarbonate and Acetate mode of dialysis application</li> <li>• Automatic control for various set bicarbonate proportions.</li> <li>• Variable Sodium control concentration system.</li> <li>• With Sodium Ultra filtration Profiles</li> <li>• Variables temperature control</li> <li>• Programmable Ultra filtration control system.</li> <li>• Ultra filtration with diffusion</li> <li>• With Ultra filtration rate control – fully adjustable / controllable and visible on the screen</li> <li>• Balance Ultra filtration control system.</li> <li>• Anticoagulant Management System with bolus option intact program system.</li> <li>• Automatic priming system with full display system</li> <li>• Automatic clean and rinsing mechanism.</li> <li>• Display for services diagnostic and rinsing mechanism</li> <li>• With automatic thermal disinfection mechanism (up to or 80°C or above)</li> <li>• Blood pump with variable blood flow rate which should be highlighted on the machine</li> <li>• With automatic heparin pump 0 to 10cc per hour or better on upper side.</li> <li>• Adjustable and selected Dialysate flow rate (300-700ml per min or better on either side)</li> <li>• With adjustable temperature control system up to 39°C</li> <li>• With venous pressure monitor “-52 to 400mm Hg or better on either side.</li> <li>• With Arterial pressure monitor “-300mm Hg to +400mm Hg or better on either side</li> <li>• With Air bubble detector and Alarm system.</li> <li>• Blood leak Detector of infrared / photoelectric type</li> <li>• With conductivity control system-both for Acetate and bicarbonate solution</li> <li>• Blood pump capability for both adult and paed.</li> <li>• Real time graphical / display for dialysis treatment /Does delivery (KT/V)</li> <li>• With Endotoxin Filter</li> <li>• With battery backup service : 30 minutes or better</li> <li>• With inbuilt integrated BPM system</li> <li>• RO Water Purification System to operate 06-8 Dialysis Machines Direct feed to Dialysis Machines, with imported parts locally manufactured <b>(Model and make must be mentioned)</b>. Manual Operation in Case Electrical Control Panel Failure.</li> </ul>	
19	Temporary Pacemaker (Single Chamber)	<ul style="list-style-type: none"> <li>• Modes: VVI, VOO, AAI, AOO,</li> <li>• Pacing Rate: 30 – 200 ppm or more</li> <li>• Atrial Pacing Rate: 70 – 1000 ppm or more</li> <li>• Pulse Duration: 1ms or more</li> <li>• Sensitivity: 0.4 – 10mV or more</li> <li>• Should have pacing pause mode</li> <li>• Should have low battery indicator</li> <li>• Batteries should provide minimum 10 days continuous operation</li> <li>• Should be supplied with five sets of batteries.</li> </ul>	
20	Temporary Pacemaker (Dual Chamber)	<ul style="list-style-type: none"> <li>• Modes: VVI, DOO, VOO, AAI, DDI, DDD, AOO, VDD</li> <li>• Pacing Rate: 30 – 200 ppm or more</li> <li>• Atrial Pacing Rate: 70 – 1200 ppm or more</li> <li>• Pulse Duration: 1ms or more</li> <li>• Sensitivity: <ul style="list-style-type: none"> <li>Atrial: .4 – 10mV or more</li> <li>Ventricular: 1 – 20mV or more</li> </ul> </li> <li>• Should have pacing pause mode</li> <li>• Should have low battery indicator</li> <li>• Batteries should provide minimum 7 days continuous operation</li> <li>• Should be supplied with five sets of batteries.</li> </ul>	
9	Transport Ventilator for Ambulance:	<p>Transport Ventilator for Ambulance:</p> <ul style="list-style-type: none"> <li>• Unit to be used for adult, child and infant ventilation during Cardiopulmonary resuscitation and for ventilation during transpiration when necessary.</li> <li>• To have frequency control 4 to 100 bpm,</li> <li>• Tidal volume control 20-2000ml</li> <li>• Inflation pressure monitor 0 to 100 cm H2O.</li> </ul>	

		<ul style="list-style-type: none"> <li>• Air mix control 21 to 100%.</li> <li>• Adjustable relief pressure with audible alarm 20 to 80 cm H<sub>2</sub>O.</li> <li>• PEEP facility 0 to 20 cmH<sub>2</sub>O or better.</li> <li>• Patient circuit 1.25m long, 15mm single bore silicone hose autoclavable.</li> <li>• With build in compressor/ turbine/ battery Backup.</li> <li>• Input Voltage: 220V, 50 Hz AC /12V DC ,</li> <li>• Test Lung Adult/Paeds.</li> <li>• With turbine (Built-in)</li> </ul>	
--	--	---	--

**Category: Medical Items**  
**Selection will be subject to Sample**

S#	Nomenclature	Specifications	Qty
1	Adult Weighing Scale	<ul style="list-style-type: none"> <li>• Scale to have low level platform finished with non-slip cover, measuring Dail to be fitted at waist height steel yard arm.</li> <li>• Capacity: -0 kg -200kg or better.</li> <li>• Fitted with imperial and metric height measuring rod.</li> </ul>	
2	Baby Weighing Scale	<ul style="list-style-type: none"> <li>• Scales to be highly accurate and stable.</li> <li>• Touch controls with splash proof key board.</li> <li>• Removable baby weighing pan.</li> <li>• Automatic hold, slow and tare controls.</li> <li>• Capacity: 0 kg to 30kg or better.</li> </ul>	
3	BP Apparatus with Stand	<ul style="list-style-type: none"> <li>• Constructed from shatter resistant materials fully protected plastic manometer tube with clear reading scale, range 0 to 300 mm Hg.</li> <li>• Integral mercury reservoir.</li> <li>• Spring coil tube with bulb. (Pump).</li> <li>• Pediatric and adult cloth cuff with Velcro fastening cuff holder.</li> <li>• Unit mounted on stable 4 to 5 castor mild steel base.</li> </ul>	
4	BP Set Mercury Desk Top	<ul style="list-style-type: none"> <li>• Sphygmomanometer in lightweight case.</li> <li>• Recessed plastic manometer tube range 0-300mm Hg with shatter proof reservoir.</li> <li>• Velcro fastening cuff for adult and Paeds.</li> <li>• Provision for storage for bulb, valve tubing and cuffs.</li> </ul>	
5	BP Set Wall Mounted	<p><u>Sphygmomanometer Mercurial Wall Mounted</u></p> <ul style="list-style-type: none"> <li>• Sphygmomanometer constructed from shatter proof materials</li> <li>• Fully protected plastic manometer with clear reading scale, range 0-300mmHg to be mounted on wall.</li> <li>• Integral mercury reservoir, spring coil tube, bulb, valve, Velcro fastening cuff adult &amp; Pediatric.</li> </ul>	
6	Ear Syringe	<ul style="list-style-type: none"> <li>• Ear Syringe for cleaning of ear</li> <li>• Stainless steel made</li> <li>• Capacity: 10 ml or more.</li> </ul>	
7	ENT Diagnostic Set (Adult & Paeds)	<ul style="list-style-type: none"> <li>• Adult &amp; Paeds Diagnostic set comprising with 3 standard specula.</li> <li>• With ophthalmoscope head.</li> <li>• Battery Handle with chargeable batteries</li> <li>• Nasal speculum,</li> <li>• Laryngeal stem to take tongue depressor,</li> <li>• Laryngeal or post nasal mirror</li> <li>• Antrum sheath.</li> <li>• Large handle and two spare lamps.</li> <li>• All to be supplied complete in plastic covered case.</li> </ul>	

8	Glucometer	<ul style="list-style-type: none"> <li>• Glucose monitor, battery operated, hand held, complete with case,</li> <li>• Lancet holder with lancets and glucose monitoring strips.</li> <li>• The supplier to ensure the availability of strips.</li> <li>• To be supplied with 200 strips.</li> </ul>	
9	Otoscope Rechargeable	<ul style="list-style-type: none"> <li>• Diagnostic Set</li> <li>• Battery Handle with chargeable batteries</li> <li>• Charging holder with the transformer</li> <li>• Otoscope head with halogen bulb</li> <li>• One each reusable ear speculum sizes: 2, 3, 4 and 5mm</li> <li>• Five each disposable ear specula 2.5 and 4.0mm</li> <li>• One magnifying glass for operation</li> <li>• With spare bulb</li> </ul>	
10	Peak Flow Meter	<ul style="list-style-type: none"> <li>• Performance Date</li> <li>• Accuracy: <math>\pm 10\%</math> or 20 L/min whichever is greater.</li> <li>• Repeatability: <math>&lt; 5\%</math> or 10 L/min whichever is greater.</li> <li>• Inter device Variability: <math>&lt; 10\%</math> or 20 L/min whichever is greater.</li> <li>• Materials</li> <li>• Main Body: Impact-resistant ABS plastic</li> <li>• Cover and Handle: High-density poly propylene.</li> <li>• Scale: Hot-stamped, alcohol resistant.</li> <li>• Full measurement Range: 50 to 810 L/min or better.</li> <li>• With increment: 10L/min to 50L/min.</li> </ul>	
11	Stethoscope	<ul style="list-style-type: none"> <li>• Lightweight aluminum adult chest piece construction.</li> <li>• Adjustable chrome binaural</li> <li>• Flexible one piece molded 'Y' PVC tubing.</li> <li>• Ergonomic plastic ear tips..</li> </ul>	
12	Stethoscope Nursery	<ul style="list-style-type: none"> <li>• Lightweight aluminum Pediatric chest piece construction.</li> <li>• Adjustable chrome binaural, Flexible one piece molded 'Y' PVC tubing.</li> <li>• Ergonomic plastic ear tips.</li> </ul>	
13	Ambo bag Paeds	<ul style="list-style-type: none"> <li>• Silicon Resuscitation Bag with infant / child face mask sizes 00, 0, 1, 2 &amp; airway size 0, 1, 2 with E2 valve and fully autoclavable.</li> <li>• The resuscitator to meet with all requirements lay down by international standards.</li> <li>• Reservoir Bag volume approx. 600ml.</li> <li>• Oxygen Reservoir Volume approx. 2500ml for adult and child</li> <li>• Tidal maximum volume: approx. 200ml for infant</li> <li>• Unit to operate in all climatic conditions and not to be dependent upon a power supply.</li> <li>• To be able to connect to an oxygen supply up to 100%.</li> <li>• The resuscitator must be able to ventilate through a mask and/or endo tracheal tube.</li> <li>• Re-usable and must be autoclavable</li> </ul>	
14	Ambo bag(Adult)	<ul style="list-style-type: none"> <li>• Silicon Resuscitation Bag with adult face mask sizes 3, 4, 5 &amp; Airway size 3, 4, 5 with E2 valve and fully autoclavable.</li> <li>• Reservoir Bag volume 2 Liter or more.</li> <li>• Oxygen Reservoir Volume approximately 2500 ml for adult.</li> <li>• Tidal maximum volume: approximately 1000ml for adult.</li> <li>• Resuscitation bag to be manually operable and able to be connected to an oxygen source up to 100% for ventilation through a mask or an endotracheal tube.</li> <li>• To be able to connect to an oxygen source up to 100%. Unit to be supplied with a carrying case.</li> <li>• Re-usable and must be autoclavable</li> </ul>	
15	Manual Suction Apparatus for ICU	<ul style="list-style-type: none"> <li>• Foot operated suction machine with heavy duty piston.</li> <li>• Pressure gage,</li> <li>• Suction Jar 1000ml with pipe 2 meters long and suction nozzle.</li> </ul>	



16	Baby Resuscitation Apparatus	<p>Complete kit in a carry bag including:</p> <p>Infant Resuscitator: -</p> <ul style="list-style-type: none"> <li>• Silicon Resuscitation Bag with infant face mask sizes 00 &amp; 01 with non-re-breathing valve with 40cm of H2O pressure release</li> <li>• Fully Autoclavable.</li> <li>• Reservoir Bag volume 250ml</li> <li>• 360° swiveling patient connector</li> <li>• Resuscitation bag to be manually operable and able to be connected to an oxygen source up to 100% for ventilation through a mask or an endotracheal tube.</li> <li>• To be able to connect to an oxygen source up to 100%.</li> <li>• 1.5 meter O2 tubing</li> </ul> <p>Foot Suction:</p> <ul style="list-style-type: none"> <li>• Compact, lightweight, easy to handle and operate durable rubber bellow long lasting stainless spring to provide friction free pumping Completely Autoclavable polycarbonate vacuum jar with lid (400 ml capacity)</li> <li>• Scratch proof powder coated frame</li> </ul> <p>Laryngoscope:</p> <ul style="list-style-type: none"> <li>• Fiber-optic laryngoscope with stainless steel straight blades of size 0 &amp; 1 with penlight handle</li> </ul> <p>Airways:</p> <ul style="list-style-type: none"> <li>• Silicone, Autoclavable &amp; reusable in sizes 000, 00 &amp; 0</li> </ul> <p>Oxygen Cylinder:</p> <ul style="list-style-type: none"> <li>• Portable Oxygen Cylinder 1.5 lit complete with oxygen regulator and tubing.</li> </ul> <p>Complete kit in one carrying case.</p>	
17	Vision Testing Drum	<ul style="list-style-type: none"> <li>• Testing box to be wall mounted must be supplied with the following panels.</li> <li>• English Alphabets 1No</li> <li>• Illiterate "E" 1No</li> <li>• Illiterate "C" 1No</li> <li>• Children's 1No</li> <li>• To be manually rotated.</li> </ul>	
18	(Plus 78 D) Lens Set	<ul style="list-style-type: none"> <li>• Three mirror Universal lens laser coated.</li> <li>• Standard 78D lens laser coated.</li> <li>• Standard 90D lens laser coated</li> <li>• Super field NC lens laser coated</li> <li>• 20D Indirect ophthalmoscopy lens laser coated</li> </ul>	
19	Binocular Magnifier	<ul style="list-style-type: none"> <li>• Binocular Head band</li> <li>• W/Optical Grade Lens plate ,</li> <li>• Magnifier 2 to 4 times.</li> </ul>	
20	Ophthalmoscope	<ul style="list-style-type: none"> <li>• Branded</li> <li>• 3.5V Ophthalmoscope</li> <li>• Rechargeable Handle</li> <li>• Carrying Case</li> <li>• Battery operated</li> </ul>	
21	Ophthalmoscope + Retinoscope Rechargeable	<ul style="list-style-type: none"> <li>• Branded ophthalmoscope</li> <li>• Designed to ensure Ultimate control.</li> <li>• Lenses graticules and filters can all be easily changeable.</li> <li>• Xenon illumination</li> <li>• Positive Action wheel.</li> <li>• Comprehensive Lens Range +29D to -30D.</li> <li>• Swing over Red Free Filter.</li> <li>• Professional Retinoscope suitable for Streak or Spot.</li> <li>• Interchangeable soft brow rest.</li> <li>• Focal illuminator,</li> <li>• With Handles. Spare bulbs. Protective case.</li> </ul>	
22	Measuring Stand Infant	<ul style="list-style-type: none"> <li>• Baby height measuring board for children upto 2 years age.</li> <li>• Smooth and precise easy glide foot piece for accuracy of measurement.</li> <li>• Head piece to be perpendicular to base with cut-out handle for increase</li> </ul>	

- mobility.
- Measuring range 21 to 99 cm.

**Category: Medical Furniture**

**Selection will be Subject to Sample**

**Note:** The structure of all the items included in the category of medical furniture shall be seamless, smooth and free from cavities, in order to avoid hideouts/safe areas for germs/infectious agents. And shall be serializable for prevention and control of infections. All the corners shall be round and the joints shall be made smooth.

S #	Name of item	Specification	Qty
1.	Bed side steel stairs	Fully chrome plated frame, made of hollow pipe diameter 1" Shaped for two steps. Front and rear legs provided with steel bars. Wooden step duly covered with rubber mat and sides dressed with aluminum/strip.	
2.	Bed with side Table, over bed trolley and side railings	<p><b><u>Bed:</u></b> Over all dimension (LxWxH) 195cmx 85cmx 55cm</p> <ul style="list-style-type: none"> <li>Four section beds with all welded enameled main frame constructed from rectangular section steel tube of 16SWG steel sheets.</li> <li>Adjustable back rest and leg section by means of two independent cranks with square threads pitch revolving in steel nuts by means of rectangular handle.</li> <li>Removable bed ends fitted with 10mm laminated plastic/backlite panels.</li> <li>Platform fitted with epoxy painted steel bars of 18 SWG steel.</li> <li>The bed is mounted on double ball bearing, swivel castors of non- tin and weather proof rubber. Two fixed at head end and two swiveling with independent breaks at foot end.</li> <li>Rubber bumpers at all four corners</li> <li>Four Mattress holders (2 at each side)</li> <li>With I V pole.</li> <li>Structure of the platform shall be smooth and seamless.</li> <li>Platform shall not contain cavities in order to avoid hideouts/safe areas for germs.</li> <li>All the corners of the platform shall be round and smooth.</li> <li>All the joints shall be made smooth.</li> </ul> <p><b><u>Bed side Locker:</u></b></p> <ul style="list-style-type: none"> <li>Overall size of locker 40cm width, 40cm depth, 80 cm height.</li> <li>Made up of M.S sheet 18 SWG.</li> <li>Top made of CP galvanized steel sheet,</li> <li>One drawer. One cabinet with space between the drawer and cabinet.</li> <li>Base made of 1" round/square pipe.</li> <li>FINISH: Polyester powder coated finishing</li> </ul> <p><b><u>OVER BED TABLE:</u></b></p> <ul style="list-style-type: none"> <li>Top made of melamine sheet.</li> <li>Height adjustable approx. 750mm to 1100 mm</li> <li>Height may be raised or lowered by lifting release bar under the table top by hydraulic mechanism or spring.</li> <li>Mobile on four castors.</li> </ul> <p><b><u>Side Railing:</u></b> Adjustable length allows for use at bed rail to prevent falling out of bed. Collapsible in 2 steps, Height of Rail 18" (high from the base of mattress)</p>	
3.	Bed side table	Specifications mentioned above in S No. 02	
4	Drip stand	<ul style="list-style-type: none"> <li>Heavy Weight base mobile on 50 mm dia castors</li> <li>Powder coated base and column with telescope adjustment.</li> <li>4 ports I/V rod of wire diameter 0.5 mm.</li> </ul>	
5.	Couch for Ultrasound / Examination couch	<ul style="list-style-type: none"> <li>Frame to be one piece welded mild steel powder coated.</li> <li>Headrest to have step less angle adjustment from horizontal to 75°</li> <li>2" Mattress of 2.5 lbs/cft density with water proof sterilize able cover.</li> </ul>	

		<ul style="list-style-type: none"> <li>Paper roll holder to be fitted at head end and suitable for paper rolls up to 510mm wide.</li> <li>Size Approx. 2000mm x 500mm with standard height.</li> </ul>	
6.	Gynae examination couch	<ul style="list-style-type: none"> <li>Couch top made in 3 sections.</li> <li>Leg section removable.</li> <li>Backrest adjustable with friction clutch</li> <li>With hand grips on both the sides.</li> <li>Cushioned with Rexene and foam mattress.</li> <li>Sliding stainless steel receptacle mounted under the hip area,</li> <li>Complete with pair of Lithotomy poles and tying strips.</li> </ul>	
7.	Instrument trolley	<ul style="list-style-type: none"> <li>Frame constructed of stainless steel hollow pipe,</li> <li>Complete with two Stainless steel trays having open space between it.</li> <li>Both trays provided with reinforcement as side guards for safety.</li> <li>Mobile on 50mm dia, twin wheels.</li> <li>Size(60x90)cm</li> </ul>	
8.	Patient Trolley	<ul style="list-style-type: none"> <li>Single crank,</li> <li>Rubber bumper guards on all sides,</li> <li>Mobile on 23 cm dia rubber castors,</li> <li>Removable tarpaulin / Rexene stretched detachable stretcher.</li> <li>Provided with oxygen cylinder holder,</li> <li>Utility tray</li> <li>I.V pole.</li> <li>Safety side guards with revolving latch for up &amp; down adjustment.</li> <li>Overall Size: length 5 ft 4”, width: 2 ft, adjustable height: maximum 2 ft 6”.</li> </ul>	
9.	Railing for beds	<ul style="list-style-type: none"> <li>Adjustable length allows for use at bed rail to prevent falling out of bed.</li> <li>Collapsible in 2 steps, Height of Rail 18” (high from the base of mattress)</li> </ul>	
10.	Wheel Chair	<ul style="list-style-type: none"> <li>Folding Wheel Chair,</li> <li>Detachable Desk Armrests,</li> <li>Swinging Detachable Elevating (Adjustable height) leg rests.</li> <li>Footsteps made of Aluminum.</li> <li>With Safety belt.</li> <li>Seat width 38 x 43cm,</li> <li>Made of high quality leather to withstand human load</li> </ul>	

11	Orthopedic Traction Bed	<ul style="list-style-type: none"> <li>• Head &amp; Foot Panels: Elegant High</li> <li>• Size:2030×900×530mm(LXWXH) or better</li> <li>• Functions : Two Functions</li> <li>• Movements &amp; Controls:</li> <li>• Back Lifting: Manual</li> <li>• Quality Molded Panels</li> <li>• Top: Four Sections</li> <li>• Framework: Stainless Steel Panels</li> <li>• Stainless Steel Balkan Beam</li> <li>• Frame &amp; Pulley Attachment</li> <li>• and Patient Support Lifting Pole</li> <li>• Head &amp; Foot Panels: Elegant High</li> <li>• Color: Powder Coated</li> </ul> <p><b>Bed:</b> Over all dimension (LXWXH) 195cmx 85cmx 55cm</p> <ul style="list-style-type: none"> <li>• Four section beds with all welded enameled main frame constructed from rectangular section steel tube of 16SWG steel sheets.</li> <li>• Adjustable back rest and leg section by means of two independent cranks with square threads pitch revolving in high carbon steel nuts by means of rectangular handle.</li> <li>• Removable bed ends fitted with 10mm laminated plastic panels.</li> <li>• Platform fitted with epoxy painted steel bars of 18 SWG steel.</li> <li>• The bed is mounted on double ball bearing, swivel castors of non- tin and weather proof rubber. Two fixed at head end and two swiveling with in dependent breaks at foot end.</li> <li>• Rubber bumpers at all four corners</li> <li>• Four Mattress holders (2 at each side)</li> <li>• With I V pole.</li> <li>• Structure of the platform shall be smooth and seamless.</li> <li>• Platform shall not contain cavities in order to avoid hideouts/safe areas for germs.</li> <li>• All the corners of the platform shall be round and smooth.</li> <li>• All the joints shall be made smooth</li> <li>• With quality molded panels.</li> <li>• Stainless steel Balkan beam.</li> <li>• With frame and pully attachment</li> <li>• With patient support lifting polls</li> <li>• Complete with all orthopedic attachments and accessories.</li> </ul> <p><b>Side Railing :</b> Adjustable length allows for use at bed rail to prevent falling out of bed. Collapsible in 2 steps, Height of Rail 18” (high from the base of mattress)</p>	
12	Dressing Trolley	<ul style="list-style-type: none"> <li>• Constructed from stainless hollow pipe of 1 inch</li> <li>• With two shelves made of stainless steel, on top and bottom with side guards.</li> <li>• Two stainless steel drawers under the top shelf.</li> <li>• Stainless steel bucket and bowl with holders.</li> <li>• Mobile on 100mm dia rubber castors.</li> <li>• Push handle for easy movement.</li> <li>• Size: (70 cm L*50 cm W *90 cm H)</li> </ul>	

13	Eclampsia Bed with Side Railing	<p>Hydraulic Hospital Bed suitable for use in intensive / coronary care units.</p> <p><u>Feature:</u></p> <ul style="list-style-type: none"> <li>• Adult Intensive Care bed with head and foot panels</li> <li>• Height adjustment with foot pedals.</li> <li>• Trendelenburg / anti-Trendelenburg position.</li> <li>• Radiolucent back rest, gas spring assisted movements with a special lever to lock the platform of any position, facilitates use of the C Arm imaging.</li> <li>• Usable X-Ray area L 27" x W29" with x-ray cassette holder. <ul style="list-style-type: none"> <li>• Back plate and knee rise by gas shock mechanism to make a fowler position.</li> <li>• 5" castors, foot operated bow brake, locks three castors and provides easy steering.</li> </ul> </li> <li>• Two mattress holders on each side.</li> <li>• Mattress with raxine covers to be provided according to the bed size.</li> <li>• Structure of the platform shall be smooth and seamless.</li> </ul> <p>• Platform shall not contain cavities in order to avoid hideouts/safe areas for germs.</p> <ul style="list-style-type: none"> <li>• All the corners of the platform shall be round and smooth.</li> <li>• Size: L 200 cm * W 91cm* H (adjustable) 40 to 45cm.</li> </ul> <p><u>Accessories:</u></p> <ul style="list-style-type: none"> <li>• Bed fitted patient lifting pole.</li> <li>• I.V Rod</li> <li>• To be provided with CPR board.</li> </ul> <p><b><u>Side Railing :</u></b> Adjustable length allows for use at bed rail to prevent falling out of bed. Collapsible in 2 steps, Height of Rail 18" (high from the base of mattress).</p>	
14	Revolving steel stool	<ul style="list-style-type: none"> <li>• Stool with 16 SWG stainless steel structure and seat of diameter 300mm.</li> <li>• Height adjustable by simple spun mechanism.</li> <li>• Height adjustment not less than 53cm to 68cm.</li> </ul>	
15	Surgeon revolving steel stool	<ul style="list-style-type: none"> <li>• Stool with 16 SWG stainless steel structure and seat of diameter 300mm.</li> <li>• Height adjustable by simple spun mechanism.</li> <li>• Height adjustment not less than 53cm to 68cm.</li> <li>• Mobile on 4 castors.</li> </ul>	
16	Folding Screens	<ul style="list-style-type: none"> <li>• Frame in four parts constructed from fully plastic coated M.S. hollow tubular pipe 1" dia.</li> <li>• All frames fixed together with ABS universal joints for easy movement of each part.</li> <li>• Curtains fitted with spring loaded rods,</li> <li>• Mobile on six, castors of 75 mm dia.</li> <li>• Curtain of wash and wear polyester cloth/ plastic cloth in variety of colors.</li> </ul>	
17	Baby Cots	<ul style="list-style-type: none"> <li>• Powder coated mild steel 18 SWG tubular frames.</li> <li>• Lying area made of rectangular hollow pipe frame with wire mesh.</li> <li>• Mobile on 50 mm dia. Rubber castors.</li> <li>• Safety sides can be adjustable up &amp; down easily.</li> <li>• Standard cushioned Rexene foam mattress with 3 inch thickness.</li> <li>• Laying area 55 cm x 100cm.</li> </ul>	
18	Cardiac Bed / ICU Bed Trendenburg With Side Supports	<p><b><u>Position:</u></b></p> <ul style="list-style-type: none"> <li>• <b>Height Adjustment:</b> By foot pump 40-47cms hydraulically operated.</li> <li>• <b>Trendenburg:</b> Leg Up= 30°, Leg Down= 20°, controlled by Bloc lift n spring with step less movement at the bed end.</li> <li>• <b>Castors:</b> 5" ball bearing rust proof, waterproof, high quality electrically conductive wheel castors with central brake system.</li> <li>• Back plate and knee rise by gas shock mechanism to make a fowler position.</li> <li>• Vascular position by means of lever or comb mechanism.</li> <li>• Bedding area is radio translucent material for doing X-ray and to apply C-Arm.</li> <li>• Base and back rest is designed to accommodate "C" arm in case of emergency,</li> <li>• For cardiac catheterization and other procedures so the central area of back rest is free of any metal part for "C" Arm radiology.</li> <li>• Have cardiac chair position, Head and foot bows are detachable in case of emergency for doing intubations and CPR.</li> </ul> <p><u>Dimension:</u></p>	

		<ul style="list-style-type: none"> <li>• 200cm x 91cm, Height: 40-75cm adjustable</li> <li>• Main Frame: 1" x 2", 16SWG pipe round at all corners with invisible joints.</li> <li>• Base Frame; Frame made of 1½" x 3" M.S. pipe, 16SWG. Finish: Polyester powder coating finish after treating with de-rusting &amp;phosphating chemical.</li> <li>• I.V. Rod: 4 prongs revolving height adjustable having I.V ports on the sides of the bed.</li> <li>• Four reflecting rubber bumpers.</li> <li>• Urine bag holder and N.G bag holder hocks.</li> <li>• Basket for urine port</li> <li>• Basket for Bed pan</li> <li>• Patient lifting pole on both sides with triangular grip.</li> <li>• Mattress; Foam 4" Thick, with Length &amp; Width according to the Bed, with Rexene cover.</li> <li>• Structure of the platform shall be smooth and seamless.</li> <li>• Platform shall not contain cavities in order to avoid hideouts/safe areas for germs.</li> <li>• All the corners of the platform shall be round and smooth</li> </ul> <p><b><u>Side Railing</u></b> Adjustable length allows for use at bed rail to prevent falling out of bed. Collapsible in 2 steps, Height of Rail 18" (high from the base of mattress).</p>	
19	Cylinder Trolley 240 Cft	<ul style="list-style-type: none"> <li>• Main structure made of 1" di acicular pipe</li> <li>• Mobile on two castor of 5" dia</li> <li>• For carrying 240Cft cylinder With safety chain for holding cylinders</li> </ul>	
20	Cylinder Trolley 48 Cft	<ul style="list-style-type: none"> <li>• Main structure made of 1" di acicular pipe</li> <li>• Mobile on two castor of 5" dia</li> <li>• For carrying 48Cft cylinder With safety chain for holding cylinders</li> </ul>	

**Category: Physiotherapy**

S#	Name of Item	Specification	Qty
1	Therapeutic Ultrasound	<ul style="list-style-type: none"> <li>Operating voltage: 100-240 V <math>\pm</math> 10% (50 Hz)</li> <li>Microprocessor controlled</li> <li>Battery Backup: One Hour or more</li> <li>Ultra sound frequencies: 1 and 3 MHz</li> <li>Mode: Continuous and pulsed</li> <li>Pulse frequency/Duty cycle: 100 Hz/ 5, 10, 20, 50, 80%</li> <li>Intensity:0-3 W/cm<sup>2</sup>,</li> <li>pulsed Number of US connections 2</li> <li>US applicator large 5 cm<sup>2</sup></li> <li>US applicator small upto 1.00 cm</li> </ul> <p>STANDARD ACCESSORIES</p> <ul style="list-style-type: none"> <li>Multi frequency treatment head, large, 1 &amp; 3 MHz</li> <li>Strap 250 X 3 cm</li> <li>Holder treatment head</li> <li>Contact-gel, bottle 250 ml with Strap</li> <li>Rubber electrodes 6x8 cm, 2 mm female, set of 2 pcs.</li> <li>Moist pads for rubber electrodes 6x8 cm, set of 4 pcs. 2x</li> <li>Patient cable 2-core &amp; 2 mm male plugs - black, with coloured clips</li> </ul>	
2	Cervical And Lumbar Traction Table	<ul style="list-style-type: none"> <li>Traction: form of therapy static , intermittent , Pro and Regressive cyclic</li> <li>Traction force 15-900 N/1.5-90kg/ 3.4-202 Lbs</li> <li>Traction force / base force whole time 1 second to 1 hour (1 second intervals repeats) (intermittent and cyclic 1-100)</li> <li>Steps whole time (Pro and regressive) 1 second to 5 minutes (1 second interval)</li> </ul> <p>SPEED :</p> <ul style="list-style-type: none"> <li>(Change attraction force): 1-50 N/sec (1 N interval) /0.1-5.0 kg/sec /0.22-11.2 labs/sec</li> <li>Treatment time 1 second to 60 minutes or more</li> <li>Modes of operation: 3</li> <li>Programmable favorite 100 or more</li> <li>Safety control for traction force above 200 N to 20 KG/45.2LBS</li> <li>Color touch screen</li> <li>main voltage 100-240 voltage</li> </ul> <p>TABLE (ELECTRIC OPERATED TABLE)</p> <ul style="list-style-type: none"> <li>Compatible with the traction unit</li> <li>Two section Table</li> <li>With foot rest</li> <li>positions adjusted from a push button</li> <li>Size Table top : 200 x 70 cm or more</li> <li>Height adjacent 40-100cm or more</li> <li>Lifting time (min-max) approximately 18-20 seconds</li> <li>Lifting capacity : not less than 225 kg</li> <li>Power supply : 120-230</li> </ul>	
3	Transcutaneous Electrical Nerve Stimulators (Tens)/Electric Stimulator	<ul style="list-style-type: none"> <li>Channel : Dual isolated between channels</li> <li>LED display</li> <li>Pulse amplitude: Adjustable 0-100 mili amp, 500 ohm load each channel</li> <li>Output voltage: Adjustable 0-50 volt, max. output 50 peak to peak into 500 ohm load each channel</li> <li>Pulse rate: 2 – 150 Hz 1Hz / Stp</li> <li>Pulse width : 30-300 micro sec 10 micro sec / Stp</li> <li>ON time 2-90 seconds 1 sec /Stp</li> <li>OFF time 0-90 seconds 1 sec / Stp</li> <li>Mode 5 TENS mode : B( Burst), N(Normal), M(Modulation), SD1,SD2</li> <li>2 EMS modes S(Synchronous), A(Alternate)</li> <li>Waveform: Asymmetrical , Rectangular, Biphasic pulse</li> </ul> <p>Current channels: 4, independent, fully galvanically separated</p>	

		<p>Current forms: 16 current forms-30 varieties            Programmable positions: unlimited            Pre-programmed protocols: 50            Vacuum: continuous and pulsed</p> <p>STANDARD ACCESSORIES</p> <ul style="list-style-type: none"> <li>• 2 x Strap 250x3 cm</li> <li>• 2 x Strap 100x3 cm</li> <li>• 4 x Rubber electrodes 6x8 cm, 2 mm female, set of 2</li> <li>• 2 x Moist pads for rubber electrode 6x8 cm, set of 4</li> <li>• 4 x Patient cable 2-core &amp; 2 mm male plug - black, with colored clips</li> <li>• 4 x Vacuum electrodes Ø 60 mm, set of 2</li> <li>• 2 x Sponges Ø 65 mm, set of 4 (for vacuum electrodes Ø 60 mm)</li> <li>• 4 x Vacuum lead hose black</li> <li>• 4 x Vacuum lead hose red</li> <li>• 2 x Dummy plug</li> </ul>	
4	Infra-Red Radiator Large	<ul style="list-style-type: none"> <li>• Floor Stand Type</li> <li>• Radiators: 3 X 150 W or better</li> <li>• With intensity control switch</li> <li>• Automatic cut off timer</li> <li>• Timer adjustment: upto 30 minutes</li> <li>• Mounted on 4 or more lockable casters</li> </ul>	
5	Infra-Red Radiator Small	<ul style="list-style-type: none"> <li>• Floor Stand Type</li> <li>• Radiators: 1 X 150 W or better</li> <li>• With intensity control switch</li> <li>• Automatic cut off timer</li> <li>• Timer adjustment: up to 15 minutes</li> <li>• Mounted on 4 or more lockable casters</li> </ul>	
6	Paraffin Wax Bath For Foot	<ul style="list-style-type: none"> <li>• Thermostatically controlled</li> <li>• Double walled</li> <li>• Material Stainless steel</li> <li>• Temperature Control 0- 99 degree C</li> <li>• Immersion Heater 2000 watt</li> <li>• with insulated boots: 02 Pairs</li> <li>• Input Supply 230 V AC, 50 Hz</li> <li>• Paraffin Embedding Wax Bath</li> </ul>	
7	Paraffin Wax Bath For Hand	<ul style="list-style-type: none"> <li>• Thermostatically controlled</li> <li>• Double walled</li> <li>• Material Stainless steel</li> <li>• Temperature Control 0- 99 degree C</li> <li>• Immersion Heater 2000 watt</li> <li>• with insulated mits: 02 Pairs</li> <li>• Input Supply 230 V AC, 50 Hz</li> <li>• Paraffin Embedding Wax Bath</li> </ul>	
8	Ultra Violet Lamp Small	<ul style="list-style-type: none"> <li>• Floor Stand Type</li> <li>• Parabolic reflector</li> <li>• Radiators: 1 X 350 W or better</li> <li>• With intensity control switch</li> <li>• Automatic cut off timer</li> <li>• Timer adjustment: up to 15 minutes</li> <li>• Mounted on 04 or more lockable casters</li> </ul>	
9	Ultra Violet Lamp Large	<ul style="list-style-type: none"> <li>• Floor Stand Type</li> <li>• Radiators: 3 X 350 W or better</li> <li>• With intensity control switch</li> <li>• Automatic cut off timer</li> <li>• Timer adjustment: up to 30 minutes</li> <li>• Mounted on 04 or more lockable casters</li> </ul>	



**Category: Anesthesia Equipment**

S#	Name of Item	Specification	Qty
1	Anesthesia Machine with Cardiac Monitor having two vaporizers	<p><b><u>Anesthesia unit with 2 Vaporizers and inbuilt ventilator</u></b></p> <p>Unit shall be comprised of the following components.</p> <ul style="list-style-type: none"> <li>• Non interchangeable pipeline inlets.</li> <li>• Pipeline and cylinder gauges for O<sub>2</sub> and N<sub>2</sub>O.</li> <li>• Pin index cylinder yokes for at least one or more cylinders of O<sub>2</sub> and N<sub>2</sub>O each.</li> <li>• N<sub>2</sub>O cut off device in case of O<sub>2</sub> failure.</li> <li>• O<sub>2</sub> failure alarm.</li> <li>• Gas out let and O<sub>2</sub> flush control.</li> <li>• Lockable casters.</li> <li>• Monitor shelf.</li> <li>• Bar assembly for mounting of at least 2 vaporizers.</li> <li>• Impact resistant and easy to clean frame.</li> <li>• Cleanable works surface.</li> <li>• Absorber support arm.</li> <li>• Three gas flow meter unit.</li> <li>• O<sub>2</sub>, N<sub>2</sub>O and Air (4-bar) hoses.</li> <li>• Isoflorane and Sevoflorane vaporizer (<b>models of the vaporizers must be mentioned</b>).</li> <li>• One or more drawers unit power outlets with 4 or more sockets.</li> <li>• Auxiliary O<sub>2</sub> outlet.</li> <li>• Writing shelf/plateform.</li> <li>• Co<sub>2</sub> absorber 1-2 Kg complete with valve for bag/ventilator, manometer, 3 liter breathing bag, breathing tube, mouth and Y piece. Additional breathing hose and connector shall be supplied.</li> </ul> <p><b>Ventilator :</b></p> <p>Ventilator must be inbuilt with the anesthesia unit. Ventilator to be complete with manometer display. The ventilator shall be capable of ventilating pediatric patients. The ventilator shall have the following features as a minimum requirement.</p> <ul style="list-style-type: none"> <li>• Volume preset time cycled ventilator (IPPV/Mode)</li> <li>• Pressure controlled mode.</li> <li>• Electronic Microprocessor controlled.</li> <li>• On/Off switch.</li> <li>• Breathing mode selection. (Standby/Volume/Spontaneous and pressure).</li> <li>• Built in monitor 8" or better color screen to display all the mentioned parameters.</li> <li>• Inverse I: E Ratio Capability.</li> <li>• Gas specific input connectors (Air/Oxygen ISO)</li> <li>• Tidal Volume from 20 ml to 1500ml or better on either side</li> <li>• Rate or frequency 4 to 100bpm or better on either side</li> <li>• I:E ratio from 1:0.25 to 1:6.0 or better on either side</li> <li>• PEEP from 4 to 30cmH<sub>2</sub>O or better on either side</li> <li>• Spontaneous Mode monitoring(Active Volume Monitoring with pressure alarm)</li> <li>• Inspiratory pressure limits from 10 to 70cmH<sub>2</sub>O.</li> <li>• Adult bellows graduated from approximately 20ml to 1500ml.</li> <li>• <u>AGSS</u> (Anesthesia gas scavenging system).</li> <li>• Battery backup (60 minutes or more).</li> <li>• <u>Audio Visual Alarm for the following:</u></li> <li>• Alarm mute.</li> <li>• Low/High FiO<sub>2</sub> Alarms (18% to 100%).</li> <li>• Low Supply Pressure (&lt;34PSI)</li> <li>• High Airway Pressure.</li> <li>• High Continuous Air Pressure (&gt;30cmH<sub>2</sub>O)</li> <li>• Low Pressure(PEEP Referenced)</li> <li>• Incorrect rate or Ratio</li> <li>• Mains failure.</li> <li>• Low Battery.</li> <li>• Ventilator Inoperative.</li> </ul>	

- The ventilator shall be supplied complete with drive hose, cylinder connector and power cable.
- The following RE-USABLE AND AUTOCLAVABLE accessories shall be supplied with the unit.
- Reusable Magill circuit 2 No's
- Disposable Bain Circuit 20 Nos.
- Reusable Pediatric Breathing system 2. No's
- Re-breathing bag 0.5l 2. No's
- Re- breathing bag 1L 2. No's
- Re-breathing bag 2L 2. No's
- Forceps Magill adult 1.Nos
- Forceps Magill Child 1 No's

#### **Cardiac Monitor:**

#### **Multi Parameter Patient Monitor**

- (6ch ECG, SpO2, NIBP, TEMP, Resp.)
- Display for easy Viewing 12" or better color TFT/LCD for easy set-up User selective up to 6 traces display.

#### **Advance for high-end-user**

- ECG, SpO2, NIBP, 2-TEMP, and Respiration
- 15 or more Arrhythmias analysis
- S-T segment
- Pace maker detection
- Save up to 30 Event management
- (15 sec Arrhythmia ECG wave recall)
- Fast set-up time
- VGA signal output to external monitor
- Oximeter available
- Up to 72 hours of graphic and tabular trend of all parameters,

#### **PERFORMANCE:**

- **Heart rate:** 30 ~ 300 bpm or better on either sides

#### **Respiration**

- Respiration rate: 2~150bpm or better on either side.
- **SPO2**
- Range: 30 ~ 100% or better on either side
- Neonate and adult probe.
- Temperature range; 0 -50C(32 - 122F)

#### **GENERAL:**

- Display: 12" or better Color TFT/ LCD or better(with all parameters display)
- Alarm: All parameters on/off selective independently
- Power input 220Vac,50Hz
- With Battery backup.
- Backup time: Minimum 02 hours or better

#### **ACCESSORIES:**

- ECG 5 Lead cable with disposable electrodes. 1
- ECG 3Lead Extension cable minimum 3 meters. 1
- Disposable Electrodes Adult, Neonate & Paeds. 10each
- SPO2 Finger sensor with fixed or detachable extension (for adult, Paeds and neonate)
- Cable of minimum 3 meter length. 1
- NIBP Reusable Neonate, Paeds & Adult Cuff 1
- NIBP Hose 1
- AC power cord 1
- Ground cable 1
- Operation Manual 1
- Temperature sensor & cable 1

**Note: Patient monitor and Anesthesia Machine must be compatible with each other and also be from the same manufacturer. Separate price must be quoted for Anesthesia machine and Patient Monitor**

**Category: Anesthesia Supplies**

**Selection will be subject to Sample & Manufacturers mark must be present on each Item**

S#	Nomenclature	Specifications	Qty
1	Baby Anesthesia Set	Complete accessories anesthesia set for children 1. IV Canola's different sizes 2. Facemasks different sizes re-usable 3. Airways different sizes re-usable 4. Pediatric circuit re-usable 5. Ambobag	
2	Bain Circuit	<ul style="list-style-type: none"> <li>Reusable and good quality circuit, imported.</li> <li>Manufactured from clear, non-toxic implantation tested autoclavable PVC</li> </ul>	
3	Endo-tracheal Tubes	<ul style="list-style-type: none"> <li>Endo-Tracheal Tubes, Reusable (Sterile)</li> <li>Each set have Sizes; 2Fr,2.5Fr,3Fr,3.5Fr,4Fr,4.5Fr,5Fr,5.5Fr,6Fr,6.5Fr,7Fr,7.5Fr,8Fr</li> <li>Manufactured from clear, non-toxic implantation tested autoclavable PVC.</li> <li>Integra/nylon bite block</li> <li>Imported</li> <li></li> </ul>	
4	Face Masks all sizes set (Small, Medium & Large sizes)	<ul style="list-style-type: none"> <li>Each set have Sizes; Large, medium &amp; small</li> <li>Manufactured from clear, non-toxic implantation tested autoclavable PVC.</li> <li>Integra/nylon bite block</li> <li>Imported</li> </ul>	
5	Laryngeal Face Masks (Small, Medium & Large sizes)	<ul style="list-style-type: none"> <li>Each set have Sizes; Large, medium &amp; small</li> <li>Manufactured from clear, non-toxic implantation tested autoclavable PVC.</li> <li>Integra/nylon bite block</li> <li>Imported</li> </ul>	
6	Air Ways (Small, Medium & Large sizes)	<ul style="list-style-type: none"> <li>Airways Reusable (Non Sterile)</li> <li>Each set have Sizes; Large, medium &amp; small</li> <li>Manufactured from clear, non-toxic implantation tested autoclavable PVC.</li> <li>Integra/nylon bite block</li> <li>Imported</li> </ul>	
7	Pediatric Circuit	<ul style="list-style-type: none"> <li>Reusable and good quality circuit, Imported.</li> <li>Manufactured from clear, non-toxic implantation tested autoclavable PVC</li> </ul>	
8	Randall Baker Face Mask all sizes set	<ul style="list-style-type: none"> <li>Each set have Sizes; Large, medium &amp; small</li> <li>Manufactured from clear, non-toxic implantation tested autoclavable PVC.</li> <li>Integra/nylon bite block</li> <li>Imported</li> </ul>	
9	Sam Circuit (Small, Medium & Large sizes)	<ul style="list-style-type: none"> <li>Reusable and good quality circuit, imported.</li> <li>Manufactured from clear, non-toxic implantation tested autoclavable PVC</li> </ul>	
10	Stylets Adult	<ul style="list-style-type: none"> <li>Reusable, autoclavable and good quality, imported</li> <li>Nylon hard plastic PVC, different sizes (3, 4, 5,6 &amp; 7)</li> </ul>	
11	Stylets Paeds	<ul style="list-style-type: none"> <li>Reusable, autoclavable and good quality, imported</li> <li>Nylon hard plastic PVC, different sizes (3, 4, 5,6 &amp; 7)</li> </ul>	

**Category: Operation Theatre Equipment**

S#	Nomenclature	Specifications	Qty
1	Electric surgical unit Diathermy	<p><u>Electro surgical unit 400 watts with the following functions</u></p> <ul style="list-style-type: none"> <li>PURE CUT,</li> <li>BLEND(1),BLEND(2),BLEND(3)</li> <li>COAG1 (spray), COAG2 (contact) and AUTO BIPOLAR, FOOT SWITCH BIPOLAR.</li> <li>Microprocessor controlled.</li> <li>Percentage output digital display shows on front panel.</li> <li>Automatic bipolar output without using footswitch</li> <li>Multi monopolar outlets, two hand control outlets and one Laparoscope outlet.</li> <li>Hand or foot operated.</li> <li>With bipolar output power profile to provide good resolution to permit small changes in power levels for delicate work.</li> <li>Spray Coagulation for the Trans Urethral Resection (T. U. R) and Endoscopic procedures in urology.</li> </ul> <p><b>Adaptive REM Monitoring:</b></p> <ul style="list-style-type: none"> <li>With REM facility</li> <li>Alarm enables in case of monopolar output disables.</li> </ul> <p><b>Technical Specifications:</b></p> <ul style="list-style-type: none"> <li><b>Output Power</b>  PURECUT      400W at500Ω  BLEND1        270W at500Ω  BLEND2        200W at500Ω  BLEND3        160Wat500ΩCONTACT COAG  120Wat 500Ω SPRAYCOAG  70W at 500Ω BIPLAR COAG  70Wat100Ω</li> <li>❖ <b>Operating Frequency:</b> 400KHZ±10%</li> <li>❖ <b>Input Voltage:</b> 220V, 50Hz</li> <li>❖ Enclosure Leakage Current                      0.1 μA or less</li> <li>❖ Patient Leakage Current                            7 μA or less</li> <li>❖ Earth Leakage Current                            03.358mA or less</li> <li>❖ <b>Pulse Repetition</b></li> <li>❖ <b>Frequency:</b>                                        32KHz ±10%</li> </ul> <p><b>Standard Accessories</b></p> <ol style="list-style-type: none"> <li>Footswitch 2 pedal with cable</li> <li>Footswitch 1 pedal with cable</li> <li>Disposable Foot switching pencil with cable</li> <li>Disposable2pushbuttonmonopolarpencilwithcableandelectrode</li> <li>Reusable Bipolar forceps and Cable asset</li> <li>Reusable patient plate with cable for adult</li> <li>Set of electrodes (6Pieces) for reusable and disposable handle</li> <li>Power cable</li> </ol>	
2	Emergency light with single reflector AC/DC Or Examination light AC/DC	<ul style="list-style-type: none"> <li>LED light source</li> <li>Light intensity 50,000 lux at 0.5meters</li> <li>LED life of 40,000 hours or more</li> <li>Color Correction to 4300degKelvin</li> <li>With intensity light control</li> </ul> <p>Mechanical:</p> <ul style="list-style-type: none"> <li>Multi flex arm with ultimate flexibility of positioning the lamp head.</li> </ul> <p>Electrical Supply:</p> <ul style="list-style-type: none"> <li>220 volt 50Hz,</li> <li>Reversible overload and short circuit protection</li> <li>Backup power system with rechargeable branded dry battery(s) from the same manufacturer with backup time at least 05 hours</li> </ul>	

3	Hydraulic Operation Table	<p><u>General Design</u></p> <ul style="list-style-type: none"> <li>Stable base construction with four castors for easy movement.</li> <li>Manual base brake, lateral tilt and Trendelenburg adjusted by hand crank, base cover, side rails, accessories &amp; clamps made of stainless steel.</li> </ul> <p><u>Tabletop</u></p> <ul style="list-style-type: none"> <li>Divided into 5 sections including head plate, back plate, seat plate and split leg plates. Table top elevation controlled by hydraulic system, with sliding table top 30 cm or more for unrestricted image intensifier access, with side rails for the insertion of X-Ray cassettes (table top made of acrylic sheet plates for X-ray radiography).</li> <li>Length 190-200cm or better</li> <li>Width 50cm or better</li> <li>Height 75-95 cm or better</li> <li>Trendelenburg/ Reverse Trendelenburg +20°/30°each</li> <li>Lateral Tilt Left/Right 22°/20°each</li> <li>Head plate up/down +40°/-40°</li> </ul> <p><u>Standard Accessories:</u></p> <ul style="list-style-type: none"> <li>Mattress set, Pair of arm rest with quick dis-connectable clamps.</li> <li>Adjustable head rest. Pair of shoulder supports.</li> <li>Lithotomy pole with universal swivel clamps.</li> <li>Anesthesia frame 1 Nos</li> <li>Infusion rod 1Nos</li> <li>Foot rests 2 Nos.</li> <li>Side supports 2 Nos</li> <li>With inbuilt Kidney Elevator Facility.</li> </ul>	
4	Portable lamps AC/DC  or Emergency light AC/DC	<ul style="list-style-type: none"> <li>Operating Light with: -</li> <li>Single domes</li> <li>Fine focusing</li> <li>On Balance mobile Stand</li> <li>LED light source</li> <li>Light intensity 1, 30,000 lux or more at 1meter.</li> <li>LED life of 40,000 hours or more</li> <li>Color Correction to 4300degKelvin</li> <li>With intensity light control</li> <li>Multi flex arm with ultimate flexibility of positioning the lamp head.</li> </ul> <p><u>Electrical Supply:</u></p> <ul style="list-style-type: none"> <li>220 volt 50Hz,</li> <li>Reversible overload and short circuit protection</li> <li>Inbuilt Backup power system with rechargeable branded dry batteries with backup time at least 05 hours</li> </ul>	
5	Resuscitation Trolley	<ul style="list-style-type: none"> <li>Over all dimension 2.5'(L) x 2'(W)x3' H or better</li> <li>Electro-galvanized steel sheet structure, Epoxy powdered coated, finish rounded, edges washable and can bed is infected.</li> <li>Height adjustable IV Holder rod.</li> <li>Shelf for defibrillator/ECG can rotatable with locking facility. Shelf Sizes 1.5'x1.5' or more, adjustable.</li> <li>Plastic worktop with ¾ inch raised rounded edges.</li> <li>Three or more drawers.</li> <li>Knee operated waste bin with bag holder.</li> <li>Non marking rubber corner bumpers.</li> <li>4 x 125m or better antistatic no skidded casters with 2 brakes.</li> <li>Oxygen bottle support with fastening belts.</li> <li>Catheter tubes holder.</li> <li>Surgical aspirator support.</li> <li>Stainless steel bracket on back side for mounting oxygen cylinder.</li> <li>Oxygen cylinder small size with regulator &amp;flow meter.</li> <li>04 Nos Electrical power outlet and rollout power supply cable.</li> </ul>	

6	<p>Shadow less lamp (Ceiling type) <b>or</b> Ceiling OT light for minor OT <b>or</b> Ceiling OT light for post- mortem</p>	<ul style="list-style-type: none"> <li>• Operating light ceiling type</li> <li>• Input power 220, 50 Hz</li> <li>• Dual Dome</li> <li>• LED light source</li> <li>• Light intensity:      160,000 Lux at 1m                                  120,000 Lux at 1m</li> <li>• LED life    40,000 hours or more</li> <li>• Color Correction to 4300degKelvin</li> <li>• Backup power system with branded dry battery (s), with backup time at least 5 hours</li> <li>• With sterilized handle for movement.</li> <li>• Complete with Installation</li> </ul>	
7	<p>Suction machine Heavy Duty/ Electric suction Machine</p>	<ul style="list-style-type: none"> <li>• Mobile suction pump Oil-Less Piston along with 4 anti- static wheels with lock.</li> <li>• Convenient for operation, with following performance features:</li> <li>• Built-in Vacuum gauge with a range from: 0-650 mm Hg (at respective facility, Irrespective of altitude) or better adjustable.</li> <li>• Flow capacity: Not less than 45 l/min</li> <li>• Explosion proof footswitch.</li> <li>• Capacity of two graduated suction bottle: 3000cceach</li> <li>• Heat resistant and disinfect able rubber tube for suction.</li> <li>• Over flow safety device.</li> <li>• Power requirement: 220V, 50Hz.</li> <li>• Complete with suction nozzle and other standard accessories</li> </ul>	
8	<p>AIR PURIFICATION SYSTEM</p>	<ul style="list-style-type: none"> <li>• Automatic air purification system</li> <li>• Air purification system for the removal of bacteria, viruses, and gases from indoor areas of hospitals, OT/ICU and Wards.</li> <li>• Air Cleaning capacity 2000 Cubic feet per hour or more</li> <li>• Minimum particle removal size 0.003 um or less.</li> <li>• Cleaning efficiency 99 % or more.</li> <li>• Sound level 50 dB or less.</li> <li>• Input Power 220VAC, 50Hz</li> </ul>	

**Category: Autoclaves**

1	Autoclave Automatic 100 Liters	<ul style="list-style-type: none"> <li>• Minimum 5 sterilization cycles (Vacuumization, Heating, Sterilization, Exhaust and Drying),for (a) wrapped as well as unwrapped instruments, (b) flash sterilization, open, packed</li> <li>• Single door, high pressure, high vacuum autoclave for sterilizing hospital materials.</li> <li>• The closing, locking and opening of the door should be completely automatic, without any push button or lever.</li> <li>• Door operated by control panel</li> <li>• Electrically operated with inbuilt electric steam generator.</li> <li>• System should be operated with a high vacuum pump.</li> <li>• Air shall be removed from the sterilization chamber after loading the autoclave automatically through the automatic control system</li> <li>• Double jacketed chamber.</li> <li>• Control panel to select cycle settings with LCD Display</li> <li>• Water level indicator.</li> <li>• Internal Chamber Capacity: <b>100</b>liters</li> <li>• Sterilization Temperature Range: 121°C to 134°C.</li> <li>• Maximum Chamber pressure: 2 bars or more.</li> <li>• Chamber Temperature and pressure gauges/display.</li> <li>• Autoclave should be properly equipped with door safety locks&amp; safety valves for chamber &amp; jacket.</li> <li>• With integral alarms that ring, flash, or otherwise display information when temperature set-points are exceeded or fallen below.</li> <li>• With Pressure safety valve, over-temperature limiter, over pressure limiter.</li> <li>• Low water protection with audio visual indicator</li> <li>• Autoclave should execute Vacuum test Bowie &amp; Dick test&amp; Helix Test.</li> <li>• Should be supplied with RO plant of 50L per Hour, with imported parts, assembled locally (<b>Model and make must be mentioned</b>)</li> <li>• Accessories:               <ol style="list-style-type: none"> <li>1. Basket 02 Nos</li> <li>2. Trays 10 Nos</li> </ol> </li> </ul> <p>All infrastructural work including plumbing and electrical work will have to be done by the supplier. The hospital will only provide space and water outlet.</p>	
2	Autoclave Automatic 150 Liters	<ul style="list-style-type: none"> <li>• Minimum 5 sterilization cycles (Vacuumization, Heating, Sterilization, Exhaust and Drying),for (a) wrapped as well as unwrapped instruments, (b) flash sterilization, open, packed</li> <li>• Single door, high pressure, high vacuum autoclave for sterilizing hospital materials.</li> <li>• The closing, locking and opening of the door should be completely automatic, without any push button or lever.</li> <li>• Door operated by control panel</li> <li>• Electrically operated with inbuilt electric steam generator.</li> <li>• System should be operated with a high vacuum pump.</li> <li>• Air shall be removed from the sterilization chamber after loading the autoclave automatically through the automatic control system</li> <li>• Double jacketed chamber.</li> <li>• Control panel to select cycle settings with LCD Display</li> <li>• Water level indicator.</li> <li>• Internal Chamber Capacity: <b>150</b>liters</li> <li>• Sterilization Temperature Range: 121°C to 134°C.</li> <li>• Maximum Chamber pressure: 2 bars or more.</li> <li>• Chamber Temperature and pressure gauges/display.</li> <li>• Autoclave should be properly equipped with door safety locks&amp; safety valves for chamber &amp; jacket.</li> <li>• With integral alarms that ring, flash, or otherwise display information when temperature set-points are exceeded or fallen below.</li> <li>• With Pressure safety valve, over-temperature limiter, over pressure limiter.</li> <li>• Low water protection with audio visual indicator</li> <li>• Autoclave should execute Vacuum test Bowie &amp; Dick test&amp; Helix Test.</li> </ul>	

		<ul style="list-style-type: none"> <li>Should be supplied with RO plant of 50L per Hour, with imported parts, assembled locally (<b>Model and make must be mentioned</b>)</li> <li>Accessories:               <ol style="list-style-type: none"> <li>Basket 02 Nos</li> <li>Trays 10 Nos</li> </ol> </li> </ul> <p>All infrastructural work including plumbing and electrical work will have to be done by the supplier. The hospital will only provide space and water outlet.</p>	
3	Autoclave Automatic 200 Liters	<ul style="list-style-type: none"> <li>Minimum 5 sterilization cycles (Vacuumization, Heating, Sterilization, Exhaust and Drying),for (a) wrapped as well as unwrapped instruments, (b) flash sterilization, open, packed</li> <li>Single door, high pressure, high vacuum autoclave for sterilizing hospital materials.</li> <li>The closing, locking and opening of the door should be completely automatic, without any push button or lever.</li> <li>Door operated by control panel</li> <li>Electrically operated with inbuilt electric steam generator.</li> <li>System should be operated with a high vacuum pump.</li> <li>Double jacketed chamber.</li> <li>Control panel to select cycle settings with LCD Display</li> <li>Water level indicator.</li> <li>Internal Chamber Capacity: <b>200</b>liters</li> <li>Sterilization Temperature Range: 121°C to 134°C.</li> <li>Maximum Chamber pressure: 2 bars or more.</li> <li>Chamber Temperature and pressure gauges/display.</li> <li>Autoclave should be properly equipped with door safety locks&amp; safety valves for chamber &amp; jacket.</li> <li>With integral alarms that ring, flash, or otherwise display information when temperature set-points are exceeded or fallen below.</li> <li>With Pressure safety valve, over-temperature limiter, over pressure limiter.</li> <li>Air shall be removed from the sterilization chamber after loading the autoclave automatically through the automatic control system</li> <li>Low water protection with audio visual indicator</li> <li>Autoclave should execute Vacuum test Bowie &amp; Dick test&amp; Helix Test.</li> <li>Should be supplied with RO plant of 70L per Hour, with imported parts, assembled locally (<b>Model and make must be mentioned</b>)</li> <li>Accessories:               <ol style="list-style-type: none"> <li>Basket 02 Nos</li> <li>Trays 10 Nos</li> </ol> </li> </ul> <p>All infrastructural work including plumbing and electrical work will have to be done by the supplier. The hospital will only provide space and water outlet.</p>	



### Surgical Instruments

**Note: All the instruments must be made of stainless steel. All die made with hidden joints and leak proof. Manufacturers mark must be indicated on all instruments.**

**Selection must be subject to sample.**

S#	Item Name	Specifications	Qty
1	All metal bladder syringe		
2	Allies forceps 6"		
3	Allies forceps long		
4	Amputation sets complete		
5	Aneurysm needle curved to the right		
6	Artery forceps 4"		
7	Artery forceps 5" pointed ss		
8	Artery forceps 6"		
9	Artery forceps 6" SS curved		
10	Artery forceps 8" straight		
11	Artery forceps 9" long curved		
12	Artery forceps 9" long pointed curved		
13	Artery forceps 9" long straight		
14	Bandy turin verbal forceps 9.5 long		
15	Basin SS		
16	Basin stand		
17	Berkleys Retractor		
18	Blood Groping Viewing Box	Set of Anti A, B, D. 10ml each	
19	Blood Groping Viewing Box	Set of Anti A, B, D. 10ml each	
20	Bohlerieg tight splint different size		
21	Bone cutting forceps		
22	Bone Nibbler		
23	Bone Ranger (Oral Surgery)		
24	Goggles Set of 12		
25	Bowel SS large		
26	Bowel SS small		
25	Bozemansfirst his catheter for washing drum vessel		
26	Bozemans needle holder 7.5"		
27	BP blade box		
28	BP handle		
29	BP Scalpel Handle for Blad-15 oral surgery		
30	Brand splinters tendon stopper		
31	Brewers or gives specula 3 size		
32	Brims extension frame for long D sizes		
33	Burner		
34	Buckets		
35	Cartridge Syringes with aspirating facility		
36	Chart Holder		
37	Cheatle Sterilizer forceps10" long		
38	Check Retractor (Oral Surgery)		
39	Chisel 6 size		
40	Containers for Sputum Culture		
41	Containers for urine Culture		
42	Cremel double Retractor		
43	Curette Oral Surgery		
44	Curved light forceps for stone 8,6,5" long		
45	Danis Browns Retractor Universal		
46	Daring Tube Shapes 6 sizes 8,9,10,12,14,15 & 16		
47	Dilating complete set		
48	Dissecting forceps plain		
49	Ear syringe		
50	Elevator Angular Pair		
51	Elevator cross bar pair		

52	Elevator pair of cryers (Triangular Shape)		
53	Elevator straight		
54	Entrap Uterine Canals		
55	Eroded Mattable probe ended director 6.5" long		
56	Eve's intestinal forceps 9" long		
57	Examination Mirror		
58	Examination tweezers		
59	Extraction Forceps upper Interior		
60	Extraction forceps lower BDR		
61	Extraction forceps lower interior		
62	Extraction forceps lower molar		
63	Extraction forceps lower pre-molar		
64	Extraction Forceps upper BDR		
65	Extraction Probe Upper Molar		
66	Extraction Probe Upper Pre Molar		
67	Face mask all sizes set	Branded, Good quality, disposable (Imported)	
68	Female Dilator		
69	Female metallic catheter		
70	Galantian squotum sound		
71	Gallium Hysterectomy forceps curved 11x1		
72	Gallium Hysterectomy forceps straight 1x2		
73	Gland forceps		
74	Gadless urine dilator	good material adjustable	
75	Hammer Heavy		
76	Hangers models double ended cervix dilation		
77	HerocsTurin uterus fine semi blunt	Best quality, good material,	
78	Hurry Fenwicks Retractor		
79	Instrument cabinet large size		
80	Intestine Holding forceps		
81	Introducer for Catheter		
82	Iron Safe	good material, adjustable	
83	Kelley's Retractor	good material,	
84	Kidney pedicle 9.5" long	good material,	
85	Kidney tray SS Size	good material,	
86	Laces Retractor		
87	Lamp cradle 3 size		
88	Lanes stomach holding forceps 8"		
89	Lange back's Retractor L Shape oral surgery		
90	Legel Face Mask		
91	Lens Tissue forceps 8"		
92	Legenback Retractor		
93	Lion forceps v sizes		
94	Lockport memory fistula director pattern 1,2,3,4		
95	Main Gut intestinal forceps		
96	Mason Chained file dissector with probe 5.5"		
97	Mayas Safety Pins		
98	Mayo Curved 8.5" long		
99	Mayo instrument stand		
100	Mayo Needle Holer 7.5"		
101	Mayo Straight Scissors		
102	Megills forceps		
103	Metozone bum scissors 8.5"		
104	Mirrors Retractor		
105	Moore boil spoon with handle		

106	Mouth prop oral surgery		
107	Nail extractor		
108	Needle holder large size		
109	Nose speculum		
110	Nose Vigilant forceps 13.5"		
111	Oeatomes 4 sizes		
112	Oller Retractors		
113	Ordinary mask nasal catheters		
114	Parser excision clamp 9"		
115	Pelivis meter		
116	Periosteal Elevator Oral surgery		
117	Periosteum Elevator		
118	Perforators		
119	Pin cutter		
120	Plaster of paris knife		
121	Plaster table		
122	Plates Stainless steel full size		
123	Plates Stainless steel medium size		
124	Plates Stainless steel Quarter size		
125	Pool S Abdominal Suction Tube		
126	Position Aspirator		
127	Preat stainless steel		
128	Precursor		
129	Randall's renal calculus curved	Best quality, good material,	
130	Rectal speculum large / small		
131	Rendell barker face mask all sizes	Good quality, disposable	
132	Rectangular tray SS		
133	Retro-grate boggles size 4/7, 6/9, 8/11		
134	Richardson Appendectomy Set Retractor		
135	Same ducks abill specula double ended		
136	Scissors oral surgery		
137	Scissors Surgical V. size		
138	Suction Bowl stand	<ul style="list-style-type: none"> <li>• Standard Bowl Single</li> <li>• Stainless steel stand to support 1 X 35 cm diameter.</li> <li>• Stainless steel bowl,</li> <li>• Mounted on 4 X anit-static swivel castors</li> </ul>	
139	Self-Retracting Abdominal		
140	Sim forceps		
141	SIMMs duck bill specula single ended		
142	Single Hocks Blunt		
143	Singles vigilant dressing forceps with small sector		
144	Skin Retractor		
145	Skin small Retractor		
146	Small Needle Holder oral surgery		
147	Smith forceps hare curded left / right		
148	Sound Bladder		
149	Spittoons stainless steel		
150	Sponge holder forceps large size		
151	Sponge holder with curved older with curved handle 8"		
152	Sponge holder with spring handle 16"		
153	Spot light		
154	Suction bowel stand		
155	Surgeon revolver steel stool		
156	Surgical Blades	To have an adjustable blade control with 4 comb attachments.	
157	Tendon hook		
158	Tenotomy knife Blunt ended	From good quality glass material	

159	Tenotomy knife sharp pointed	Best quality, good material,	
160	Tongue depressor		
161	Toothed dissecting forceps oral surgery		
162	Torch hand		
163	Tourniquet		
164	Towel clip		
165	Tracer Canola		
166	Tray with cover large size		
167	Tubule inflation apparatus		
168	TV for Dining Hall		
169	Urethral V S		
170	Urinal stainless steel male and female		
171	Uterine curette blunt and sharp		
172	Vigilant dressing forceps 9.5"		
173	Wire cutting forceps		
174	Wallons Gesture Eterestomy clamp 13"		
175	Ward nephrolithotomy forceps		
176	Wash stand with 2 basin side by side		
177	Waxen Jones birth fracture frame		
178	Tendon Hammer		
179	wire Brush		
180	Tuning Fork		
181	Teflon Injection Burning Syringe		
182	Femoral Distractor		
183	Hand Chulk		
184	Pin Cutter		
185	Plate Bending Press	<ul style="list-style-type: none"> <li>• Stainless steel case, perforated</li> <li>• Upper tray for instruments(stainless steel)</li> <li>• Lower tray for instruments(stainless steel)</li> <li>• Triple Drill guide with fixed angle for seating chisel</li> <li>• Reamer</li> <li>• Chisel guide with adjustable angle for Seating Chisel</li> <li>• Seating chisel (For preparing blade Channel)</li> <li>• Inserter/Extractor (With adjustable Angled)</li> <li>• Impactor for Plates</li> <li>• Slotted Hammer</li> <li>• Triangular positioning Plate (90 / 50 / 40DGR)</li> <li>• Triangular Positioning Plate (80 / 70 / 30DGR)</li> <li>• Triangular Positioning Plate ( 100/ 60 / 20 DGR)</li> <li>• Condylar Plate Guide.</li> </ul>	
186	Jex Thyroid Retractor hooking nut		
187	Prostate (Bladder) Self Retaining Retractor		
188	Thyroid Retractor		
189	Vaginal Speculum		
190	Amalgam Plunger filling		
191	Bone Rongers (Oral Surgery)		
192	Burnishing Filling		
193	Cartridge Syringe with Aspirating Facility		
194	Cellulose or Plastic Strip		
195	Cement Spatula		
196	Excavator Filling		
197	Glass Slab		

198	Instrument for Filling		
199	Mortar & Pastel		
200	Steel Matrix Bands Different Size		
201	Bone Marrow Needle Paeds/Adult		
202	Trephine Biopsy Needle		
203	Abdominal Retractor	Consisting Of: 1 X Retractor With 2 Pairs Exchangeable Valves 1 X Gusset Retractor 1 X Denis - Browne Retractor With 4 Blades	
204	Stand for dressing iron		
205	Stand for three sterilizer drum with drained	Make of Steel Pipe dia	
206	Basin S.S.	Best Quality, Good material	
207	Basin Stand	Best Quality, Good material	
208	Dressing Drum	Trays SS 10" x 12" Artery forceps peon 6" Sponge holding forceps 10" Needle holder 6" Plain dissecting forceps 7" Tooth dissecting forceps 7" Scissors Assessing 6" kidney tray medium size Along with Container	
209	Dressing drum large size	Trays SS 12" x 18" Artery forceps peon 6" Sponge holding forceps 10" Needle holder 6" Plain dissecting forceps 7" Tooth dissecting forceps 7" Scissors Assessing 6" kidney tray medium size Along with Container	
210	Bone Marrow Aspiration Needle	<ul style="list-style-type: none"> <li>Manufacturer's mark must be indicated on all instruments</li> </ul>	
211	Bone trephine needle	<ul style="list-style-type: none"> <li>Manufacturer's mark must be indicated on all instruments.</li> </ul>	
212	Chest Intubations Set	<ul style="list-style-type: none"> <li>Manufacturer's mark must be Indicated on all instruments.</li> </ul>	
213	L.P. Bone marrow	<ul style="list-style-type: none"> <li>Manufacturer's mark must be Indicated on all instruments.</li> </ul>	
214	Liver biopsy needle	<ul style="list-style-type: none"> <li>Manufacturer's mark must be indicated on all instruments.</li> </ul>	
215	Liver/Biopsy 3 Way Aspiration Needles	<ul style="list-style-type: none"> <li>Manufacturer's mark must be indicated on all instruments.</li> </ul>	
216	Mucus Extractor	<ul style="list-style-type: none"> <li>Manual, Manufacturer's mark Must be indicated on all instruments.</li> </ul>	
217	Ordinary Mask Nasal Catheters	<ul style="list-style-type: none"> <li>Manufacturer's mark must be indicated on all instruments.</li> </ul>	
218	Pleural Biopsy Needle	<ul style="list-style-type: none"> <li>Manufacturer's mark must be indicated on all instruments.</li> </ul>	
219	Point's Aspirator	<ul style="list-style-type: none"> <li>Manufacturer's mark must be indicated on all instruments.</li> </ul>	
220	Electric Sterilizer	<ul style="list-style-type: none"> <li>Instrument sterilizer to have seamless construction,</li> <li>Should be made of medical grade stainless steel.</li> <li>Should have thermostatically controlled heating through easily replaceable heating element of 1kW</li> <li>Size approximately 18"Lx12"Wx9"H</li> <li>Should have handles for unit and lid</li> <li>The lid to be rigidly constructed to prevent warping hinged to the body and</li> </ul>	

		<p>provided with a stop to keep it in the upright position.</p> <ul style="list-style-type: none"> <li>• The instrument tray to be constructed of stainless steel and fixed with drip handles.</li> </ul>	
221	True Cut Biopsy Needle	<ul style="list-style-type: none"> <li>• Manufacturer's mark must be indicated on all instruments.</li> </ul>	
222	Tongue Depressor Steel	<ul style="list-style-type: none"> <li>• Tongue Depressor Steel</li> </ul>	
223	Proctoscope for adult & child	<ul style="list-style-type: none"> <li>• Manufacturer's mark must be indicated on all instruments.</li> </ul>	

**Hollow ware**

**Note: All the instruments must be made of stainless steel. All die made with hidden joints and leak proof. Manufacturers mark must be indicated on all instruments.**

**Selection will be on sample.**

S#	Nomenclature	Specifications
1	Basin S.S	Standard Size, Best Quality
2	Basin Stand	
3	Basin trolley with stand	
4	Basin wash hand with stand	
5	Bed Pan S.S	
6	Bowel S.S large size	
7	Bowel S.S small size	
8	Bowel with lid SS	
9	Bucket EI	
10	Drums for linens	
11	G.S Cups Medium & Large	
12	Gauze drum small size	
13	Hand washing basin with stand	
15	Kidney tray large size	
16	Kidney tray S.S	
17	Rectangular tray S.S	
18	S.S Buckets	
19	Scrub Unit	
20	Spittoon S.S	
21	Stand for 3 sterilize drum with drained	
22	Stands for drums	
23	Steel box large size	
24	Steel square trays with cover non-magnetic 7x10", 10x12" & 12x16" (2 each)	
25	Tray stainless steel	
26	Tray with covers large size	
27	Urinal Stainless steel male & female	
28	Wash stand with two basin side by side	

**Category – Medical Gasses**

**Selection will be on sample**

<b>S#</b>	<b>Nomenclature</b>	<b>Specifications</b>	<b>Qty</b>
1	Oxygen,240 Cft cylinder	<ul style="list-style-type: none"><li>• The cylinder must be of standard quality.</li><li>• BOC/Equivalent testing certificate must be provided</li></ul>	
2	Oxygen48 Cft cylinder	<ul style="list-style-type: none"><li>• The cylinder must be of standard quality.</li><li>• BOC/Equivalent testing certificate must be provided</li></ul>	
3	Nitrous Oxide240 Cft cylinder	<ul style="list-style-type: none"><li>• The cylinder must be of standard quality.</li><li>• BOC/Equivalent testing certificate must be provided</li></ul>	
4	Nitrous Oxide48 Cft cylinder	<ul style="list-style-type: none"><li>• The cylinder must be of standard quality.</li><li>• BOC/Equivalent testing certificate must be provided</li></ul>	
5	Carbon dioxide 240 Cft Cylinder	<ul style="list-style-type: none"><li>• The cylinder must be of standard quality.</li><li>• BOC/Equivalent testing certificate must be provided</li></ul>	
6	Carbon dioxide 48 Cft Cylinder	<ul style="list-style-type: none"><li>• The cylinder must be of standard quality.</li><li>• BOC/Equivalent testing certificate must be provided</li></ul>	
7	Air 240 Cft Cylinder	<ul style="list-style-type: none"><li>• The cylinder must be of standard quality.</li><li>• BOC/Equivalent testing certificate must be provided</li></ul>	
8	Air 48 Cft Cylinder	<ul style="list-style-type: none"><li>• The cylinder must be of standard quality.</li><li>• BOC/Equivalent testing certificate must be provided</li></ul>	
9	Oxygen Cylinder Key	Good quality Oxygen Cylinder Key for 240 & 48 CFT cylinders	
10	Oxygen Flow Meter	<ul style="list-style-type: none"><li>• Direct fitted to the Outlet BOC/Equivalent, included with the Humidifier.</li><li>• Nickel-plated brass base and body</li><li>• Clear shroud</li><li>• Expanded lower scale 0-5Lpm</li></ul>	
11	Oxygen gauge	Complete with regulator, gauge and standard accessories.	



**Category: Endoscopy**

S#	Nomenclature	Specifications	Qty
1	Bronchoscope Flexible full set with all accessories	<p><b>Bronchoscope:</b></p> <ul style="list-style-type: none"> <li>The working length of the fiber scope should be 60 cm.</li> <li>The outer diameter should be 3.8mm or better.</li> <li>Range of bending at the tip should be minimum 180 degree up and 130 degree down approx.</li> <li>Working Channel diameter: 2.02 to 2.2 mm</li> <li>Compatible with camera head.</li> <li>Brilliant high resolution video images (model of CCD camera must be mentioned).</li> <li><b>LIGHT SOURCE:</b></li> <li>Compatible light source from the same manufacturer</li> <li>Automatic light adjustments to maintain optimum brightness</li> </ul>	
2	Cystoscope flexible set with light source complete	<p><b>CYSTOSCOPE FLEXIBLE SET</b></p> <ul style="list-style-type: none"> <li>Working length: 37 cm or better.</li> <li>Distal Tip: 146Fr(4.8mm to 4.9 mm).</li> <li>Working channel: 6.4 Fr(2.1mm) or better</li> <li>Active Deflection: 180° to 220° up, 170° down or more</li> <li>With Passive Deflection.</li> <li>Light Carriers: 2,</li> <li>Field of view: 110° to 120° minimum,</li> <li>Depth of focus, 5-50 mm or better.</li> <li>Complete with grasping forceps,</li> <li>Fiber optic cable.</li> <li>Instrument lubricant.</li> <li>Biopsy port seals, cleaning brush &amp; carrying case</li> <li>Complete light source from the same manufacturer.</li> </ul>	
3	Endoscope Gastro duodenal	<ul style="list-style-type: none"> <li><b>HIGH DEFINITION GASTRO-VIDEO SCOPE</b></li> <li>High definition</li> <li>Compatible with standard set of accessories.</li> <li>Field of view: 140mm or more</li> <li>Working length: 1030mm or more</li> <li>Outer diameter: 9.8 mm or less</li> <li>Depth of field 4 to 100 mm or better on either side</li> <li>Angulation Range Up 210° Down 90° or better on either side Right 100° Left 100°</li> <li>Channel Diameter 2.8mm</li> <li>Complete with xenon light source (from same manufacturer) and video processor.</li> <li>With medical grade monitor 21" or better</li> <li><b>Resolution:</b> 1280x1024 or better.</li> <li><b>Brightness:</b> 300 Cd/m2 or better.</li> <li><b>Contrast Ratio:</b> 2000:1 or better With <ul style="list-style-type: none"> <li>a. Brightness stabilization</li> <li>b. Back light sensor.</li> <li>c. Power saving mode &amp;</li> <li>d. USB Port.</li> </ul> </li> <li>Accessories: AC power cord, Signal Cable, USB cable.</li> <li>Along with trolley (Local).</li> </ul> <p><b>Endoscope Disinfector</b> Locally Made (Model and make must be mentioned)</p>	

4	Laparoscope machine for Gynae /OBS and General	<p><b><u>Gynea and General Laparoscopy System</u></b></p> <p><b>High definition three chip /CMOS Camera System</b></p> <ul style="list-style-type: none"> <li>• Camera Console 220V with Universal Coupler .</li> <li>• Pure Digital Signal with high definition video 2 Mega pixel or better (native resolution)</li> <li>• Progressive scan technology both on camera head and console</li> <li>• Brightness Control on Console and camera head</li> <li>• Digital Zoom (x2.5) and White Balance Control on Camera Head</li> <li>• Integrated Gain/Shutter / Enhancement with automatic brightness control</li> </ul> <p><b>Video Output-</b></p> <ul style="list-style-type: none"> <li>• Two DVI outputs</li> </ul> <p><b>Automatic light source (From same manufacturer)</b></p> <ul style="list-style-type: none"> <li>• 220volt, 300 watt. Xenon/LED Bulb (with one spare bulb)</li> <li>• Light Adjustment</li> <li>• Stand By Mode</li> <li>• Universal Jaw Assembly branded</li> <li>• Fiber Optic Cable with adapter</li> </ul> <p><b>FIBER OPTIC CABLE</b></p> <ul style="list-style-type: none"> <li>• 4.5 to 6.5mm x 240 cm or better Snap fit cable</li> </ul> <p><b>MONITOR</b> (from same manufacturer)</p> <ul style="list-style-type: none"> <li>• <b>Quantity: 2</b></li> <li>• 27" or better medical grade LED Monitor (from same manufacturer and model must be mentioned)</li> <li>• High Definition</li> </ul> <p><b><u>HD Resolution:</u></b> 1920x1080 or better.</p> <p><b><u>Brightness:</u></b> 300 Cd/m2 or better.</p> <p><b><u>Contrast Ratio:</u></b> 2000:1 or better With</p> <ol style="list-style-type: none"> <li>1. Brightness stabilization</li> <li>2. Back light sensor.</li> <li>3. Power saving mode &amp;</li> </ol> <p>Accessories: AC power cord, Signal Cable.</p> <p><b>INSUFFLATOR</b></p> <ul style="list-style-type: none"> <li>• 40 Liter of high flow, Microprocessor controlled unit</li> <li>• Soft approach pressure control for safe recovery of abdominal pressure</li> <li>• Gas heating</li> <li>• LCD based central display monitor</li> <li>• Audio visual warning signals</li> </ul> <p><b>HD TELESCOPES, Fully autoclavable with working length 300 mm or better</b></p> <ul style="list-style-type: none"> <li>• Wide angled distortion free view</li> <li>• Universal adaptor for other light sources</li> <li>• 0 degree, 10mm,</li> <li>• 30 degree, 10mm,</li> <li>• 0 degree, 5mm</li> <li>• 30 degree, 5mm</li> </ul> <p><b>Tocars (Long &amp; Standard):</b></p> <ul style="list-style-type: none"> <li>• 5 mm 03Nos each</li> <li>• 10 mm 03Nos each</li> </ul> <p><b>Scissor:</b> As per working length</p> <p><b>Grasping forceps</b> 02Nos</p> <p><b>Grasping and dissecting forceps:</b> 02 Nos</p> <p><b>L Hook electrode:</b> 01Nos</p> <p><b>Universal Monopolar cable:</b> 01No</p> <p><b>Insufflations needle:</b> 01No</p> <p><b>Suction/irrigation cannula</b> 01No</p> <p><b>Clip applicator:</b> 01No</p> <p><b>Needle Holder:</b> 01Nos</p>	
---	--	---	--

		<p><b>Uterus Manipulator:</b> 01No <b>Knot Pusher:</b> 01No</p> <ul style="list-style-type: none"> <li>Along with stainless steel Trolley (Local)</li> </ul>	
5	Naso-pharyngoscope with suction & forceps	<ul style="list-style-type: none"> <li>Flexible Naso-pharyngo-laryngoscope for universal application, Immersible.</li> <li>Outer dia: 3.5mm,</li> <li>Working length: 300mm to 400mm,</li> <li>Total Length: 545mm or better</li> <li>Deflection up/down: 130°/130°</li> <li>Depth of Focus: 5mm to 50 mm,</li> <li>Field of view: 75° -95°,</li> <li>Complete with compatible light source and fiber optic cable (From same manufacturer).</li> </ul>	
6	Oesophagoscope instruments set	<ul style="list-style-type: none"> <li>Esophagoscopetube, Appr. Size 1, 6x8 mm (h xw)</li> <li>WL: 350mm.</li> <li>Cap with window, proximal illumination insert, Magnifier.</li> <li>Universal Cap, Straight Handle, Double bellows,</li> <li>Foreign Body Forceps, alligator jaws, WL: 450mm.</li> <li>Universal Forceps, WL: 450mm.</li> <li>Biopsy Forceps, spoon shaped, WL: 450mm.</li> <li>Retrograde biopsy forceps, WL: 450mm.</li> <li>Small tumor forceps, cutting WL: 450mm.</li> <li>Rotation forceps for hard foreign bodies WL: 450mm.</li> <li>Grasping forceps, for soft foreign bodies WL: 450mm.</li> <li><b><u>Flexible portion</u></b></li> <li>Working Length: 700mm,</li> <li>Diameter of Flexible Part: 13 mm.</li> <li>Instrument Channel: 3.7 mm.</li> <li>Deflection (Up/Down): 180/90 deg.</li> <li>Deflection (Right/Left): 110/110 deg.</li> <li>Depth of focus: 5-100mm.</li> <li>Biopsy Forceps, dia 2.1mm.</li> <li>Injector Cannula.</li> <li>Compatible Light Source and fiber optic cable (From same manufacturer).</li> <li>Complete with all accessories.</li> </ul>	
7	Sinus Endoscopy set with proof puncture needles	<ul style="list-style-type: none"> <li>Flexible Sino scope for universal application also in pediatric, immersible,</li> <li>Outer Dia, 3.5mm.</li> <li>WL 400mm or better.</li> <li>Total Length 650 mm.</li> <li>Dia of Flexible Section 3.6mm.</li> <li>Deflection up/down 180°/90°</li> <li>Depth of Focus 3-50mm</li> <li>Field of view 95° or better.</li> <li>Instrument Channel 1.1 mm Dia.</li> <li>With proof puncture needles.</li> <li>With compatible light source (From same manufacturer) and fiber optic cable.</li> </ul>	
8	Bronchoscope Rigid	<p><b><u>Size:</u></b></p> <ul style="list-style-type: none"> <li>3mm WL 200mm or better</li> <li>4mm WL 215mm or better</li> <li>5mm WL 245mm or better</li> <li>5.5mm WL 265mm or better</li> </ul> <p><b><u>Forceps:-</u></b></p> <p>According to the bronchial / tracheal tubes</p> <ul style="list-style-type: none"> <li>Alligator FB Forceps 1</li> </ul>	

		<ul style="list-style-type: none"> <li>• Biopsy Forceps 1</li> <li>• Fenestrated Forceps 1</li> <li>• Peanut Forceps 1</li> <li>• Magnetic Extractor 1</li> <li>• <b>Optical biopsy forceps 1</b></li> <li>• <b>Optical grasping forceps 1</b></li> <li>• <b>Aspiration catheter 10</b></li> </ul> <p><b><u>Accessories</u></b></p> <ul style="list-style-type: none"> <li>• Adapter with sliding glass window plug, sealing cap, notched lens and key hole opening, movable.</li> <li>• Plug for ventilation attachment of bronchoscope.</li> <li>• Adaptor for Bronchoscope to any type of pediatric respiration equipment.</li> </ul> <p><b><u>Light Source</u></b></p> <ul style="list-style-type: none"> <li>• Compatible Light Source (From same manufacturer).</li> <li>• Automatic / Manual Light Adjustment.</li> <li>• Along with fiber optic cable.</li> </ul>	
9	Sigmoidoscope with universal lighting	<ul style="list-style-type: none"> <li>• <b>Features of Sigmadioscope:</b></li> <li>• <b>Specifications and Qualifications:</b></li> <li>• Angle of view field: 100° or more</li> <li>• Diameter of Distal End: ø13mm or less</li> <li>• Diameter of Insertion Tube: ø12.8mm or less</li> <li>• Range of Tip Bending: 180 °U, 180°D, 160 °R, 160 °L</li> <li>• Depth of View: 3-100mm or more</li> <li>• Diameter of Instrument Channel: ø3.2mm or more</li> <li>• Working Length: 750mm to 950mm or better</li> <li>• Working distance 56mm or more</li> <li>• <b><u>Light Source:</u></b></li> <li>• Along with compatible light source (from the same manufacturer).</li> <li>• Power voltage and frequency ~ 220V/50HZ</li> <li>• Air pump: 0.03MPa= Pressure=0.06Mpa;</li> </ul>	

**Category: Laboratory Equipment**

S#	Nomenclature	Specifications	Qty Regent
1	Automated Electrolyte Machine	<p>Open system consisting of :</p> <ul style="list-style-type: none"> <li>• Electrolyte analyzer for Na, k, Ca, Cl, Li, Ph</li> <li>• For whole blood, plasma, serum, urine</li> <li>• Sample volume: - blood / plasma / serum minimum 25 to 200uL</li> <li>• Urine (diluted) 50-250 micro liters</li> <li>• Digital display</li> <li>• Stat facility</li> <li>• Auto sampler</li> <li>• Self-diagnostics programmed; system monitoring and maintenance modes</li> <li>• Patient results storage: 120 samples or better</li> <li>• QC data storage : 20 or better</li> <li>• Integral printer</li> <li>• Calibration: Automatic</li> <li>• Calibrators, controls, reagents, consumables for startup.</li> </ul>	
2	Automated ESR System	<p>Fully automated ESR analyzer:</p> <ul style="list-style-type: none"> <li>• LCD screen</li> <li>• Internal thermal printer</li> <li>• Easy operator software, Calibration &amp; Controls</li> <li>• Results time: 30 seconds or less</li> <li>• Result / Hour: 130 samples/hour or better</li> <li>• EDTA blood sample volume: 180 µl or less with automated withdrawal per test</li> <li>• Simple position: 20 or better</li> </ul>	Regent
3	Manual ESR System	<p>E.S.R. APPARATUS WESTERGREENS TYPE BLOOD SEDIMENTATION APPARATUS acc. To Wintergreen, metal support, made of stainless steel, stable construction with special springs, with pipettes and specimen tube with rubber stopper (also for rapid method), for 10 examinations</p>	
4	Blood Screening Counter	<ul style="list-style-type: none"> <li>• 8 keys laboratory counter with totalizer</li> <li>• To facilitates leukocyte differential count including basophils, eosinophil's, lymphocytes, monocytes, myelocytes, segmented and band (neutrophils)</li> <li>• Each key to register a unit corresponding to the identified leukocyte.</li> <li>• After having counted 100 units of leukocytes a bell should sound and the percentage of every type of leukocytes can be directly read.</li> <li>• Hundred steps for one thousand.</li> </ul>	
5	Centrifuge(Bench Top) (for DHQ level Hospitals)	<p>Consisting Of:</p> <ul style="list-style-type: none"> <li>• Angle Rotor Maximum Speed 6000rpm; Rcf6250g</li> <li>• Timing Up To 99 Minute; Continuous</li> <li>• Microprocessor controlled.</li> <li>• Programmable By Keypad; 32 Program storage</li> <li>• Digital Display of Program Speed, Timing, Braking.</li> <li>• Lid Safety Interlock</li> <li>• Angle Rotor, Maximum Capacity 24 X 15ml, 24 X 7ml (With Adaptor</li> </ul>	
6	Laboratory Centrifuge (for Category C or D	<ul style="list-style-type: none"> <li>• Bench top centrifuge machine with angle rotor</li> <li>• Brushless motor</li> <li>• Noiseless and vibration free (under 60db)</li> </ul>	

	level Hospitals)	<ul style="list-style-type: none"> <li>Maximum speed upto 6000 rpm</li> <li>Digital control of timing up to 99 min</li> <li>Digital display of speed, timing</li> <li>Lid safety interlock</li> <li>12x15 ml tube, fixed angle rotor</li> <li>Adaptors 6-10ml</li> </ul>	
7	Deionizer	<ul style="list-style-type: none"> <li>Automatic regeneration after manual initiation.</li> <li>Constant monitoring of final water quality.</li> <li>Solid-state reliability for trouble-free service.</li> <li>Automatic shut-off in event of power failure.</li> <li>Compact, non-corrosive components.</li> <li>Convenient, modular construction.</li> <li>Easy, economical installation</li> <li>Conductivity of water 0-30 <math>\mu\text{S}/\text{m}</math></li> <li>20 to 30 liters per hour</li> </ul>	
8	Distillation water Assembly	<ul style="list-style-type: none"> <li>Horizontal thick wall heat resistant Glass boiler fitted with 3 KW chromium plated heater.</li> <li>High efficiency coil condense ensures low temperature, high output quality</li> <li>Distillate of conductivity 03 to 04 <math>\mu\text{S}/\text{m}</math>.</li> <li>Compact construction suitable for bench and wall mounting.</li> <li>Screw threads connectors for easy fitting or removal of hose safely.</li> <li>Built-in constant level device with Schott Ventura-Nova Valve for drainage provides easy de scaling without dismantling.</li> <li>Safety thermostat</li> <li>Distilled output: 10 Liters or better per 24 hours single distilled.</li> <li>Power Supply: 220v, 50 Hz Single Phase.</li> </ul>	
9	Laboratory Incubator	<ul style="list-style-type: none"> <li>Stainless steel chamber with adjustable shelves and a tough ended glass inner viewing door. The outer cabinet is to be rust resistant.</li> <li>Temperature control: by digital display</li> <li>Alarm system for high and low temperature, Door close / open.</li> <li>over temperature safety cutout to be set by the user.</li> <li>Fitted with circulation fan.</li> <li>Temperature : Range: At least 5°C above ambient to +60°C</li> <li>Control (Fan): <math>\pm 0.1^\circ\text{C}</math> at +37°C</li> <li>Variation (Fan): <math>\pm 0.25^\circ\text{C}</math> at +37°C</li> <li>Chamber Capacity: 80-100 Liters</li> <li>Shelves: 4</li> </ul>	W
10	PH Meter	<ul style="list-style-type: none"> <li>PH Range Accuracy: -2.0 ~ 16</li> <li>Resolution: 0.01</li> <li>Auto Calibration: Auto (3 points) / Manual (3 points)</li> <li>PH calibration approximately : 4, 7.0, 9.0, 10.0</li> <li>Temperature: Range accuracy: -10~120°C <math>\pm 0.4^\circ\text{C}</math>.</li> <li>Resolution: 0.1°C.</li> <li>Mv Range accuracy: 2000mv,</li> <li>Resolution: <math>\pm 0.1\text{mv}</math>.</li> <li>Data log: 50 or better points,</li> <li>With printer compatibility</li> <li>Display: custom LCD,</li> <li>Inputs: USB</li> <li>Power: Rechargeable Battery/DC Power Adaptor.</li> </ul>	
11	SS Filtration Assembly	<ul style="list-style-type: none"> <li>Autoclavable filter holder</li> <li>Manifold made of stainless steel</li> <li>Two way valve for independent control</li> <li>Able to mount on filters</li> </ul>	

		<ul style="list-style-type: none"> <li>• Table top model</li> <li>• Shall come with vacuum pump preferably peristaltic type</li> <li>• Suction should be capable of processing micro pore filter of 0.4 micron</li> <li>• Power supply 220V single phase</li> </ul> <b>Accessories</b> <ul style="list-style-type: none"> <li>• Complete with standard accessories includes:0.4 micron filter box of 200's</li> </ul>	
12	Urine meter	<ul style="list-style-type: none"> <li>• Cold light source,</li> <li>• Auto safe data in case of power failure.</li> <li>• Ascorbic acid, bilirubin, blood, glucose, ketene, leucocytes, nitrite PH.</li> <li>• Throughout normal mode. 60 sample / hour.</li> <li>• Continuous mode. 120 sample/hours or better</li> <li>• Display: 5" large LCD or better.</li> <li>• Memory: 1000 sample results.</li> <li>• Out Put Built-in thermal printer.</li> </ul>	
13	Vortex mixer	<ul style="list-style-type: none"> <li>• Vortex mixer to operate when pressure is applied to the rubber cup which receives the vessel containing the materials to be mixed.</li> <li>• Variable speed control up to 3000 rpm or better</li> <li>• Operating Mode: Touch or Continuous</li> <li>• With multiple shaking heads               <ol style="list-style-type: none"> <li>1. 10-13mm and 15mL tube head, for 16 tubes</li> <li>2. Head for 4 x 15 ml tubes</li> </ol> </li> </ul>	
14	Binocular Microscope	<p><u>Standard Microscope Consisting of :-</u></p> <ul style="list-style-type: none"> <li>• Binocular Head Adjustable Inter Papillary Distance</li> <li>• Rotating Quadruple Nose Piece</li> <li>• Adjustable stage with venire Scale And spring clip for slides</li> <li>• Coaxial Controls</li> <li>• Condenser carrier, vertically adjustable</li> <li>• Bright field condenser, NA ,0.9,FlipTop</li> <li>• Light adjustment for condenser</li> <li>• Aperture Iris Diaphragm</li> <li>• Kohler illumination</li> <li>• Halogen /LED illumination Eye Piece <u>Lenses:-</u></li> <li>• X10 wide field, focusable Objective Lenses:-</li> <li>• X4 Plain Achromatic</li> <li>• X10 Plain Achromatic N.A0.25</li> <li>• X40 Plain Achromatic N.A0.65</li> <li>• X100 Plain Achromatic N.A1.25,</li> <li>• Oil Immersion With following accessories:-</li> <li>• Blue iris aperture</li> <li>• Oiler</li> <li>• Dust cover</li> </ul>	
15	Blood Bank Refrigerator	<ul style="list-style-type: none"> <li>• Cabinet to have smooth stainless steel interior.</li> <li>• Outer door to stay open for ease of access and to have assisted closing with magnetic gasket.</li> <li>• With transparent inner door.</li> <li>• With two or more shelves.</li> <li>• With lockable door.</li> <li>• With interior lighting.</li> <li>• LCD display for temperature and warning / error massages.</li> <li>• Temperature range: 4±1°C</li> <li>• To have seven days chart recorder.</li> <li>• Alarm for warning and error massages.</li> <li>• USB port with frontal access for data transfer.</li> <li>• Minimum Capacity: 120x500cc bag.</li> <li>• With Servo controlled stabilizer.</li> </ul>	
16	Dry Heat Sterilizer/	<p><u>Features:</u></p> <ul style="list-style-type: none"> <li>• Dust-Free Gravity-Flow convection</li> </ul>	

	Hot air oven	<ul style="list-style-type: none"> <li>• For drying, conditioning, Sterilizing and quality control.</li> <li>• Display: Digital touch key pad for temperature control, timer, alarm.</li> <li>• Automatic on/ off function</li> <li>• Over temperature and current protection.</li> <li>• Leakage breaker, fan motor automatically stops when door is opens.</li> <li>• Rapid Heat up in 25 min up to 250°C</li> <li>• Digital Timer built-in Controller</li> <li>• Capacity: 60Liters</li> <li>• Temperature Range Ambient + 5°C to 250°C</li> <li>• Accuracy +1.0°C</li> <li>• Uniformity + 3.0°C at 120°C</li> <li>• Timer Automatic timer 0-99 min,99hr, continuous</li> <li>• Material Inner Stainless Steel</li> <li>• Outer Steel with epoxy powder coating</li> <li>• Shelves Adjustable 2 or 3shelves</li> <li>• Electric Supply 220 V, 50Hz</li> </ul>	
17	Automatic Blood Bag Shaker	<ul style="list-style-type: none"> <li>• Microprocessor controlled</li> <li>• Digital display: For speed and time</li> <li>• Digital speed control 5 to 100 RPM or better</li> <li>• Tilting angle adjustment: 7° to 13°</li> <li>• Timer range: 1 min to 99 hours.</li> <li>• Max. Blood bags: 6 bags</li> </ul>	
18	Water Bath	<ul style="list-style-type: none"> <li>• Capacity: 22liters</li> <li>• Microprocessor controlled</li> <li>• Digital display for temperature controlled</li> <li>• <u>Temperature:</u></li> <li>• Range: Ambient to 99 °C</li> <li>• Accuracy: +-0.5 °C</li> <li>• Uniformity: +- 2.0°C</li> <li>• <u>Material:</u></li> <li>• Bath: seamless stainless steel with lid</li> <li>• Case power coated steal</li> <li>• Safety: over temperature cut-off, Alarm</li> <li>• Electric supply: 220v,50Hz</li> </ul>	
19	Microtome Machines	<ul style="list-style-type: none"> <li>• Fully Automatic</li> <li>• Applications” Sectioning of Paraffin embedded specimen for routine and research histology.</li> <li>• Section thickness range: 0.5-100 um or better on either side</li> <li>• Setting Value <ul style="list-style-type: none"> <li>from 0.5 – 5 µm in 0.5 µm Steps</li> <li>from 5 – 20 µm in 1 µm Steps</li> <li>from 20 – 60 µm in 5 µm Steps</li> <li>from 60 – 100 µm in 10 µm Steps</li> </ul> </li> <li>• Specimen Retraction: 20 um</li> <li>• Trimming Thickness: 1um to 600 um</li> <li>• Setting Value <ul style="list-style-type: none"> <li>from 1 – 10 um in 1 um steps</li> <li>from 10 – 20 um in 2 um steps</li> <li>from 20 – 50 um in 5 um steps</li> <li>from 50 – 100 um in 10 um steps</li> <li>from 100 – 600 um in 50 um steps</li> </ul> </li> <li>• Displacement of blade holder Base: Vertical and horizontal direction</li> <li>• Vertical Cutting stroke length: 60mm</li> <li>• Electrical Requirement: AC 220V / 50Hz</li> </ul>	



**Category: Laboratory Ware**

**Note: Selection will be on sample**

S#	Nomenclature	Specification	Qty
1	Automatic pipette (Full Set)	Standard sizes branded	
2	Blood grouping viewing box	Set of Anti A, B, D. 10ml each branded	
3	Bone marrow needles (Adults)	Branded ,reusable ,autoclavable	
4	Bone marrow needles (Pediatrics)	Must be re-useable.	
5	Centrifuge Tubes (Glass)	<ul style="list-style-type: none"> <li>Good quality made from glass. Tubes are conical- bottomed, with a skirt that extends beyond the bottom of the tube so it can stand without support.</li> <li>Branded</li> </ul>	
6	Centrifuge Tubes (Plastic)	<ul style="list-style-type: none"> <li>Good quality made from plastic. Tubes are conical- bottomed, with a skirt that extends beyond the bottom of the tube so it can stand without support</li> <li>Branded.</li> </ul>	
7	Containers for sputum	<ul style="list-style-type: none"> <li>Stainless Steel with standard size.</li> </ul>	
8	Containers for Urine	<ul style="list-style-type: none"> <li>Made from stainless steel.</li> </ul>	
9	Cover Slip	<ul style="list-style-type: none"> <li>From good quality glass material, Size:- 25.4x76.2mm</li> <li>1.1.2mm thick</li> </ul>	
10	DLC Counter	<ul style="list-style-type: none"> <li>Size: Standard 8keys.</li> <li>Heavy duty, resistant plastic housing.</li> <li>Dual reset knob.</li> <li>Signal bell when 100 cells counted</li> </ul>	
11	ESR Pipettes	Made from Pyrex with graduated scale Branded	
12	ESR Rack	Good quality , washable, stainless steel rack Branded	
13	ESR stand for five Tube	Good quality , washable, quality material & can hold five tubes	
14	FSP Pipette	Good quality , washable, quality material Branded	
15	Glass pipettes (different sizes)	Made from durable material with graduated scale. Branded	
16	Glass Slide	From good quality glass material Branded	
17	Glass Wares	From good quality glass material branded	
18	Lancets	From good quality material. Branded	
19	Micropipette Digital Different size	Standard sizes Branded	
20	Pipette assorted sizes	Made with graduated scale. Branded	
21	Pipette stands	Standard size stand <del>made from stainless steel.</del> Branded	
22	Reagent Bottles	With good quality material. Branded	
23	SahliHemoglobin meter	Manual Hemoglobin meter with Hb pipette, Hb tube, bottle, glass rod, scanner for Hb Measuring Branded	
24	Test tube holder	Stainless steel with 36 tubes. Branded	
25	Test Tube Racks Stainless Steel	Good quality, washable, stainless steel rack and can hold 12 tubes. Branded	
26	Test Tubes	From good quality glass material	
27	Test Tubes Racks wooden	Good quality and finish good wood and can hold 12 test tubes.	
28	Tube Sealer	<ul style="list-style-type: none"> <li>Oscillation Frequency 68 MHz or better</li> <li>Radio Frequency Output 500Ohm</li> <li>Max Sealing Time 10 seconds or better</li> <li>Power Voltage 220 voltage</li> <li>Power Frequency 50Hz</li> </ul>	

		<ul style="list-style-type: none"> <li>Power Consumption 220VA</li> </ul>	
29	Trephine biopsy needle	Must be re-useable. Autoclavable	
30	Wire Loops	Good quality material	
31	Wooden Boxes	Good quality material	
33	Haemo cytometer	Manually operated, complete set of counting chamber, Cover slips, WBC pipette, RBC Pipettes (Imported).	
34	Analytical/Electronic balance	<ul style="list-style-type: none"> <li>The balance to weigh up to 400g in 1mg increments.</li> <li>The balance to be small, flat and conveniently housed in portable lightweight easy to clean housing.</li> <li>To have a 7 digit luminous display with overload protection.</li> <li>To come complete with data input and output terminals and a printout terminal</li> </ul>	
35	Jester (1 to 10 ul) Adjustable	<ul style="list-style-type: none"> <li>Branded</li> <li>Good Quality</li> </ul>	
36	Jester (10 to 100ul) Adjustable	<ul style="list-style-type: none"> <li>Branded</li> <li>Good Quality</li> </ul>	
37	Jester (100 to 1000ul) Adjustable	<ul style="list-style-type: none"> <li>Branded</li> <li>Good Quality</li> </ul>	
38	Jester Fix 5ul	<ul style="list-style-type: none"> <li>Branded</li> <li>Good Quality</li> </ul>	
39	Jester Fix 10ul	<ul style="list-style-type: none"> <li>Branded</li> <li>Good quality</li> </ul>	
40	Jester Fix 20ul	<ul style="list-style-type: none"> <li>Branded</li> <li>Good Quality</li> </ul>	
41	Jester Fix 50ul	<ul style="list-style-type: none"> <li>Branded</li> <li>Good Quality</li> </ul>	
42	Jester Fix 100ul	<ul style="list-style-type: none"> <li>Branded</li> <li>Good Quality</li> </ul>	
43	Jester Fix 500ul	<ul style="list-style-type: none"> <li>Branded</li> <li>Good Quality</li> </ul>	
44	Jester Fix 1000ul	<ul style="list-style-type: none"> <li>Branded</li> <li>Good Quality</li> </ul>	

**Category: Radiology**

S#	Nomenclature	Specification	Qty
1	X-Ray Plants 500mA AC & Battery Operated with in built or external AVR	<ul style="list-style-type: none"> <li><b><u>HIGH FREQUENCY X-RAY MACHINE 500 MA (RADIOGRAPHY ONLY) with Inbuilt or external AVR and UPS In case of external AVR the model /brand /make of the main x ray unit and each quoted component must be mentioned</u></b></li> <li>the AVR must able to control the voltage between 100Vto 260V&amp;to provide constant output voltage of 220V,50Hz</li> <li>In case of external AVR and ups system the AVR/UPS system shall be compatible with the x ray unit for minimum of 70 to 100 exposes on different KV and mA. (Compatibility certificate from the supplier must be provided).</li> <li>AVR/UPS maximum power, brand and model must be mentioned.</li> <li>With over and under current, voltage and heat protection</li> </ul> <p><b><u>X-RAY unit Comprising of following: -</u></b></p> <ul style="list-style-type: none"> <li>High Frequency X-Ray Generator 500mA /150 KV / 40 KW or better.</li> <li>With inbuilt /external AVR and UPS system minimum 70 to 100 exposures or better.</li> <li>4 Way Floating top Bucky table Floor to ceiling or free standing Tube stand.</li> </ul> <p><b><u>X-ray tube head with:</u></b></p> <ul style="list-style-type: none"> <li>Focal spot Size 0.6 x 1.2 mm or better on either side</li> <li>300 KHU or more.</li> <li>Manual Collimator.</li> <li>Pair of H.T cable</li> <li>.Bucky wall stand.</li> </ul> <p><b><u>X-RAY GENERATOR RAD TYPE. 01 TUBE SYSTEM</u></b></p> <ul style="list-style-type: none"> <li>Microprocessor controlled High frequency.</li> <li>Power: 40 kW or better.</li> <li>kV Range: 40 - 150kV</li> <li>mA Range : 10 -500mA</li> <li>Minimum exposure time: 1 milli second or less</li> <li>Exposure time range: 1ms – 8.0 sec or more</li> <li>mAs Range : 02 - 500mAs or more</li> <li>Anatomical Programming: 100 or more.</li> <li>Digital display of parameters.</li> <li>Hand Switch for Radiography.</li> <li>With control console.</li> <li>Pedestal for control console.</li> <li>Automatic main line compensation.</li> <li>Input voltage: 220V, 50Hz.</li> </ul> <p><b><u>ROTATING ANODE, DOUBLE FOCUS X-RAY TUBE(model must be mentioned)</u></b></p> <ul style="list-style-type: none"> <li>Small Focus: 0.6 x 0.6 mm or Less.</li> <li>Large Focus: 1.2 x 1.2 mm or Less.</li> <li>Tube voltage: 150kV.</li> <li>Anode heat storage capacity: 300 KHU or more.</li> <li>Target Angle: 12° or better</li> </ul> <p><b><u>FOUR WAY FLOATING TOP BUCKY TABLE(model must be mentioned)</u></b></p> <ul style="list-style-type: none"> <li>Four way floating top.</li> <li>Oscillating Grid.</li> <li>Cassette Tray to accommodate cassettes up to 14x17inch</li> <li>Electromagnetic Brakes.</li> <li>Grid ratio 12:1</li> </ul> <p><b><u>COLUMNSTAND WITH MANUALCOLLIMATOR(model must be mentioned)</u></b></p> <ul style="list-style-type: none"> <li>Column stands with electromagnetic brakes for movement control.</li> <li>Manual Collimator</li> </ul> <p><b><u>HIGH TENSION CABLES:-</u></b></p> <ul style="list-style-type: none"> <li>Pair of High Tension Cables, each 12 m or more long <u>WALL</u></li> </ul>	

		<p><u>BUCKY STAND(model must be mentioned)</u></p> <ul style="list-style-type: none"> <li>• Vertical Travel, up and down with balancing system &amp; Electromagnetic Brakes</li> <li>• Oscillating Grid</li> <li>• Cassette Tray to accommodate cassettes up to 14x17 inch</li> <li>• Grid ratio 12:1</li> </ul>	
2	X-Ray Plants 300mA AC & Battery Operated in built or external AVR	<p><u>HIGH FREQUENCY X-RAY MACHINE 300 MA (RADIOGRAPHY ONLY) with Inbuilt or external AVR and UPS</u></p> <p><u><b>In case of external AVR the model /brand /make of the main x ray unit and each quoted component must be mentioned</b></u></p> <ul style="list-style-type: none"> <li>• the AVR must be able to control the voltage between 100VAC to 260VAC, to provide constant output voltage of 220VAC,50Hz</li> <li>• In case of external AVR and UPS system the AVR/UPS system shall be compatible with the x ray unit for minimum of 70 to 100 exposes on different KV and mA. (Compatibility certificate from the supplier must be provided).</li> <li>• AVR/UPS maximum power, brand model must be mentioned.</li> <li>• With over and under current, voltage and heat protection.</li> </ul> <p><u>X-RAY unit Comprising of following: -</u></p> <ul style="list-style-type: none"> <li>• High Frequency X-Ray Generator 300 mA /125 KV / 32 KW or better.</li> <li>• With inbuilt /external AVR and UPS system minimum 70 to 100 exposures or better.</li> <li>• 4 Way Floating top Bucky table Floor to ceiling or free standing Tube stand.</li> </ul> <p><u>X-ray tube head with:</u></p> <ul style="list-style-type: none"> <li>• Focal spot Size 0.6 x 1.2 mm or better on either side</li> <li>• 140KHU or more.</li> <li>• Manual Collimator.</li> <li>• Pair of H.T cable</li> <li>• .Bucky wall stand.</li> </ul> <p><u>X-RAY GENERATOR RAD TYPE, 01 TUBE SYSTEM</u></p> <ul style="list-style-type: none"> <li>• Microprocessor controlled High frequency.</li> <li>• Power: 32 kW or better.</li> <li>• kV Range: 40 - 125kV</li> <li>• mA Range : 10 -300mA</li> <li>• Minimum exposure time: 1 milli second</li> <li>• Exposure time range: 1 ms – 4 sec or more</li> <li>• mAs Range : 02 - 300 mAs or more</li> <li>• Anatomical Programming: 40 or more.</li> <li>• Digital display of parameters.</li> <li>• Hand Switch for Radiography. With control console.</li> <li>• Pedestal for control console.</li> <li>• Automatic main line compensation.</li> <li>• Input voltage:220 V, 50Hz.</li> </ul> <p><u>ROTATING ANODE, DOUBLE FOCUS X-RAY TUBE(model must be mentioned)</u></p> <ul style="list-style-type: none"> <li>• Small Focus: 0.6 x 0.6 mm or better.</li> <li>• Large Focus: 1.2 x 1.2 mm or better.</li> <li>• Tube voltage: 125kV.</li> <li>• Anode heat storage capacity: 140 KHU or more.</li> <li>• Target Angle: 12° or better</li> </ul> <p><u>FOUR WAY FLOATING TOP BUCKY TABLE(model must be mentioned)</u></p> <ul style="list-style-type: none"> <li>• Four way floating top.</li> <li>• Oscillating Grid.</li> <li>• Cassette Tray to accommodate cassettes up to 14x17inch</li> <li>• Electromagnetic Brakes.</li> <li>• Grid ratio 12:1</li> </ul> <p><u>COLUMNSTAND WITH</u> <u>MANUALCOLLIMATOR(model must be mentioned)</u></p>	

		<ul style="list-style-type: none"> <li>Column stands with electromagnetic brakes for movement control.</li> <li>Manual Collimator</li> <li>Column stand console with handle having facility of tube rotation(vertical axis),Vertical movement and horizontal movement</li> </ul> <p><b>HIGH TENSION CABLES:-</b></p> <ul style="list-style-type: none"> <li>Pair of High Tension Cables, each 12 m or more long</li> </ul> <p><b>WALL BUCKY STAND(model must be mentioned)</b></p> <ul style="list-style-type: none"> <li>Vertical Travel, up and down with balancing system &amp; Electromagnetic Brakes</li> <li>Oscillating Grid</li> <li>Cassette Tray to accommodate cassettes up to 14x17 inch Grid ratio 12:1.</li> </ul>	
3	Mobile X-Ray plant 300 mA/125KV AC & Battery Operated	<ul style="list-style-type: none"> <li>300mA Inverter Type Mobile X-Ray Unit with AC &amp; Battery Operated facility</li> <li>Input voltage 220v, 50Hz</li> </ul> <p><b>X-Ray Generator</b></p> <ul style="list-style-type: none"> <li>KV Range : 40kv to 125 kV in 01 kV Steps.</li> <li>mA Range : Max. 300mA</li> <li>KW : 32KW or better</li> </ul> <p><b>X-Ray Tube Unit</b></p> <ul style="list-style-type: none"> <li>Rotating anode : Double focus</li> <li>Focus Size : 0.7 &amp; 1.3 mm or better on either side</li> <li>Anode heat storage capacity : 100 KHU or better</li> </ul> <p><b>X-Ray Beam Limiting Device</b></p> <ul style="list-style-type: none"> <li>Projector Lamp: Halogen</li> <li>Filtration: 1.2mm Aluminum or better.</li> </ul> <p><b>Movement Range Of X-Ray Tube</b></p> <ul style="list-style-type: none"> <li>(Center Of X-Ray Tube):Vertical : 45cm To 200cm From Floor to Focus or better</li> <li>Rotating Column :360<sup>0</sup></li> <li>Longitudinal Pivoting Of X-Ray Tube: 90<sup>0</sup> Backward</li> <li>Horizontal Rotation of Arm should be available.</li> <li>With APR system.</li> <li>Cassette Box: For Storage of at least 3 Cassettes</li> </ul>	
4	Automatic Film Processor	<p>Variable speed 45 sec, 60 sec , 90 &amp; 120 sec</p> <ul style="list-style-type: none"> <li>Film: 90 Films per Hour or more</li> <li>Minimum Film Size: 4 x 4 inch</li> <li>Maximum Film Size: 14 x 17 inch</li> <li>Electrical Requirements: 220VAC, 50 Hz</li> </ul>	
5	Ultrasound machine (General purpose) with in built trolley mounted	<p><b>Heavy duty U/S machine (inbuilt trolley mounted) with</b></p> <ul style="list-style-type: none"> <li>Imaging Mode: B,B/B,B/M,M</li> <li>Gray Scale: 256 or better</li> <li>Display: 14" TFT or better</li> <li>Scanning Depth: From 20 To 248 mm or better on either side</li> <li>Pre-Processing: Signal Processing, Dynamic Range, Frame Correlation, Line Correlation,</li> <li>Image Enhancement, Scanning Angle Selection, Harmonic Imaging)</li> <li>Post-Processing Gray Map Y- Correction, Rejection Left-Right</li> <li>Reverse, Up-Down Reverse</li> <li>Hard Disk: 500 GB or better</li> <li>Cine Loop: 256 Frame or better Cine loop Memory In Mode.</li> <li>Zoom: Panoramic Zoom In Real-Time &amp;</li> <li>Frozen: Condition</li> </ul> <p><b>Measurement &amp; Calculation:</b></p> <ul style="list-style-type: none"> <li>B.Mood: Distance, Circumference, Area, Volume, Angle, Ratio.</li> <li>Built-In Imaging Archive“ Storage : Over 100,000 still Images”</li> <li>Histogram, Profile, S%</li> <li>M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles)</li> </ul>	

		<p><b><u>Software Packages.</u></b></p> <ul style="list-style-type: none"> <li>Abdomen, Urology, Gynecology, Obstetrics, Cardiology, Vascular, Small Parts, Orthopedics.</li> <li>Power Supply :220 VAC,50Hz</li> </ul> <p><b><u>Standard Configurations:</u></b></p> <ul style="list-style-type: none"> <li>Main Unit</li> <li>3 active Probe Connector.</li> <li>Tissue Harmonic Imaging.</li> <li>256-Frame Cine Loop In B, B/B,M&amp; B/M Mood</li> <li>USB Ports minimum 2 and CD-RW.</li> <li>Measurement And Calculation Software Packages</li> <li>Electronic Convex Array Transducer. <b>(Model must be mentioned)</b>.2.5/3.5/5.0/H4.6/H6.0 MHz</li> <li>Electronic Linear Array Transducer: <b>(Model must be mentioned)</b> 5.0/7.5/10MHz</li> <li>Along With</li> <li>Thermal Printer <b>(Branded, model and make must be mentioned)</b></li> <li>50 Roles Thermal Paper.</li> <li>With built in UPS system for minimum 1 hour backup.</li> <li>Ultrasound Gel 20Ltr</li> <li>With built in mounted trolley.</li> </ul>	
6	Fluoroscopy Unit	<p><b>COMPRISING OF FOLLOWING: -</b></p> <ul style="list-style-type: none"> <li>Microprocessor Controlled, High Frequency, 01 Tube Rad/Fluoroscopy type X-ray Generator, 500 mA/150 KV /50 KW</li> <li>90/30 Degree Remote Controlled Rad /Fluoro tilting table, 4 way movement of table top , tube column with Motorized collimator</li> <li>Under couch 9-inch triple field Image intensifier with 1k x 1k or more CCD camera with 19 Inch or more LCD Medical Grade monitor on trolley.</li> <li>Overhead rotating anode double Focus x-ray tube</li> <li>01 pair of H.T Cable</li> <li>Wall Bucky stand</li> </ul> <p><b>X-RAY GENERATOR</b></p> <ul style="list-style-type: none"> <li>Microprocessor Controlled</li> <li>High Frequency, 01 Tube Radiography / Fluoroscopy Operation.</li> <li>Maximum mA Radiography : 500 mA</li> <li>Maximum KVp Radiography: 150 KV</li> <li>Minimum KV radiography: 40 KV</li> <li>Power Rating: 50 KW</li> <li>Minimum Exposure Time: 1 millisecond</li> <li>mAs range 1 mAs to 500 mAs</li> <li>Maximum mA Fluoroscopy: 4 mA or more</li> <li>Maximum KVp Fluoroscopy: 100 KV or better</li> <li>Self-diagnostics System with error code reporting for fast troubleshooting.</li> <li>Automatic mains Line compensation</li> <li>Three Point Console</li> <li>Anatomical Programming</li> <li>Automatic Brightness Control</li> <li>Power Requirement: 3 Phase 380/480 V / 50 Hz</li> <li>Integrated Operating console with that of remote controlled table</li> </ul> <p><b>90/ 30 Degree Remote Controlled Tilting table for Rad/ Fluoroscopy</b></p> <ul style="list-style-type: none"> <li>Diagnostic 90/ 30 Degree Remote Controlled Rad/ Fluoroscopic Table</li> <li>With 4 way movement of table top, 9 Inch Triple field Image Intensifier.</li> <li>1k x 1k or better CCD Camera <b>(Model and Make must be mentioned)</b>, motorized collimator, over table x-ray tube head,</li> <li>2 Nos 19 Inch or more LCD Medical Grade Monitor <b>(Model and</b></li> </ul>	

**Make must be mentioned)** on Trolley.

**Resolution:** 1280x1024 or better.

**Brightness:** 300 Cd/m<sup>2</sup> or better.

**Contrast Ratio:** 2000:1 or better With

1. Brightness stabilization
2. Back light sensor.
3. Power saving mode &
4. USB Port.

#### **Motorized Tilting Table**

- Microprocessor controlled for safety, superior reliability and real time-check of the equipment, including the self-diagnosis function.
- Rad/ Fluoroscopy Diagnostic table to offers full patient support for all radiographic and fluoroscopic procedures from 90 degree vertical through 30 degree Trendelenburg with an automatic stop at the horizontal position.
- Fully integrated spot-film device capable of housing image intensifier and spot-film support tower which allows maximum patient accessibility in cross table examinations.
- Bucky device with cassette tray
- Motor driven collimator
- Bucky with Grid 12:1
- Remote controlled compression, the compression force, adjustable from 50 to 200 N or more.

#### **Spot Film Device**

- The motor driven spot-film device.
- Light, High-speed movement of Spot Film Device.
- Multi-format automatic device for film sizes.
- Fully automatic spot film device and can be used with any standard size cassette from 8x10 to 14x17 cm with 2, 3, 4 vertical division capability.

#### **Tube Arm**

- Feature of Longitudinal displacement of Tube arm should be available with longitudinal movement of tabletop.
- Focus-film distance: Continuously variable focus-film distance with preset positions at for very high quality degree in the execution of cardiac and lung examinations.
- Oblique incidences:- +/-40° or better along a longitudinal displacement of 40 cm or better.
- Motorized Collimator

#### **Accessories**

- Adjustable height footrest
- shoulder rest
- handgrips
- compression belt
- Leg support

#### **X-Ray Tube**

- Rotating anode double Focus x-ray tube
- Small focus: 0.6 x 0.6 mm
- Large Focus: 1.2 x 1.2 mm
- Anode heat storage capacity: 300 KHU
- Tube Voltage: 150 KV
- Pair of HT Cable: Not less than 15 meters

#### **Wall Bucky Stand**

- With electromagnetic brakes to control vertical travel
- Bucky with cassette tray to accommodate cassette upto 14 x 17 inch
- Grid Ratio : 12:1 or more

**(Model and Make of every part must be mentioned)**

**Category: Radiology Accessories / Allied Equipment**  
**Selection will be on sample**

S#	Nomenclature	Specification	Qty
1	X-Ray Viewer /X-Ray Viewing Box	<ul style="list-style-type: none"> <li>X-Ray Film Viewer with following features.</li> <li>Housing made of epoxy-coated steel.</li> <li>Viewing area for two 14"x17" film.</li> <li>Light intensity more than 6000 Lux.</li> <li>With light intensity control.</li> <li>Suitable for wall mounted and table use.</li> <li>Film clamps and hooks for holding wet films</li> <li>Power requirements 220V,50Hz.</li> </ul>	
2	X-Ray Cassette 12 x 15 with Green screen.	<ul style="list-style-type: none"> <li>Cassettes with H.S type intensifying screen. From USA, Japan, UK, Germany and Korea. With green screen for selection.</li> </ul>	
3	X-Ray Cassette 10 x 12 with Green screen.	<ul style="list-style-type: none"> <li>Cassettes with H.S type intensifying screen. From USA, Japan, UK, Germany and Korea. With green screen for selection.</li> </ul>	
4	X-Ray Cassette 8 x 10 with Green screen.	<ul style="list-style-type: none"> <li>Cassettes with H.S type intensifying screen. From USA, Japan, UK, Germany and Korea. With green screen for selection.</li> </ul>	
5	Hangers Various Size	<ul style="list-style-type: none"> <li>Hanger to be manufactured from stainless steel and to Have a clip at each end to keep film taut.</li> </ul>	
6	Safe Light for Dark Room	<ul style="list-style-type: none"> <li>Wall mounted lamp for all blue and green sensitive X-Ray Films. Together with two spare lamps (15 watts).</li> <li>Power requirement 220V/50Hz.</li> </ul>	
8	Lead Apron	<ul style="list-style-type: none"> <li>Best quality, imported</li> <li>Flexible lead rubber in tear resistant plastic cover</li> <li>Sleeveless, half-length at back</li> <li>Fastening with crossed elastic straps with Velcro end</li> <li>0.5mm lead thickness for small, medium and large sizes</li> </ul>	
9	Lead Gloves	<ul style="list-style-type: none"> <li>Best quality, imported</li> <li>Flexible lead rubber in tear resistant plastic cover</li> <li>0.2mm lead thickness inside gloves.</li> </ul>	
10	Lead Glass Shield	<ul style="list-style-type: none"> <li>3 part X-Ray protection screen with metal frame. Size of each part should be 7'x2.5' covered with lead sheet of 0.2mm</li> <li>Easily moveable to all sides on at least 2 castors on each part.</li> <li>Lead glass size 200x200mm,thickness 2mm</li> <li>.</li> </ul>	
13	Immersion Rod	<ul style="list-style-type: none"> <li>For warming of developer, good quality</li> </ul>	
14	Plastic Apron	<ul style="list-style-type: none"> <li>For dark room water proof, good quality, imported.</li> </ul>	
15	Clamps	<ul style="list-style-type: none"> <li>For hanging of films, good quality.</li> </ul>	
16	Wet Film Stand	<ul style="list-style-type: none"> <li>For drying of films, Wet films stand for holding wet films to accommodate up to 10 Nos 14"x17" size, after manual film processing.</li> </ul>	
17	Manual Film Processor	<ul style="list-style-type: none"> <li>The processing unit to be equipped with a thermostatically controlled water jacket containing S.Steel processing tanks together with a separate unheated running wash section</li> <li>Overall dimensions: 570x650x825 mm high with a splash Back 230mm high.</li> <li>Developing and fixing tanks 3 gallon capacity each.</li> </ul>	



**Category: ENT Equipment**

S#	Nomenclature	Specification	Qty
1.	ENT Examination Unit with ENT examination Chair and cautery suction	<p><u>ENT CHAIR</u></p> <ul style="list-style-type: none"> <li>• Patient chair with Peltex-lined seat and backrest.</li> <li>• Electric up and down movements by silent engine controlled through foot switch.</li> <li>• Back-rest can be adjusted up to 180° by a gas spring. Chair rotation.360° and is provided with a rotation locking device.</li> <li>• Input voltage 220V-50Hz</li> </ul> <p><u>ENT CABINET</u></p> <ul style="list-style-type: none"> <li>• The ENT Unit mobile on pivoting castors,</li> <li>• Working surface made of scratch-proof material.</li> <li>• One drawer to keep sterilized instrument.</li> <li>• With a silent <b>suction pump</b> of 40 L/min or better at 680 mmHg with suction bottle 3000cc.</li> <li>• With power supply complete with dim adjustment device for lamp, larynx-mirror warmer, and twin-cylinder dry compressor for tubal insufflations.</li> <li>• 2-liters distilled water tank with acoustic signal for reserve level.</li> <li>• With articulated arm for instruments holding tray with terminal suction canola and terminal insufflations canola.</li> <li>• Ear rinsing syringe with automatic water temperature control to keep the water warm at37°C..</li> <li>• Pressure Monometer with medication sprayer.</li> <li>• Mirror-heater</li> <li>• With inbuilt Cautery machine.</li> </ul> <p><u>DOCTOR CHAIR</u></p> <ul style="list-style-type: none"> <li>• Height adjusted by Gas brackedsystem. Mobile on 5 soft double conductive castors. Back rest variable in height and inclination.</li> </ul> <p><b><u>NOTE; The chair &amp;ENT Unit must be from the same manufacturer.</u></b></p>	
2	Pure Tone Audiometer	<ul style="list-style-type: none"> <li>• Large backlight graphical LCD display</li> <li>• Input voltage 220v,50Hz</li> <li>• True two channels include microphone, assistant phone</li> <li>• Automatic data transfer to computer and data printer</li> <li>• Test signals: pure, pulse, warble tone, narrow band, white.</li> <li>• Speech masking noise.</li> <li>• Tone test HL, UCL, Aided (free field).</li> <li>• Speech test.SRT,WRS,UCL.</li> <li>• Over threshold tests: SISI,Decay,ABLB,MLB,stranger.</li> <li>• Inputs: CD/Tape, stereo live speech microphone, external masking, patient microphone, patient response switch.</li> <li>• Air conduction range: -10db to 120dBHL or better on either side , include headphone</li> <li>• Bone conduction range: -10db to 70/75 db or better.</li> <li>• Speech: 10db to 100dbHL.</li> <li>• Masking: -10db to 100dbHL.</li> <li>• Masking: Free as well as synchronized masking</li> <li>• High tone audiometry for AC to BC 130 hz - 8 kHz or better on either side..</li> <li>• Free field range: -10 to 90 dB or better on either side, at 1m distance include speaker 120 dB.</li> <li>• Selectable range of Test frequencies.</li> </ul> <p>Accessories :</p> <ul style="list-style-type: none"> <li>• Air conduction head set.</li> <li>• Bone conduction head set</li> <li>• Patient response switch</li> <li>• Micro phone.</li> </ul>	
3	Head Light with Cool Illumination	<ul style="list-style-type: none"> <li>• White cold light illumination LED with 7100 Lux.</li> <li>• With 5500 Kelvin.</li> <li>• Adjustable headband with washable inner padding.</li> <li>• On / off switch on battery compartment.</li> <li>• Charger jack for plug in charger.</li> <li>• Supplied with 4 rechargeable batteries.</li> </ul>	

**Category: Orthopedic Equipment**

S#	Nomenclature	Specification	Qty
1	Air Drill with Cylinder/Orthopedic pneumatic drill with cylinders.	<ul style="list-style-type: none"> <li>• Modular Hand Piece</li> <li>• Pneumatic hand piece with forward, safe and reverse activated on hand piece. Speed and torque variable with different attachment gear system. Twist Lock quick change attachment</li> <li>• Progressive Trigger Action</li> <li>• Cannulations 4 to 5mm</li> <li>• Chuck with Key</li> <li>• Attachment ¼ Jacobs Chuck Size ¼ (4 to 6.35mm)</li> <li>• Fully Cannulated to 4 to 5.1mm</li> <li>• Maximum Speed 900 to 1250 rpm or better</li> <li>• Attachment 4.00 mm Jacob Chuck Size 5/32 (4.0mm)</li> <li>• Fully Cannulated</li> <li>• Quick Coupling Chuck</li> <li>• AO Small attachment Stainless Steel</li> <li>• Cannulations 2 to 3.25mm</li> <li>• AO Large attachment Stainless Steel</li> <li>• Cannulations 2 to 3.25mm</li> <li>• Hudson Reaming Adaptor</li> <li>• 5:1 Hudson Reamer Attachment Stainless Steel</li> <li>• 4.0 mm or better Cannulations</li> <li>• 5:1 Large AO Reamer Attachment Stainless Steel</li> <li>• 4.0 mm or better Cannulations</li> <li>• 5:1 Reamer attachment</li> <li>• <u>Wire Driver</u></li> <li>• Wire Driver Attachment</li> <li>• Cannulations .8 to 4 mm diameter</li> <li>• Maximum Speed 900 to 12500 rpm or better</li> <li>• <u>Pin Driver</u></li> <li>• Pin driver attachment</li> <li>• Maximum Speed 1250 rpm or better</li> <li>• Pneumatic Oscillating Saw</li> <li>• Operate-able in different positions</li> <li>• Speed Variable 0-14000 rpm or better</li> <li>• Blade Oscillation Arc 4 degree</li> <li>• Saw Blade for Oscillating</li> <li>• St Oscil Blade 13.5 x 64 x .6mm, Box of 5</li> <li>• St Oscil Blade 71mm x 19.5mm x 1.2, Box of 5</li> <li>• St Oscil Blade 71mm x 33mm x 1.2mm, Box of 5</li> <li>• St Oscil Blade 71mm x 19.5mm x 8mm, Box of 5</li> <li>• Leg Bone Osc Blade 12.5x73.8 x .63, 1.06mm, Box of 5</li> <li>• St Oscil Blade 19.5mm x 86mm x 0.8mm, Box of 5</li> <li>• St Oscil Blade 8.5mm x 38mm x 0.4mm, Box of 5</li> <li>• St Oscil Blade 25.4 x 90 x 1.27mm sterile, Box of 5</li> <li>• Leg Bone Osc Blade 9.5 x 30 x 0.64, 0.84mm, Box of 5</li> <li>• Universal House, 10"</li> <li>• Nitrogen Regulator Single Connection</li> <li>• Pressure Sentinel I/M Reamers for Hand And Power</li> <li>• Can be operated at forward and reverse mode</li> <li>• Size 6mm to 19mm</li> <li>• Individual complete reversible with tip and solid shaft</li> <li>• T-handle for hand reaming</li> <li>• Sterilization container</li> </ul> <p>Complete with Air hose connector, cylinder (Full Size) and pressure regulator.</p>	
2	Fracture Operation Table with Ortho Traction Attachment	<ul style="list-style-type: none"> <li>• General Design</li> <li>• Stable base construction with four castors for easy movement.</li> <li>• Manual base brake, lateral tilt and Trendelenburg adjusted by hand crank,</li> </ul>	

		<ul style="list-style-type: none"> <li>base cover, side rails, accessories &amp; clamps made of stainless steel.</li> <li>• Table Top</li> <li>• Divided into 5 sections including head plate, back plate, seat plate and split leg plates. Table top elevation controlled by hydraulic system, with sliding table top 30 cm or more for unrestricted image intensifier access with 360 degree rotation. With side rails for the insertion of X-Ray cassettes (must equipped with acrylic sheet plates for X-ray radiography).</li> <li>• Length 190-200 cm or better</li> <li>• Width 50 cm or better</li> <li>• Height 75-95 cm or better cm</li> <li>• Trendelenburg / Reverse Trendelenburg+20°/30°each</li> <li>• Lateral Tilt Left/Right 2°/20°each</li> <li>• Head plate +40°/-40°</li> <li>• Standard Accessories:</li> <li>• Mattress set. Pair of arm rest with quick dis-connectable clamps.</li> <li>• Designed for easy installation and removal.</li> <li>• Adjustable head rest. Pair of shoulder supports.</li> <li>• Lithotomy pole with universal swivel clamps.</li> <li>• Anesthesia frame 1 each</li> <li>• Infusion rod 1 each</li> <li>• Foot rests 2 each.</li> <li>• Side supports 2 each</li> <li>• With inbuilt Kidney Elevator Facility.</li> <li><u>Attachment:</u></li> <li>• Traction stopper with mattresses.</li> <li>• Castor with break device</li> <li>• Vertical evaluator lock handle.</li> <li>• Traction crank</li> <li>• Reaction foot boot..</li> <li>• The tractor range is 200 mm and elevation range 200 mm.</li> </ul>	
3	Plaster Cutting Electric Saw	<ul style="list-style-type: none"> <li>• High oscillating speed: 16000osc/min</li> <li>• Low oscillating speed: 11800osc/min</li> <li>• Voltage: 220 volts, 50HZ</li> <li>• Sound level: 70 dB or less</li> <li>• With Chargeable Battery having backup time One hour or more</li> <li>• Imported</li> <li>• Along with adopter having Output to saw: 22/29 V</li> <li>Supply frequency: 50Hz</li> </ul>	Category Change
4	Mobile C-Arm/ Image Intensifier (Fluoroscopy)	<ul style="list-style-type: none"> <li>• Mobile C-Arm Image Intensifier with microprocessor controlled &amp; High frequency, X-Ray Generator,</li> <li>• Output Power : 2 KW or better</li> <li>• Radiography &amp; Fluoroscopy KV : 40-110 KV or better</li> <li>• Continuous Fluoroscopy: 4 mA or better</li> <li>• System should have ABC or AEC control</li> <li>• System should have auto-Mode and Manual mode for user in fluoroscopy</li> <li>• One Shot Fluoroscopy : 7 mA for one second or better</li> <li>• Radiography mA: 60 mA or better</li> <li>• Tri-mode 9 inch Image Intensifier (brand model must be mentioned) N=9 inch , M1=6 inch , M2=5 inch ,</li> <li>• Digital CCD Camera with 1Kx1K lines <b>(Model and Make must be mentioned)</b></li> <li>• Stationary Anode Double Focus x-ray tube 40 KHU or better</li> <li>• Focal spot 0.8/1.6 or less</li> <li>• 2 Nos medical grade TFT monitors on trolley.</li> <li>• Size:19 inch or better.</li> <li>Each with;</li> <li>• <u>Resolution:</u> 1280x1024 or better.</li> <li><u>Brightness:</u> 300 Cd/m2 or better.</li> <li><u>Contrast Ratio:</u> 2000:1 or better With</li> <li>5. Brightness stabilization</li> <li>6. Back light sensor.</li> <li>7. Power saving mode &amp;</li> </ul>	

		<p>8. USB Port.</p> <p>Accessories: AC power cord, Signal Cable, USB cable.</p> <ul style="list-style-type: none"><li>• The system should have DIM minimum images storing capacity 60</li><li>• cassette holder tray for radiography</li></ul> <p><b>C-Arm:</b></p> <ul style="list-style-type: none"><li>• Orbital rotation should have 90/30° or better</li><li>• Horizontal travel 20cm or more</li><li>• Vertical travel 45 cm or more</li><li>• Swinging <math>\pm 12.^{\circ}</math> or better</li><li>• C-arm rotation <math>\pm 180^{\circ}</math>.</li></ul> <p><b>Power Requirement:</b></p> <ul style="list-style-type: none"><li>• 220VAC , 50Hz</li></ul> <p><b>Accessories for Protection:</b></p> <ul style="list-style-type: none"><li>• 3 Apron lead thickness 0.5mm</li><li>• 2 Thyroid shield lead thickness 0.5mm</li></ul>	
--	--	---	--

**Category: Neonatology Equipment**

S#	Nomenclature	Specification	Qty
1	Baby Incubator	<ul style="list-style-type: none"> <li>Incubator to have a large double Plexiglas hood with excellent dual viewing panels mobile on lockable castors.</li> <li>Temperature range: 34 to 37 degree C.</li> <li>To have an integrated sensor module to collect air and skin temperatures, oxygen, humidity and pass this information to the display.</li> <li>The sensor module to have a visual alarm facility to complement the audible alarm.</li> <li>The mattress base to be contoured, x-ray translucent.</li> <li>To be able to tilt <math>\pm 10</math> degrees.</li> <li>The hood to have four doors, two on either side'. Openings with 4 tubing access ports.</li> <li>The unit to have the temperature, oxygen level and humidity to preset levels.</li> <li>To have an alarm for all of these parameters with a low initial alarm intensity to avoid undue disturbance.</li> <li>Oxygen to be able to be calibrated from 25% to 100%,</li> <li>The humidity module to be front loading and to need filling daily.</li> <li>The mattress base tilts control to be knobs on the base.</li> <li>Noise should be less than 50dbi.</li> <li>Monitoring shelf,</li> <li>Telescopic IV stand.</li> <li>Cylinder holder</li> <li>Ventilator tube support</li> </ul>	
2	Phototherapy Unit	<ul style="list-style-type: none"> <li>Flexible positioning</li> <li>LED type</li> <li>Intensity: 35uW/cm<sup>2</sup>/nm at 40cm or better</li> <li>Irradiation timer :LCD 6-digit or more 0 ~99999.9hr; Patient timer</li> <li>Inclination angle: Freely adjustable from horizontal to vertical</li> <li>Placement: Directly on the incubator /beds.</li> <li>Power requirements: 220 V, 50Hz;</li> <li>Accessories: Eye Cover</li> </ul>	
3	Infant Warmers (Radiant Warmer)	<p>Mobile infant warmer with integrated baby bassinet unit that Accommodates use of resuscitation equipment for intensive care of neonate.</p> <p><u>Technical Specification: -</u></p> <ul style="list-style-type: none"> <li>Infant warmer system to provide controlled source of radiant heat for infant.</li> <li>Dual Temperature Control (Skin and Cot)</li> <li>Heater output up to 750Watt at maximum power setting.</li> </ul> <p><u>Temperature Adjustment:</u></p> <ul style="list-style-type: none"> <li>Skin Temperature adjustment: 34°C ~ 37°C,</li> <li>Bed temperature adjustment: 20°C ~ 37°C, Steps 0.1°C</li> <li>Microprocessor controlled skin servo mode operation with digital display</li> <li>Digital display for Infant Temperature</li> <li>Apgar score facility</li> <li>Audible and visual alarms and automatic switch off if temperature reaches at 38°C.</li> <li>Built-in examination light</li> <li>Built-in air/gas driven venture suction system</li> <li>Tilting large bed platform suitable for x-ray cassettes, with cassette holder.</li> <li>Bed with mattress that is tiltable and having Trendelenburg and reverse Trendelenburg position.</li> <li>Accessible from all sides with acrylic collapsible side panels</li> <li>Trolley with 4 Lockable castors.</li> <li>Power Requirement: 220~V, 50Hz</li> </ul> <p><u>Accessories</u></p> <ul style="list-style-type: none"> <li>Complete infant resuscitation package with mounting bracket (resuscitation module, flow meter, infant suction unit, suction regulator, suction bottle/400ml, positive pressure resuscitation, air hose, and oxygen cylinder medium size).</li> </ul>	

		<ul style="list-style-type: none"> <li>• Skin probe reusable.</li> <li>• Cot temperature sensor</li> <li>• Infant face masks (Large, Medium, Small)</li> </ul>	
4	Baby Suction Machine	<ul style="list-style-type: none"> <li>• Performance : suction controlled 0-650mmHg (Adjustable) at respective facility, Irrespective of altitude</li> <li>• Input voltage 220v, 50HZ</li> <li>• Controls : On/Off switch</li> <li>• Safety : positive pressure restricted</li> <li>• With filter.</li> <li>• Complete with autoclave able receiver jar 2x2000 ml</li> <li>• Foot switch: 1 No</li> <li>• Suction tip: 1 No</li> <li>• Ground cable: 1 No</li> <li>• Suction pipe length 2m, with hose.</li> <li>• Mobile on four antistatic castors</li> <li>• With the over flow safety</li> </ul>	

**Category: Ophthalmology Equipment**

S#	Nomenclature	Specification	Qty
1	B. Scan	<p><b><u>Ophthalmic ultra sound for A -scan biometry, B –scan with pachymetry</u></b></p> <p><b><u>B-mode:</u></b></p> <ul style="list-style-type: none"> <li>Gain adjustable 20 -110db or better on either side.</li> <li>TGC 0-30db or better.</li> <li>Dynamic range 25 – 80db or better on either side.</li> <li><b><u>Probe:</u></b> 10 MHz or better.</li> <li><b><u>Scanning angle:</u></b> 30 to 60 degree or better.</li> <li><b><u>Focal distance:</u></b> 15 – 262 mm.</li> </ul> <p><b><u>Biometry:</u></b></p> <ul style="list-style-type: none"> <li><b><u>Probe</u></b> 10 MHz or better.</li> <li><b><u>Depth</u></b> 1 - 50 or better.</li> <li>Operating modes cataract, aphakic, phokic and manual.</li> <li>Calculation: SRK, SRK II, HOLLADAY,SRK/T.,HOOVER-Q ,POST REFRACTIVE ,HAIGIS.</li> </ul> <p><b><u>PACHYMATRY:</u></b></p> <ul style="list-style-type: none"> <li>PROB: 50Mhz</li> <li>Measurement range: 110 -1500 micro meters or better on either side.</li> <li>Operating mode: auto/manual.</li> <li>Maps: automatic, continuous, scanning and more if any.</li> </ul> <p><b><u>A scan :</u></b></p> <ul style="list-style-type: none"> <li>Probe: 8Mhz or better.</li> <li>With amplification curve, test and calibration.</li> </ul> <ul style="list-style-type: none"> <li>With High density scanning sectors</li> <li>With Axial length measurements and IOL power calculations.</li> <li>Measurement accuracy for dense cataract and existing hazy media improved by pressing dense cat switch and gate select switch.</li> <li>Easy data transfer.</li> <li>With integral or external printer (in case of external printer brand model must be mentioned).</li> <li>15" or better color touch screen monitor.</li> <li>Time gain suspension. '</li> <li>Image line real time replay function.</li> <li>With A, B, B+A, B+B features.</li> </ul>	
2	Tonometer	Perkins application tonometer with two prisms and weights complete in case.	
3	Auto Refractor with Karatometer	<ul style="list-style-type: none"> <li>Technical Specification:</li> </ul> <p><b><u>Refraction measurement.</u></b></p> <ul style="list-style-type: none"> <li>Sphere -30 T0 22D OR better (VD 10mm) (0.01/0.12/0.25D step).</li> <li>Cylinder 0 to ±10D or better (0.01 / 0.12 / 0.25D step).</li> <li>Axis Angle 0 to180° or better (1° step).</li> </ul> <p><b><u>Measurement of Corneal Radius:</u></b></p> <ul style="list-style-type: none"> <li>Curvature radius5.0-10.0mm or better (0.01mm step).</li> <li>Cylindrical power 0-±10D or better.</li> <li>Axis Angle 0-180 degree (1 degree step or better).</li> <li>Pupil diameter measurement range:Ø 2.0mm – Ø 8.5mm or better.</li> <li>Vertex distance: 0, 10, 12, 13.5, 15mm or better.</li> <li>PD Measurement range 0-85 mm (1mm step)</li> <li>Auto start. Auto Focus / auto track. Printer.</li> <li>In built Thermal Printer with automatic cutter (width 57 mm)</li> <li>LCD display: color 5.7 Inch or better.</li> <li>Movable Distance. Back / Forth ±17 mm</li> <li>Right / Left ± 43mm up / down ± 17mm.</li> <li>Chin rest. ± 25 mm or better.</li> <li>Output. Rs 232 C interface.</li> </ul>	

		<ul style="list-style-type: none"> <li>• Power saves: OFF, 3, 5, 10 min</li> <li>• (Selectable) Standard Accessories: Test eye; 1No.</li> <li>• Printer paper: 3 Rolls: Chin rest Paper: 1 packs (1000 sheets). Chin rest pin: 2 No.</li> <li>• Dust Cover: 1 No.</li> <li>• Contact lens holder: 1 No.</li> <li>• Operation manual.</li> </ul>	
4	Operating Microscope	<ul style="list-style-type: none"> <li>• 45 degree inclined binocular tube with converging optics</li> <li>• Paired eye pieces 12.5 xs.</li> <li>• Built in three step magnification changer.</li> <li>• Motorized fine focusing with foot control.</li> <li>• Objective f=175mm.</li> <li>• Coaxial fiber optic illumination system with variable light intensity control.</li> <li>• Light intensity: 80000 lux or better</li> <li>• Standby lamp assembly.</li> <li>• Heat proof, cobalt blue and green filters.</li> <li>• Mobile floor stand with height adjustment through counter balanced arm.</li> </ul>	
5	Indirect Ophthalmoscope	<ul style="list-style-type: none"> <li>• Brightness for difficult examinations</li> <li>• Light intensity: 2000 lux or better.</li> <li>• With light intensity control.</li> <li>• Headband: Light weight and comfortable.</li> <li>• Single control to change aperture size and position in one movement to view through all pupil sizes.</li> <li>• Inbuilt IR and UV barrier.</li> <li>• With 20 D indirect lens</li> </ul>	
6	Refraction Box	<ul style="list-style-type: none"> <li>• 35-Pairs-204 PCS and Universal Frame in Wooden carrying case.</li> <li>• Spheres: <math>\pm 0.12</math> to <math>\pm 20.00</math></li> <li>• Cylinders: <math>\pm 0.25</math> to <math>\pm 3.00</math></li> <li>• Firms: <math>\frac{1}{2}</math> to 6</li> <li>• Auxiliaries: Blue, Red, Green, Brown, Plane (2pcs)-glass.</li> <li>• Occluder, Pinhole 0.5, 1.0, 1.5mm – leach Slit Disc 0.5, 1.0mm-leach.</li> </ul>	
7	Slit Lamp	<ul style="list-style-type: none"> <li>• Galilean-Type Binocular Microscope.</li> <li>• Magnification Changer: Continuous Zoom by drum rotation.</li> <li>• Total magnification range: x5 to x30 or better.</li> <li>• Field of view: 8mm-22mm or better on either side.</li> <li>• Papillary Adjustment: 48-78mm or better.</li> <li>• Focus Distance: 100mm or more.</li> <li>• Diopter Adjustment: <math>\pm/-6D</math>.</li> <li>• <b><u>Slit illumination:</u></b></li> <li>• Slit Width: 0-10 mm or more.</li> <li>• Aperture Diameter: 0, 3, 6, 5, 10, 14mm.</li> <li>• Slit Length: 0-14mm.</li> <li>• Slit Rotation: <math>\pm/-90^0</math>.</li> <li>• <b><u>Base:</u></b></li> <li>• Vertical Movement: 30mm or more.</li> <li>• Longitudinal Movement: 70mm or more.</li> <li>• Lateral Movement: 110mm or more.</li> <li>• Fine Base Movement: <math>\pm/-10</math>mm.</li> <li>• Input Voltage: 240V, 50Hz.</li> <li>• <b><u>Chin rest:</u></b></li> <li>• Vertical Movement: 75 mm or more.</li> </ul>	
8	Argon Laser	<ul style="list-style-type: none"> <li>• Wave Length: 532nm</li> <li>• Power: 1W or better</li> <li>• Pulse Duration: 0.1sec to 1sec or better</li> <li>• Aiming Beam: 635nm – 650nm</li> <li>• Cooling: Thermoelectric/Air cooling</li> <li>• With Foot Switch</li> <li>• Spot Size: 50um – 600um</li> <li>• Single Spot mode: Single, Repeat</li> </ul>	



		<ul style="list-style-type: none"> <li>• Patterns: Square, circle, arc, line, single spot</li> <li>• Standard slit lamp</li> <li>• Standard filter</li> <li>• Laser application lenses-One macular grid,one standard PRP and one wide field lens</li> <li>• Laser Probe: Straight: <ul style="list-style-type: none"> <li>20G Qty 1</li> <li>23G Qty 1</li> <li>25G Qty 1</li> <li>Curved 20G Qty 1</li> <li>Flexible Curved: <ul style="list-style-type: none"> <li>23G Qty 1</li> <li>25G Qty 1</li> </ul> </li> <li>Steerable: <ul style="list-style-type: none"> <li>23G Qty 1</li> <li>25G Qty 1</li> </ul> </li> </ul> </li> </ul> <p><b><u>Accessories:</u></b></p> <ol style="list-style-type: none"> <li>1. Power Foot Switch</li> <li>2. Dual Unit</li> <li>3. Expansion Box</li> <li>4. CB top plate attachment unit</li> <li>5. Safety goggles</li> <li>6. Goldmann four mirror lens <ul style="list-style-type: none"> <li>• Area centralis lens</li> </ul> </li> </ol>	
--	--	--	--

**CATEGORY: BEDING CLOTHING**

**Selection will be Subject on sample**

S#	Name of Item	Specification	Qty
1	Mattress Foam with Raxine Cover	Size: 6 ½' x 3' x 4'' with Raxine cover, good quality Branded	
2	Blanket	Best quality, camel color,size:60'' x90''	
3	Bed Sheet	Made of best quality cotton ,single standard size:- 60'' x 100'' Color: White	
4	Pillow with cover	Standard size of best quality polythene Size: 24''x 15'' Along with pillow cover: Size: 26'' x 17'', White Latha	
5	OT Gown	Operation Gown Markeen Cloth, size: Small, Medium and Large	
6	OT Caps	Made of best quality , Color: Green	
7	OT Sheet	Made of best quality , Color: Green	
8	OT Shoes	Made of best quality, Slipper plastic leather.	
9	Table cover large	Made of best quality, Size: 54'' x 72''	
10	Table cover small	Made of best quality, Size: 48'' x 54''	

**Category: General Items**

**Selection will be on sample**

S#	Nomenclature	Specification	Qty
1	AC 1 tones Split unit inverter type	<ul style="list-style-type: none"><li>• Branded, 12000 BTU</li><li>• Inverter type, Reversible (Hot &amp; Cool)</li><li>• With copper pipe as per requirement, mounting brackets and installation.</li><li>• <b>Brand and models of both the outdoor and indoor units must be mentioned</b></li></ul>	
2	AC 1 tones Split unit	<ul style="list-style-type: none"><li>• Branded, Good Quality, 12000BTU</li><li>• With copper pipe as per requirement, mounting brackets and installation.</li><li>• <b>Brand and models of both the outdoor and indoor units must be mentioned</b></li></ul>	
3	AC 1.5 tones split unit inverter type	<ul style="list-style-type: none"><li>• Branded, Good Quality, 18000 BTU</li><li>• Inverter type, Reversible (Hot &amp; Cool)</li><li>• With copper pipe as per requirement, mounting brackets and installation.</li><li>• <b>Brand and models of both the outdoor and indoor units must be mentioned</b></li></ul>	
4	AC 1.5 tones split unit	<ul style="list-style-type: none"><li>• Branded, Good Quality, 18000 BTU</li><li>• With copper pipe as per requirement, mounting brackets and installation.</li><li>• <b>Brand and models of both the outdoor and indoor units must be mentioned</b></li></ul>	
5	AC Split 2 Ton split unit inverter type	<ul style="list-style-type: none"><li>• Branded, Good Quality , 24000 BTU</li><li>• Inverter type, Reversible (Hot &amp; Cool)</li><li>• With copper pipe as per requirement, mounting brackets and installation.</li><li>• <b>Brand and models of both the outdoor and indoor units must be mentioned</b></li></ul>	
6	AC Split 2 Ton split unit)	<ul style="list-style-type: none"><li>• Branded, Good Quality , 24000BTU</li><li>• With copper pipe as per requirement, mounting brackets and installation.</li><li>• <b>Brand and models of both the outdoor and indoor units must be mentioned</b></li></ul>	
7	Deep Freezer	<ul style="list-style-type: none"><li>• Branded 16Cft, Double Door (Freezer &amp; Fridge) with Racks and Baskets</li><li>• <b>Brand and Model Must be mentioned</b></li></ul>	
8	Electric Geysers 10	<ul style="list-style-type: none"><li>• Electric Geyser 10 Gallon or more</li></ul>	

	Gallons	<ul style="list-style-type: none"> <li>Storage Type</li> <li>Thermostat for Temperature Control</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
9	Electric Geysers 15Gallons	<ul style="list-style-type: none"> <li>Electric Geyser 15 Gallon or more</li> <li>Storage Type</li> <li>Thermostat for Temperature Control</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
10	Gas Geyser 30 Gallon	<ul style="list-style-type: none"> <li>Gas Geyser 30 Gallons or more with cone</li> <li>With thick glass wool to keep water Hot</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
11	Gas Geyser 50 Gallon	<ul style="list-style-type: none"> <li>Gas Geyser 30 Gallons or more with cone</li> <li>With thick glass wool to keep water Hot</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
12	OT Shoes (Pairs)	<ul style="list-style-type: none"> <li>OT Shoes (Pairs) rubber</li> </ul>	
13	Refrigerator 12 Cft	<ul style="list-style-type: none"> <li>Double door,12 Cft– Branded</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
14	Refrigerators 14 CFT	<ul style="list-style-type: none"> <li>Double door, 1 CFT – Branded</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
15	Refrigerators 18 Cft	<ul style="list-style-type: none"> <li>Double door, 18 Cft– Branded</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
16	Electric Water Cooler 40 Litters with Filter	<ul style="list-style-type: none"> <li>Electric Water 40 Litters or more</li> <li>Stainless Steel Tank</li> <li>To be installed with 3 part Filtration unit</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
17	Electric Water Cooler 60 Litters with Filter	<ul style="list-style-type: none"> <li>Electric Water 60 Litters or more</li> <li>Stainless Steel Tank</li> <li>To be installed with 3 part Filtration unit</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
18	Electric Water Cooler 80 Litters with Filter	<ul style="list-style-type: none"> <li>Electric Water 80 Litters or more</li> <li>Stainless Steel Tank</li> <li>To be installed with 3 part Filtration unit</li> <li><b>Brand and Model Must be mentioned</b></li> </ul>	
19	OPD chairs S.S	<ul style="list-style-type: none"> <li>3 seater chairs (Steel) fixed / removable</li> <li>Fitted on steel structure of section 40mm x 60mm.</li> <li>with seating area approximately 51 Cm X 50 cm</li> <li>With silver enameled finished.</li> <li>The structure may be able to be fixed on the floor / replaceable.</li> </ul> <p>Branded, Good Quality</p>	
20	Steel Almirah for Medicines	<ul style="list-style-type: none"> <li>18 gauge steel, powder coated</li> <li>With 4 shelves (Five Compartment).</li> <li>Size 4ft x 6ft x 1.5ft (WxHxD)</li> <li>Sample to be approved.</li> </ul>	

**Category: Dental Equipment**

S#	Nomenclature	Specification	Qty
1	Electric cautery (Dental)	<ul style="list-style-type: none"> <li>3 different and separate operating functions:</li> <li>1-purecut</li> <li>2-cut-coag</li> <li>3-pure coag</li> </ul> <p>Maximum safety for the patient and The electrosurgical units supplied complete accessories: Hand piece, 8 electrodes and ground plate autoclavable.</p> <ul style="list-style-type: none"> <li>Voltage: 220 V 50.</li> <li>Power output at 750 KHz on 1500W</li> </ul>	

2	Electric Amalgamator	<ul style="list-style-type: none"> <li>• Microprocessor controlled</li> <li>• Touch pad controls</li> <li>• LED Display</li> <li>• Programmable preset memories</li> <li>• Spring tensions, molded capsule holder</li> <li>• Timer 1-30seconds</li> <li>• Cycle speed 4200 CPM - 3600CPM</li> <li>• Sealed mix area</li> <li>• Accept salt types of capsules including amalgam and ionomer.</li> <li>• Power requirements: 220 volts,50.</li> </ul>	
3	Dental Unit with Chair	<p>Comprising of:-</p> <ul style="list-style-type: none"> <li>• Dental Unit Chair mounted fully motorized and electrically operated.</li> <li>• Air turbine high speed, 3 spray system branded ( model must be mentioned)</li> <li>• Air motor (3 in1) slow speed with contra angle attachment branded ( <b>model must be mentioned</b>)</li> <li>• Triple syringe branded</li> <li>• built-in Scalar ( <b>model and make must be mentioned</b>)</li> <li>• Dental Light</li> <li>• Automatic Cup filler</li> <li>• X-ray film viewer</li> <li>• Stainless steel instrument Tray with S.S lid.</li> <li>• Cotton holder</li> <li>• Waste receptacle</li> <li>• Oil free branded compressor (model must be mentioned) with tank and regulator.</li> <li>• Motor;1.5 HP</li> <li>• Output;100L/min</li> <li>• Pressure;5-8 Bars</li> <li>• Tank capacity;25 L</li> </ul> <p><u>Assistant Unit:-</u></p> <ul style="list-style-type: none"> <li>• Cuspidor bowl with flush system (spittoon)</li> <li>• Saliva ejector</li> <li>• High Power Suction system (Air operated)</li> <li>• Triple Syringe</li> </ul> <p><u>Dental Chair:</u></p> <ul style="list-style-type: none"> <li>• Fully automatic motorized Hydraulic chair electrically Operated,</li> <li>• 5 or more positions, operated on 220V / 50Hz</li> <li>• Motorized motion to raise / lower the seat and back by electro- hydraulic System.</li> <li>• Automatic Back to Zero Position.</li> <li>• Equipped with safety cut out device</li> <li>• Adjustable head rest forward/ backward and up /down movements</li> <li>• Right arm swings in / out for patient ease.</li> <li>• Chair movement is smooth and silent through solenoid valves.</li> </ul> <p><u>Dental Light:</u></p> <ul style="list-style-type: none"> <li>• Day light Shadow less dental light.</li> <li>• The light arm is well balanced and adjustable to different heights with variable horizontal and inverse movements.</li> </ul> <p><u>Doctor's Tray:</u></p> <ul style="list-style-type: none"> <li>• Moveable over the patient through swing in / out on flexible self-supporting balance arm.</li> <li>• Instrument tray covered with stainless steel lid.</li> <li>• Availability of 4-tubings (Borden 2 holes)</li> <li>• Cotton holder and waist receptacle.</li> <li>• Water on / off Toggle switch and flow control Air / water regulator for hand pieces and triple syringe.</li> <li>• Air pressure gauge.</li> <li>• X-ray viewer.</li> </ul> <p><u>Cuspidor unit:</u></p> <ul style="list-style-type: none"> <li>• Water outlet services with junction / utility box.</li> </ul>	

		<ul style="list-style-type: none"> <li>• Equipped with automatic and manual cup filler.</li> <li>• Single piece spittoon with solid collector</li> <li>• Bowls flush automatic and manual.</li> <li>• Triple syringe,</li> <li>• Saliva ejector</li> <li>• High power suction (Air operated)</li> <li>• <u>Dentist + Assistant Stool:</u></li> <li>• Gas operated Seat with Shock absorbing.</li> <li>• Adjustable at any height by lever control.</li> <li>• Anatomically designed back rest for maximum lumbar support.</li> <li>• Seat with back rest rotatable freely 360deg.</li> <li>• Mobile on 5-caster for smooth movement</li> <li>• With foot supporting facility.</li> </ul>	
4	Dental X-ray Unit	<ul style="list-style-type: none"> <li>• Dental radiographic unit.</li> <li>• Current: 7mA intra-oral x-ray system.</li> <li>• Focal Spot: 0.6 or less</li> <li>• Maximum voltage: 65KV or better.</li> <li>• The Unit shall be mounted on a stand having 360° horizontal rotation.</li> <li>• Also the multiplex arm (Imported) has a variety of vertical movements.</li> <li>• Mobile on castors.</li> <li>• FOV: 0.8 or less</li> </ul>	
5	Dental OPG X Ray	<ul style="list-style-type: none"> <li>• Micro Processor controlled</li> <li>• X-ray generator: High frequency dc : 20 kHz</li> <li>• Anode Voltage: 20-85 kV or better on either side in steps of 1 to 2KV</li> <li>• Anode Current: 4-10 mA</li> <li>• Exposure Time: 2-20sec</li> <li>• Membrane/ Touch Screen console</li> <li>• Focal spot: 0.5*0.5mm</li> <li>• Filtration: 2.5 mm Al</li> <li>• Maximum Column Height: 230cm</li> <li>• Displacement : 90 cm, from 90 to 180 cm</li> <li>• Control: Automatic Exposure (AEC)</li> <li>• With APR System</li> <li>• Vertical Movement: Motorized and manual Adjustment</li> <li>• Patient Positioning: Manual Adjustment</li> <li>• Chin rest Centering : Laser Light</li> <li>• 2 No's Ultra-light Lead Apron for patient and operator: with 0.5mm Thick lead sheet</li> <li>• Power Supply: 220V, 50Hz</li> </ul>	
6	Mini Autoclave automatic	<ul style="list-style-type: none"> <li>• Capacity 12 liters or more (Bench top)</li> <li>• Microprocessor controlled</li> <li>• digital display</li> <li>• Automatic functioning</li> <li>• Pre and post fractionated vacuum.</li> <li>• Thermal drying system</li> <li>• Sterilization temperature: 121°C to 134°C</li> </ul> <p>With demineralizer (Brand, model and make must be mentioned)</p>	

**Category: Dental Instruments**

**Selection will be on sample**

**Note: All instruments must be stainless steel. All die made with hidden joints and leak proof. Manufacturer mark must be present on each instrument**

S#	Nomenclature	Specification	Qty
1	Amalgam gum (filling)	<ul style="list-style-type: none"><li>All die made with hidden joints and leakproof.</li><li>Manufacturer's mark must be indicated on all instruments.</li></ul>	
2	Amalgam plugger		
3	Amalgam plugger (filling)		
4	Anesthesia Cartridges (Box of 50)		
5	Artery forceps strength	<ul style="list-style-type: none"><li>For all instruments made of stainless steel.</li><li>All die made with hidden joints and leak proof.</li><li>Manufacturer's mark must be indicated on all instruments.</li></ul>	
6	Baby forceps & lowers		
7	Barbed broaches	<ul style="list-style-type: none"><li>All die made with hidden joints and leak proof.</li><li>Manufacturer's mark must be indicated on all instruments</li></ul>	
8	Bone cutter	<ul style="list-style-type: none"><li>For all instruments made of stainless steel.</li><li>All die made with hidden joints and leak proof.</li><li>Manufacturer's mark must be indicated on all instruments.</li></ul>	
9	Bone H-Files	<ul style="list-style-type: none"><li>All die made with hidden joints and leak proof.</li><li>Manufacturer's mark must be indicated on all instruments</li></ul>	
10	Bone Rengeur		
11	BP Scalpel handle for blade 15	For all instruments made of stainless steel. <ul style="list-style-type: none"><li>All die made with hidden joints and leak proof.</li><li>Manufacturer's mark must be indicated on all instruments.</li></ul>	
12	Bur for high speed turbine set of 12		
13	Burnisher filling	<ul style="list-style-type: none"><li>All die made with hidden joints and leak proof.</li><li>Manufacturer's mark must be indicated on all instruments</li></ul>	
14	Cartridge Syringes with Aspirating facility		
15	Cement spatula		
16	Cheek retractor (Oral)	<ul style="list-style-type: none"><li>For all instruments made of stainless steel.</li><li>All die made with hidden joints and leak proof.</li><li>Manufacturer's mark must be indicated on all instruments.</li></ul>	
17	Cotton drum for sterilization		
18	Curette		
19	Dental Instrument complete Set	<ul style="list-style-type: none"><li><b>INSTRUMENT SET DENTAL SURGERY</b></li><li>Basic instrument set for use in the dental surgery room.</li></ul> <p><b>Description</b></p> <ul style="list-style-type: none"><li>Probe single ended perio CPTN-C</li><li>Spatula double ended No 8</li><li>Spatula double ended No 3</li><li>Spatula double ended 8 x Alginate/Plaster metal Curved</li><li>Instrument for plastics</li><li>Excavator double ended 127/128</li><li>Excavator double ended 131/132 tissue tweezers type Collage Fig 8 plain</li><li>Carver Ward 2</li><li>Scalar balanced gripH4</li><li>Scalar balanced gripH5</li><li>Scalar balanced gripH7</li><li>Scalar balanced gripH9</li><li>Scalar balanced grip Towner U15</li><li>Scalar balanced grip Jaquette 2 Scalar</li><li>balanced grip Jaquette 3</li><li>Scaler balanced grip H6/7</li><li>Scaler Octagonal H4</li><li>Scaler Octagonal H5</li><li>Scaler Octagonal H6</li><li>Scaler Octagonal H8</li><li>Scaler Octagonal H9</li><li>Scaler OctagonalTownerU15</li><li>Scaler Octagonal Jaquette 2</li></ul>	

- Scaler Octagonal Jaquette3
- Scaler Gracey Curette double ended ½
- Scaler Gracey Curette double ended 3/4
- Scaler Gracey Curette double ended 5/6
- Scaler Gracey Curette double ended 9/10
- Scaler Gracey Curette double ended 13/14
- Scaler MacFarlane Balanced Tip MFO/1
- Scaler MacFarlane Balanced Tip MF2/3
- Scaler MacFarlane Balanced Tip MF4/5
- Burnisher DE AM (W) 1
- Burnisher DE AM (W) 1L
- Amalgam Plugger Blacks 0/1
- Amalgam Plugger Blacks 1/2
- Elevator Apical Straight
- Elevator Apical Left
- Elevator Apical Right
- Elevator Coupland 1
- Elevator Coupland 2
- Elevator Coupland 3
- Elevator Warwick James Straight
- Elevator Warwick James Left
- Elevator Warwick James Right
- Elevator Cryer 30 left
- Elevator Cryer 31 right
- Forceps Artery Spencer Wells 5" straight
- Forceps Artery Spencer Wells 5" curved
- Forceps Mosquito 5" straight
- Forceps Extraction Upper Incisor
- Forceps Extraction Upper Molars Right
- Forceps Extraction Upper Molars Left
- Forceps Extraction Lower Molars
- Forceps Extraction Lower Roots
- Forceps Extraction Small Lower Roots
- Forceps Extraction Lower Premolars
- Forceps Extraction Upper Roots
- Forceps Extraction Children Lower Teeth
- Forceps Extraction Children Lower Molars/General Forceps
- Extraction Children Upper Incisors/Canines Forceps
- Extraction Children Upper Molars
- Forceps Extraction Children Upper General
- Amalgam Plugger Blacks 0/1
- Luxation Kit
- Ceram color Probe No 6
- Margin Trimmer 15-11
- Placer Calcium Hydroxide 15-90
- Gingival Cord Packer Yardley 15-66-6
- Root Canal Spreader Heat Carrier Anterior Root
- Canal Spreader Heat Carrier Posterior
- Periosteal Elevator Prichard
- Periosteal Elevator Molt
- Periosteal Elevator Fine
- Periosteal Elevator Howard
- Forceps Tissue Sempkin-Taylor Straight 12.5cm
- Retractor tissue Austin
- Retractor Tongue and Cheek University of Minnesota
- Needle Holder Mayo Hegar 16cm
- Forceps Halsted Mosquito Curved 12cm
- Forceps Halsted Mosquito Straight 12cm
- Tray Dental Instrument Imperforated 28 x 18 cm
- Mirror Handles Round Stainless Steel
- Mirror Heads No 4 plane (12)
- Explorer single Ended EXS 6
- Explorer Single Ended EXS 6A

		<ul style="list-style-type: none"> <li>• Matrix System Intro</li> <li>• Scissors Straight 5" Sharp/Sharp</li> <li>• Scissors Straight Crown Bee Bee No 12</li> <li>• Scissors Curved Crown Bee Bee No 9</li> <li>• Syringe Dental Cartridge S/S 2.2 ml</li> <li>• Amalgam Carrier 5X Hampel</li> <li>• Complete Mortar &amp; Pestle Glass 2 " Dia.</li> <li>• Dappen Dish Glass Clear Glass slab</li> <li>• Spatula mixing filling material</li> <li>• Mixing Pad reusable</li> </ul>	
20	Dental rabe double ended	<ul style="list-style-type: none"> <li>• For all instruments made of stainlesssteel.</li> <li>• All die made with hidden joints and leak proof.</li> <li>• Manufacturer's mark must be indicated on all instruments.</li> </ul>	
21	Dental X-Ray developing & fixing material	<ul style="list-style-type: none"> <li>• All die made with hidden joints and leak proof.</li> <li>• Manufacturer's mark must be indicated on all instruments.</li> </ul>	
22	Dental X-ray Hanger	<ul style="list-style-type: none"> <li>• For all instruments made of stainless steel.</li> <li>• All die made with hidden joints and leak proof.</li> <li>• Manufacturer's mark must be indicated on all instruments.</li> </ul>	
23	Diamond burs Air motor		
24	Diamond Burs for High Speed Tissue, Round tissue on inverted cone		
25	Elevator Angular Pair		
26	Elevator Cross Bars Pair		
27	Elevator Pair of Cryers		
28	Elevator Straight		
29	Endomate DT		
30	Engoapntic box		
31	Examination Forceps Lower Anterior		
32	Examination Forceps Lower BDR		
33	Examination Forceps Lower Molar		
34	Examination Forceps Lower Pre-Molar		
35	Examination Forceps Upper Anterior		
36	Examination Forceps Upper BDR		
37	Examination Forceps Upper Pre-Molar	<ul style="list-style-type: none"> <li>• For all instruments made of stainless steel.</li> <li>• All die made with hidden joints and leak proof</li> </ul>	
38	Examination instrument set like	Manufacturer's mark must be indicated on all instruments.	
39	Examination Mirror		
40	Examination probe Upper BDR		
41	Examination probe Upper Molar		
42	Examination Tweezers		
43	Excavator		
44	Extraction forceps kit (Complete) Adult		
45	Extraction forceps kit (Complete) Paeds		
46	Extraction forceps Lower		
47	Extraction forceps Upper		
48	Extraction probe Upper		
49	Filling Instruments		
50	Filling material		



51	Flexo files (size 15-140)		
52	Gats Gliden Drills		
53	Glass slab		
54	Gummers Spatula		
55	GuttaPurchaCondensor		
56	Instruments holding forceps		
57	Inter dental wedges (plastic & wooden)		
58	Ivory type		
59	Ivory type retainer		
60	k-files size (15-140)	<ul style="list-style-type: none"> <li>For all instruments made of stainless steel or otherwise.</li> <li>All die made with hidden joints and leak proof.</li> <li>Manufacturer's mark must be indicated on all instruments.</li> </ul>	
61	Kidney tangs		
62	Larex type retainer		
63	Legenback retractor		
64	Lower Incisors		
65	Lower Molar Right		
66	Lower pre-molar		
67	Lower root forceps		
68	Matrix retainer Ivory 1&8		
69	Menox type		
70	Mortar & Pestle		
71	Mouth gauge		
72	Mouth mirrors with handle		
73	Mouth Prop		
74	Pair of Scissors		
75	Periosteal elevator (Oral)		
76	Pins & posts with all accessories (different sizes)		
77	Plastic Cellulose Strips		
78	plastic instruments (filling)		
79	Polishing kit (for amalgam & composite filling)		
80	Root canal plunger		
81	Small needle holder	<ul style="list-style-type: none"> <li>For all instruments made of stainless steel.</li> <li>All die made with hidden joints and leak proof.</li> <li>Manufacturer's mark must be indicated on all instruments</li> </ul>	
82	Smooth broaches		
83	Steel matrix bands (different sizes)		
84	Tooth extraction forceps (full set)		
85	Toothed dissecting forceps		
86	Upper Incisors		
87	Upper Molar left		
88	Upper Molar right		
89	Upper pre-molar left		
90	Upper root forceps		
91	Water filter for Dental unit	<ul style="list-style-type: none"> <li>Fully motorized and electrically operated water filter for dental unit with automatic Cup filler</li> </ul>	
92	Metazoan Bum Scissors 8-1/2"	<ul style="list-style-type: none"> <li>For all instruments made of stainless steel.</li> <li>All die made with hidden joints and leak proof.</li> <li>Manufacturer's mark must be indicated on all instruments</li> </ul>	

**Category: Gynae/Obs**

S#	Nomenclature	Specification	Qty
1	CTG Machine	<ul style="list-style-type: none"> <li>• With LCD display,</li> <li>• Fetus heart rate: 120-160bpm.</li> <li>• Manual/auto recording Fetus movement.</li> <li>• Sound and color alarm for high and low fetal heart rate</li> <li>• Continuous 24 hrs real time monitoring function,</li> <li>• 12 hrs patient curve and data storage,</li> <li>• With picture freeze function.</li> <li>• Single, twins monitoring.</li> <li>• 9 crystal board band pulsed wave transducer.</li> <li>• High resolution built in thermal recorder.</li> <li>• Built in communication port, for connecting to the central monitoring system.</li> <li>• Voltage AC120V, 50Hz.</li> <li>• Output speed: 1 cm/min, 2cm/min, 3 cm/min.</li> <li>• Data precision: +-5% (X roll), +-1 % (Y roll).</li> <li>• Ultrasound Probe :</li> <li>• Nominal frequency: 1.0MHz.</li> <li>• Work frequency: 1.0MHz+- 10%.</li> <li>• Compatible with Two Probe (for twins).</li> <li>• Complete with all accessories.</li> </ul>	
2	Sonic Aid Machine/Fetus Heart Detector	<ul style="list-style-type: none"> <li>• Fetal Heart Beat/Sound Detection &amp; Rate Monitoring.</li> <li>• Heart rate digitally displayed,</li> <li>• Heart beat audible through the built-in speaker (earphone).</li> <li>• Ultrasonic frequency/output: 2.5MHz, 10mW/cm<sup>2</sup></li> <li>• Audible output : 0.6W (Speaker output: Max.20W)</li> <li>• Heart rate detection range: 50-280bpm</li> <li>• Power requirements:</li> <li>• Ni Cd rechargeable battery 12V with AC recharging unit.</li> </ul>	
3	Gynae Vacuum Suction Apparatus/vacuum extractor with trolley	<ul style="list-style-type: none"> <li>• To be used in fetal vacuum extraction,</li> <li>• neonatal endotracheal amniotic fluid suction,</li> <li>• Surgical suction during operation and uterine aspiration for abortion with super suction curettes.</li> <li>• 2 Suction Bottles, each 3000cc.</li> <li>• Vacuum pressure 750mm Hg (at respective facility, irrespective of altitude) adjustable.</li> <li>• Flow capacity: 45lit/min.</li> <li>• Automatic over flow cutoff.</li> <li>• Explosion proof foot switch.</li> <li>• Tray for instruments</li> <li>• Rubber tube 2 meter</li> <li>• Curettes , large, Medium and Small</li> <li>• Mains input supply: 220 volts, 50Hz</li> </ul>	
4	Delivery table/ D&C Table	<ul style="list-style-type: none"> <li>• Couch top made of 3 sections i.e back, hip, leg sections covered with 4" mattress with raxine cover.</li> <li>• Leg section removable</li> <li>• Up/down movement through hydraulic system.</li> <li>• Back seat adjustment through handles.</li> <li>• Removable receptacle under the hip area.</li> <li>• Lithotomy poles with tying strips.</li> <li>• Hand grips on both the sides.</li> <li>• Mobile on castors.</li> </ul>	

## LIST OF SURGICAL INSTRUMENTS SETS

**Note: All the instruments must be made of stainless steel. All die made with hidden joints and leak proof.  
Manufacturers mark must be indicated on all instruments.  
Selection will be on samples**

S#	Name of the item	Specification	Qty
1.	General Instrument Set	1) Instrument Tray 10x12 01 2) Towel clips 04 3) BP handle No. 4,3 02 4) Artery forceps 6" curved 06 5) Artery forceps 6" straight 02 6) Sponge Holding forceps 02 7) Metzebaum scissors 7.5" curved 01 8) Metzebaum straight scissors 7.5" 01 9) Czerney retractors 02 10) Langenbeck Retractors 02 11) Needleholder 7" 01 12) Toothed dissecting forceps 7" 01 13) Non-toothed dissecting forceps 7" 01 14) Allis' forceps 8" 04 15) kidney tray litter 01 16) kidney tray 500ml 01 Along with Container	
2	Ear Surgery Instrument Set with Operating Microscope	1. Plaster first incision Knife 01 2. Rotary First incision Knife 01 3. Sickle Knife 01 4. Myringotomes 01 5. Aural Crocodile forceps Tilley's 01 6. Cawthorne Crocodile Scissors Straight 01 7. Cawthorne Crocodile Scissors Right 01 8. Cawthorne Crocodile Scissors Left 01 9. Frazier Suction Nozzles Nos. 6, 7, 8, 03 10. Micro Suction Nozzle 02 11. Cawthorne Hooks. Different Angles 03 12. Granulation Forceps Straight 01 13. Micro Ear Instruments Different 05 14. (Mobilizer, Measuring Rode, Curette, Elevator Rt, Lt Micro Hartmann Crocodile Forceps Straight 01 15. Micro Hartmann Crocodile Forceps Right 01 16. Micro Hartmann Crocodile Forceps Left 01 17. Mollison Mastoid Retractor Adult 02 18. Mollison Mastoid Retractor Child 01 19. Micro Granulation Forceps Straight 01 20. Micro Granulation Forceps Right 01 21. Micro Granulation Forceps Left 01 22. Plaster Jenson Retractor Right 01 23. Plaster Jenson Retractor Left 01 24. Tumarkin Metal Ear Speculum Slotted 04 25. Cawthorne Periosteal Elevator 01 26. King Vein Graft Pressing Forceps 01 27. Instruments Tray 12"x14" 01 28. Needles Box 01 29. Mastoid Chisel 01 Along with Container	
3.	Rhinoplasty Set	1. Alfrights Nasal Retractor 01 2. Nasal Speculum 01 3. Straight S/w Artery forceps 01 4. Scissors Angle don flat 01 5. Ballinger Swivel knife 01 6. Septum nasal forceps right and left Valselum 02 Septum forceps Str. (Ash) 01 7. Metzenbaum Scissors Cv don flat 8" 01	

		8. Stoz nasal saws rightandleft 02 9. Padgett nasal rasp fine and heavy 03 10. Joseph nasal Respectory 01 11. Joseph skin hooks 03 12. Kilner Alae retractor 02 13. Heath Mallet. 01 14. Set f McIandoeChisels5,7,9,11,15mm 01set Tillys Nasal Forceps 01 15. McIndoe Non ToothedForceps6” 01 16. Mastarde’sToothedForceps6” 01 17. Adson Toothed Forceps Fine01 18. Adson Toothed Forceps Medium 01 19. American pattern suction cannula 01 20. Valkmann curette 01 21. Towel Clips 08 22. Marking pen 01 23. Inkpot 01 Along with Container	
4.	SMR Set	1. Freer Elevator 01 2. Killian Nasal Gouge V-Shape 01 3. Hammer SS 01 4. Frazier Suction Nozzle No 9,10,12 03 5. Tilley’s NasalDressingForceps1. 01 6. Luc Turbinate Forceps Small 01 7. Luc Turbinate Forceps Medium 01 8. Killian NasalSpeculum2” 01 9. Killian NasalSpeculum2.5” 01 10. Killian NasalSpeculum3” 01 11. Hayman’s Turbinectomy Scissors 01 12. Tilley’s Trocar &CannulaNo7 02 13. Tiiley’s Trocar &CannulaNo8 02 14. Walsham Septum Forceps01 15. Telley’s Hankle Forceps 01 16. Instruments Tray 01 Along with Container	
5.	Tonsillectomy Set	1. Boyle Davis Mouth Gag Set. (Set of 5 Blades). 01 Set 2. Suspension Rods. 01Pair 3. Suspension Plate. 1 4. Gwynne Evans Tonsil Dissector. 1 5. Mollison Anterior Pillar Retractor. 1 6. Waugh Tonsil Dissecting Forceps 1X2 Tooth 8”.1 7. Waugh Tonsil Dissecting ForcepsPlain8”. 1 Tonsil Artery ForcepsFineStraight. 1 8. Negus Tonsil Artery Forceps Short Curve. 1 9. Negus Tonsil Artery Forceps Long Curve. 1 10. Tonsil Scissors Curved 7.5”. 1 11. Tonsil Scissors Fine Point Curved 7”. 1 12. Eve’s Tonsil Snare. 1 13. Tonsil Snare Wire Packet. (Packet of 15Pes) 01 Pkt. 14. St. Clair Thomson Adenoid Curette With guard Small.1 15. St. Clair Thomson Adenoid Curette With guard Large. 1 16. Negus Pusher. 1 17. Denis Brown Tonsil Holding Forceps. 1 18. B.P. HandleNo.7. 1 19. Yankaur Suction Nozzle. 1 20. Instruments Tray 1	
6.	Cataract Surgery Set	1. Wire Speculum. 1 2. St. Clark’s Self-Retraining Speculums. 1 3. Arragua’s Superior Rectus Needle Holder. 1 Blade Breaker. 1 4. Micro Corneal Forceps with Suture Tying. 1 5. Universal Corneal Scissors. 1 6. Iris Scissors Str/Cvd. 2 7. Micro Corneal Needle Holder. 1	

		8. Iris Repository Double Ended. 1 9. Wire Vectus. 1 10. Cautery Point. 1 11. Spring Scissors Straight. 1 12. Micro Mosquito Artery Forceps Str/Cvd. 4 13. Fixation Forceps. 1 14. Micro Suture Tying Forceps. 1 15. Simeco Two-way Cannula. 1 16. Mcpharson Forceps 1 17. InstrumentsTray8x10” 1 Along with Container	
7.	DCR Instrument Set	1. D.C.R. BonePunch (Karrison). 1 2. D.C.R. Periosteal Elevator Double Ended. 1 3. Mosquito Artery Forceps Straight. 2 4. Mosquito Artery Forceps Curved. 2 5. Bowman Lacrimal Probe No.0-00. 1 6. Bowman Lacrimal Probe No.1-2. 1 7. Bowman Lacrimal ProbeNo.3-4. 1 8. Wilder Lacrimal Dilator. 1 9. West Lacrimal Sac Chisel. 1 10. Towel Clips. 2 11. Straight Eye Scissors (Iris). 1 12. Stevens TenotomyScissors. 1 13. Stevenson Lacrimal Sac Retractor. 1 14. Knapp Lacrimal Sac Retractor. 1 15. Small Mallet. 1 16. Barraquer Needle Holder Curved. 1 17. Straight Dressing Forceps (Iris)Plain. 1 18. NasalSpeculum. 1 19. NasalDressingForceps. 1 20. SutureBarker 1 Along with Container	
8.	Electric Foreign Body Set	1.Beccock 02 2.knife handle 01 3.Small artery forceps 03 4.plane dissecting forceps 01 5.tooth dissecting forceps 01 6.needle holder 01 7.scissor 02 8.Small Allis's 02 9.Retractors 02 Along with Container	
9.	Dissection box for post-mortem with all accessories	• Enterotome 2 Pcs • SkullChisel 2 Pcs • RibCutter 2 Pcs • Scalpel 5 Pcs • ScalpelBlades 100 Pcs • Tooth Forceps 5 pcs • BoneSaw 2 Pcs • Amputationknife 2 Pcs • PostmortemHammer 1 Pcs • PostmortemsChisel 2 pcs • Postmortem SpineWrench 1 Pcs • Postmortem HookKnife 1 Pcs • Blowpipe 1 Pcs • Scissor 2 Pcs	
10.	Glaucoma Set	1. Blade Braker 1 2. B.P Handle No.3 1 3. Wire Speculum 1 4. Mosquito Artery Forceps Str/Cvd 2 5. Corneal Scissors Right. 1 6. Corneal Scissors Left. 1 7. Corneal Scissors Curved of flat. 1	

		8. Barahuer Needle Holder Curved 1 9. A/I Cannula. 1 10. Along with Container	
11.	Squint Surgical Set	1. Micro Needle holder 1 2. Needle Holder Large 1 3. Conjunctival Scissors 1 4. Corneal Toothed Large 1 5. Artery Forceps 6 6. Bulldog Clamps 2 7. Squint Hook 2 8. V. Calipers. 1 9. Bowel SS 4" 1 10. Kidney Tray 1 11. Along with Container	
12.	AO Basic Set	1. Twist Drills (unmounted 2.5mm diam. 13cm 2 2. Twist Drills (unmounted 3.5mm diam 13cm 2 Howmann Bone lever small 16 length 6mm wide 2 3. Howmann Bone lever cobratype. 16cm 1 4. Varburg Bone holding forceps 20cm 2 5. Reduction clamp pointed 13cm 2 6. Reduction clamp screw jaw with teeth 15cm 2 7. Simmons plier 17cm 1 8. Tap 2.7mm diam 11cm 1 9. Handle for screw driver + countersink 1 10. Counter sink 10mm diam 12.5cm 1 11. Screw driver 2.5mm 11.5cm 1 12. Jefferson perosteal elevator 5mm 20mm 1 13. Plate bender 14cm Retorcedor 2 14. Screw sleeve 2.5mm+2.0mm 1 15. Screw sleeve 2.7mm+2.0mm 1 16. Tap sleeve 2.5mm+3.5mm 1 17. Venabie Screws sleeve 2.0mm 1 18. Drill Guide 2 19. Bone Scaler 1 20. Depth gage Large 1 21. Screw clamps 8cm 1 22. Screw Driver with Guide 2.5mm 19cm 1 Along with Container	
13.	AO Small Fragment Set	1. Bone Holding Forceps A/o small= 2 2. Bone Spikier small= 2 3. Screw Driver small 2.5mm= 1 4. Periosteal Elevator small= 1 5. Chisel small= 1 6. Bone Cutter small= 1 7. Wire Cutter Small= 1 8. Tap small 3.5= 1 9. Tap Sleeve 3.5= 1 10. Depth Gage Small= 1 11. Screw Sleeve= 1 12. Instruments Box= 1 Along with Container	
14.	Dressing Set for Ward	1. Dressing scissors (Plastic Handle) 1 2. Stitch Scissors fine 2 3. No Toothed Forceps. 1 4. Toothed Forceps. 1 5. Artery forceps. 1 6. Suture forceps. 1 7. Small Kidney Tray. 1 8. Bowl 1 9. Kocher Forceps 1 Along with Container	

15.	IMN Set	<p>Awl 1Each</p> <p>Cortical Awl 1Each</p> <p>Tissue Protecort 1Each</p> <p>Impactor Large, Medium and Small 1Each</p> <p>GuidePin3.5mm 1Each</p> <p>Extractor 1Each</p> <p>Bio-Locking Femur 3</p> <p>10/12/14x360/380/400/420/440/460</p> <p>Femur proximal locking screw 3</p> <p>60/65/70/80/90/100</p> <p>Tibia/femoral blocking screw 3</p> <p>Bio-locking Tibia 3</p> <p>Bio-locking humerus 3</p> <p>Proximal locking screw</p> <p>End Stem</p> <p>Reamer with T-Handle 6mm to 17mm 1 each</p> <p>Along with Container</p>	
16.	Dissecting Instrument Set	<p>Instruments Box</p> <p>Artery Forceps Medium 4</p> <p>BP Handle 2</p> <p>Dissecting Forceps plain &amp; tooth 2</p> <p>Dressing Disecting Scissors (S &amp; M) 2</p> <p>Dressing suture Cutting Scissors 1</p> <p>Czerny Retractor 2</p> <p>Legenback Retractor 2</p> <p>Needle Holder 2</p> <p>Along with Container</p>	
17.	Colostomy set	<p>Item Qty</p> <p>Instrument container box10"x12" 1</p> <p>Towel clips on pin 6</p> <p>B.P handleNo4 2</p> <p>Artery forceps 6"curved 8</p> <p>Artery forceps 6"straight 4</p> <p>Sponge holding forceps 2</p> <p>Metzebaumscissors9"curved 1</p> <p>Sim's straightscissors8" 1</p> <p>Czerney retractors 2</p> <p>Langenbaeck retractors 2</p> <p>Needleholder7" 1</p> <p>Toothed dissectingforceps7" 1</p> <p>Non toothed dissectingforceps7" 1</p> <p>Deaver retractors 2"wideblade 2</p> <p>Deaver retractors 3"wideblade 1</p> <p>CBR bougles set` 1</p> <p>Lathey's forceps 1</p> <p>Werthemneedleholder9" 1</p> <p>Allis forceps7" (S,M &amp; L) 6</p> <p>Yankauer suction canola 1</p> <p>Kidney tray1litre 1</p> <p>Deaver retractors 3"wideblade 1</p> <p>Kidney tray500ml 1</p> <p>Toothed dissectingforceps9" 1</p> <p>Non toothed dissectingforceps9" 1</p> <p>Babcock Forcep (S,M &amp; L) 6</p>	
18.	C-Section set	<p>instrument container box 10"x12" 1</p> <p>Towel clips on pin 6</p> <p>Sponge holding forceps 2</p> <p>non toothed dissecting forceps 7" 2</p> <p>Toothed dissecting forceps 7" 1</p> <p>BP handle No 4 Allis's forceps 9" 2</p> <p>Kidney tray 1 litre 1</p> <p>Artery forceps 6" curved on pin 8</p> <p>Artery forceps 6" 4</p> <p>straight Metzebaum scissors 9" 1</p> <p>curved Sim's straight scissors 8" 1</p>	

		Doyne retractors 1 Gallipots 150 ml 1 Wrigley's outlet forceps pair 2 Needle holder 7" 2 Needle holder 9" 1 Baby Cord clamps 2 Green armytage forceps 2 Long Artery forceps 9" straight 1 Long Artery forceps 9" curved 2	
19.	D & C Set	Item Qty Uterine Sound 1 Curette Double Ended 3 Volselum10" 1 Artery Clamp 10" 8 Ovum Forceps. 2 Dialectomy set 1 Sims speculum forceps set of three 1 Curved for Gynae 1 to 5 1 Sate catheter (Metallic female catheter) 1 Instrument containerbox10"x12" 1 towel clipsonpin 4 sponge holdingforceps9.5" 1 non toothed dissecting forceps 8" 2 Allis's forceps 9" 2 Dilator set (Hegers) 1 Galli Pot150ml 2 Along with Container	
20.	Dressing Set with Trolley	1. instrument container box10"x12" 1 2. Towel clips on pin 6 3. Sponge holding forceps 1 4. non toothed dissecting forceps7" 1 5. Allis's forceps9" 1 6. Dilator set 1 7. Sims speculum set 1 8. Duck speculum set 1 9. Uterine Sound 1 10. Volselum set 1 11. Uterine curette set of three 12. Kidney tray 1 litre 1 13. Flushing curette set of three 1 14. Gallipots 150 ml 1 15. Along with Container	
21.	E & C Set	1. instrument container box10"x12" 1 2. Towel clips on pin 4 3. Sponge holding forceps 1 4. non toothed dissecting forceps7" 6 5. Allis's forceps9" 2 6. Dilator set 4 7. Sims speculum set 4 8. Duck speculum set 4 9. Uterine Sound 10. Volselum set 4 11. Uterine curette set of three 2 12. Kidney tray 1 liter 1 13. Kidney tray 500ml 1 14. Flushing curette set of three 1 15. Gallipots 150 ml 1 Along with Container	
22.	Laparatomy set	Item Qty 1. Instrument container box10"x12" 1 2. Towel clips on pin 6 3. B.P handleNo4 2 4. Artery forceps6"curved 8	



		5. Artery forceps6”straight 4 6. Sponge holding forceps 2 7. Metzebaumscissors9”curved 1 8. Sim’s straightscissors8” 1 9. Czerney retractors 2 10. Langenbaeck retractors 2 11. Needleholder7” 1 12. Toothed dissectingforceps7” 1 13. Non toothed dissectingforceps7” 1 14. Deaver retractors 2”wideblade 2 15. Deaver retractors 3”wideblade 1 16. Kirschner’sself-retaining retractor with 4 blades 1 17. Non crushing intestinal clamps curved 2 18. Non crushing clamps straight 2 19. Artery clamps9”curved 1 20. Lathey’s forceps 1 21. Debaky Forcep 1 22. Toothed dissectingforceps9” 1 23. Non toothed dissectingforceps9” 1 24. Allisforceps7” 2 25. Yankauer suction cannula 1 26. Kidney tray 1litre 1 27. Kidney tray 500ml 1 28. Needleholder9 1 29. Daithermy Monopolar 1 30. Self-Retaining Retractor 1	
23.	Normal Delivery set	1. Stainless steel imported/Local made 2. Bowl lotion 150 mm 1 3. Kidney Tray 10” 3 4. Mucus Extractor Reusable Rubber 2 5. Catheter used with mucus Extractor 2 6. Artery Forceps Kocher 8” straight. 4 7. Dissecting Forceps 6” toothed. 4 8. Needle holder mayo 6.5 1 9. Outlet Forceps large size. 2 10. Episiotomy Scissors 6” 2 11. Scissors B/B 6 12. Card Clamp. 1 13. Sims Speculum 1 Along with Container	
24.	Obs/ General Gynae set	1. Instrument container box 10”x12” 2. Towel clips on pin 3. Sponge holding forceps 4. non toothed dissecting forceps7” 5. Toothed dissecting forceps7” 6. BP handle No4 7. Allis’s forceps8” 8. Kidney tray 1litre 9. Artery forceps 6” curved on pin 10. Artery forceps 6”straight 11. Metzebaum scissors 9” curved 12. Sim’s straight scissors 8” 13. Kidney tray 500ml 14. Deaver retractors set of three 15. Gallipots 150ml 16. Bowl 8litre 17. Needle holder7” 18. Needle holder9” 19. Self-retaining retractor (Balfon3blades) 20. Volsellum forceps 21. Long Artery forceps 9”straight 22. Long Artery forceps 9” curved 23. Viginal Retractor	

25.	Thoracotomy set	1. Instrument container box10"x12" 1 2. Towel clips on pin 6 3. B.P handleNo4 2 4. Artery forceps 6"curved 8 5. Artery forceps 6"straight 4 6. Sponge holding forceps 2 7. Metzebaumscissors9"curved1 8. Sim's straightscissors8" 1 9. Czerney retractors 2 10. Langenbaeck retractors 2 11. Needleholder7" 1 12. Toothed dissectingforceps7" 1 13. Non toothed dissectingforceps7" 1 14. Allis forceps7" 1 15. Rib spreader 1 16. Doyenribra spactories set 1 17. Yankauer suction cannula 1 18. Lung retractors 2 19. Kidney tray1litre 1 20. Kidney tray500ml 1 21. Needleholder9" 1 Along with Container																																							
26.	Thyriodectomy Set	<table><thead><tr><th>Item</th><th>Qty</th></tr></thead><tbody><tr><td>Joll's Retractor</td><td>1</td></tr><tr><td>Towel clip on pin</td><td>6</td></tr><tr><td>BP handleNo4</td><td>2</td></tr><tr><td>Artery forceps 6"curved</td><td>8</td></tr><tr><td>Artery forceps 6" straight</td><td>4</td></tr><tr><td>Sponge holding forceps</td><td>2</td></tr><tr><td>Meta-Baum scissors9"curved</td><td>1</td></tr><tr><td>Sim's s straightscissor8"</td><td>1</td></tr><tr><td>Czemcy retractor</td><td>2</td></tr><tr><td>Langeback retractor</td><td>2</td></tr><tr><td>NeedleHolder7"</td><td>1</td></tr><tr><td>Toothed dissectingforceps7"</td><td>1</td></tr><tr><td>Non toothed dissectingforceps7"</td><td>1</td></tr><tr><td>Thyroidre</td><td>1</td></tr><tr><td>Alliesforceps7"</td><td>1</td></tr><tr><td>Kidney tray1liter</td><td>1</td></tr><tr><td>Kidney tray500ml</td><td>1</td></tr><tr><td>Along with Container</td><td></td></tr></tbody></table>	Item	Qty	Joll's Retractor	1	Towel clip on pin	6	BP handleNo4	2	Artery forceps 6"curved	8	Artery forceps 6" straight	4	Sponge holding forceps	2	Meta-Baum scissors9"curved	1	Sim's s straightscissor8"	1	Czemcy retractor	2	Langeback retractor	2	NeedleHolder7"	1	Toothed dissectingforceps7"	1	Non toothed dissectingforceps7"	1	Thyroidre	1	Alliesforceps7"	1	Kidney tray1liter	1	Kidney tray500ml	1	Along with Container		
Item	Qty																																								
Joll's Retractor	1																																								
Towel clip on pin	6																																								
BP handleNo4	2																																								
Artery forceps 6"curved	8																																								
Artery forceps 6" straight	4																																								
Sponge holding forceps	2																																								
Meta-Baum scissors9"curved	1																																								
Sim's s straightscissor8"	1																																								
Czemcy retractor	2																																								
Langeback retractor	2																																								
NeedleHolder7"	1																																								
Toothed dissectingforceps7"	1																																								
Non toothed dissectingforceps7"	1																																								
Thyroidre	1																																								
Alliesforceps7"	1																																								
Kidney tray1liter	1																																								
Kidney tray500ml	1																																								
Along with Container																																									
27.	Urethral Dilator set	Complete Set of Autoclavable Dilators Sizes; 2-32 Along with container																																							
28	Varicose Vein set	<table><tbody><tr><td>Instrument container box 10"x 12"</td><td>1</td></tr><tr><td>Towel clips on pin</td><td>6</td></tr><tr><td>B.P handle No 4</td><td>2</td></tr><tr><td>Artery forceps 6" curved</td><td>8</td></tr><tr><td>Artery forceps 6" straight</td><td>4</td></tr><tr><td>Sponge holding forceps</td><td>2</td></tr><tr><td>Czerney retractors</td><td>2</td></tr><tr><td>Langenbaeck retractors</td><td>2</td></tr><tr><td>Needle holder 7"</td><td>1</td></tr><tr><td>Toothed dissecting forceps 7"</td><td>1</td></tr><tr><td>Non toothed dissecting forceps 7"</td><td>1</td></tr><tr><td>Artery clamps 9" curved</td><td>1</td></tr><tr><td>Lathey's forceps</td><td>1</td></tr><tr><td>Toothed dissecting forceps 9"</td><td>1</td></tr><tr><td>Non toothed dissecting forceps 9"</td><td>1</td></tr><tr><td>Allis forceps 7"</td><td>1</td></tr><tr><td>Along with Container</td><td></td></tr></tbody></table>	Instrument container box 10"x 12"	1	Towel clips on pin	6	B.P handle No 4	2	Artery forceps 6" curved	8	Artery forceps 6" straight	4	Sponge holding forceps	2	Czerney retractors	2	Langenbaeck retractors	2	Needle holder 7"	1	Toothed dissecting forceps 7"	1	Non toothed dissecting forceps 7"	1	Artery clamps 9" curved	1	Lathey's forceps	1	Toothed dissecting forceps 9"	1	Non toothed dissecting forceps 9"	1	Allis forceps 7"	1	Along with Container						
Instrument container box 10"x 12"	1																																								
Towel clips on pin	6																																								
B.P handle No 4	2																																								
Artery forceps 6" curved	8																																								
Artery forceps 6" straight	4																																								
Sponge holding forceps	2																																								
Czerney retractors	2																																								
Langenbaeck retractors	2																																								
Needle holder 7"	1																																								
Toothed dissecting forceps 7"	1																																								
Non toothed dissecting forceps 7"	1																																								
Artery clamps 9" curved	1																																								
Lathey's forceps	1																																								
Toothed dissecting forceps 9"	1																																								
Non toothed dissecting forceps 9"	1																																								
Allis forceps 7"	1																																								
Along with Container																																									

29.	Haemorrhoidectomy set	Instrument container box 10"x 12" 1 Towel clips on pin 6 Artery forceps 6" curved 8 Artery forceps 6" straight 4 Sponge holding forceps 2 Metzebaum scissors 9" curved 1 Sim's straight scissors 8" 1 Needle holder 7" 1 Toothed dissecting forceps 7" 1 Non toothed dissecting forceps 7" 1 Kidney tray 1 litre 1 Along with Container	
30.	Prostatectomy Set	<ul style="list-style-type: none"> <li>Instrument container box 10"x12" 1</li> <li>Towel clips on pin 6</li> <li>B.P handle No4 2</li> <li>Artery forceps 6" curved 8</li> <li>Artery forceps 6" straight 4</li> <li>Sponge holding forceps 2</li> <li>Metzebaum scissors 9" curved 1</li> <li>Sim's straight scissors 8" 1</li> <li>Czerney retractors 2</li> <li>Needle holder 7" 1</li> <li>Toothed dissecting forceps 7" 1</li> <li>Non toothed dissecting forceps 7" 1</li> <li>Suprapubic retractor 1</li> <li>Allis forceps 7" 1</li> <li>Yankauer suction cannula 1</li> <li>Kidney tray 1litre 1</li> <li>Kidney tray 500ml 1</li> <li>Prostatectomy Retractor 1</li> </ul>	
31.	Cholecystectomy Set	<ul style="list-style-type: none"> <li>Instrument container box 10"x12" 1</li> <li>Towel clips on pin 6</li> <li>B.P handle No4 2</li> <li>Artery forceps 6" curved 8</li> <li>Artery forceps 6" straight 4</li> <li>Sponge holding forceps 2</li> <li>Metzebaum scissors 9" curved 1</li> <li>Sim's straight scissors 8" 1</li> <li>Czerney retractors 2</li> <li>Langenbaeck retractors 2</li> <li>Needle holder 7" 1</li> <li>Toothed dissecting forceps 7" 1</li> <li>Non toothed dissecting forceps 7" 1</li> <li>Deaver retractors 2" wide blade 2</li> <li>Deaver retractors 3" wide blade 2</li> <li>Allis forceps 7" 2</li> <li>Yankauer suction cannula 1</li> <li>Kidney tray 1litre 1</li> </ul>	

32.	Vaginal Hysterectomy set	1. Instrument container box10"x12" 1 2. Towel clipsonpin 6 3. B.P handleNo4 2 4. Artery forceps 6"curved 8 5. Artery forceps 6"straight 4 6. Sponge holding forceps 2 7. Metzebaumscissors9"curved 1 8. Sim's straightscissors8" 1 9. Czerney retractors 2 10. Langenbaeck retractors2 11. Needleholder7" 1 12. Needleholder8" 1 13. Toothed dissectingforceps7" 1 14. Non toothed dissectingforceps7" 1 15. Alliesforceps7" 6 16. Sim's speculum set 1 17. Gallipots150ml 2 18. Uterine sound 1 19. Kidney tray1litre 1 20. Kidney tray500ml 1 21. Volsellum forceps 2 22. Viginal Retractor 1 Along with Container	
33.	Vascular set	1. Instrument container box10"x12" 1 2. Towel clips on pin 6 3. B.P handleNo4 2 4. Artery forceps 6"curved 8 5. Artery forceps 6"straight 4 6. Sponge holding forceps 2 7. Metzebaumscissors9"curved 1 8. Sim's straightscissors8" 1 9. Czerney retractors 2 10. Langenbaeck retractors2 11. Needleholder7" 1 12. Toothed dissectingforceps7" 1 13. Non toothed dissectingforceps7" 1 14. Allis forceps7" 4 15. Vascular Clamp 2 Along with Container	
34.	Laminectomy Sets	1. Carrison's Rangour (up-cut) 02 - 1mm, 2mm, 3mm,4mm 2. Pituitary Rangour 04 - 1mm, 2mm, 3mm(Strait) - 2mm Forward -01 - 2 mm Backward -01 3. Watson chain Dissector – 01 4. Adson's retractor – root retractor 01 5. Mastoid retractor- 02 6. Deep Mastoid retractor (Cervical) 02 7. Hemi-retractor – (Right 01) (Left 01) 8. Chisel – 01 9. Suction nozzles – small, medium,large 10. BP knife handle – long 01 11. Cutting se: fine / assistant Scissors 02 - Needle holders - Dissecting forceps- Plain and tooth 02 - Artery forceps 04 - Towel clamps sponge holding 01 - Kidney trays 02 - Instruments tray (Large)	
35.	VP Shunt	1. Sulemans subcutaneous shunt passer - Adult Size 4 - Paeds Size 4 2. Hudson Brace –perforator 1	

		.-. Burn bole( Various sizes) 3. Brain Cannula - 1 4. Adson's Dissector 2 5. Mastoid Refractor – Small, Medium, Large sizes 1each 6. Peritoneal trocar 1 7. Cutting set –scissor-fine/assistant 1 - Needle holder- fine large 1 - Artery forceps – all size 4 - Dissecting forceps- plain,tooth 1 each - Sponge holder 1 - Kidney tray - Instrument tray- large size - Bowl(sponge) - Suction- nozzles- medium, small sizes	
36.	Kidney Stone Removal Set	1. Dijorden Forceps 1 2. BoleocksRt angled long dissecting 1 3. Long scissors forceps 1 4. Long needle holders 2 5. Suction nozzles with guard 1 6. Morrison's refractor 1	
37.	Appendectomy Surgery Set	1. Mayoscissor 14cm curved TC 1 2. Scalpel Handle #4 2 3. Allis tissue forceps 15 cm 4 4. Bab cocks tissue forceps 16 cm 2 5. Plain Forcep 1 6. Toothed Forcep 1 7. Artery Forcep Curved 4 8. Artery Forcep Straight 2 9. Czerny Retractor 2 10. Needle Holder 2 11. Suture Cutting Scissor 1 12. Kidney Tray 500ml	
38.	Bone Set Large, Small and Medium	1. Complete set of Bone Cutter 1 2. Bone Nibblers 2 3. Chisel - osteotome, 2 4. Hammer – Periosteum 1 5. Elevator, 1 6. Bone levers etc. 4 7. Complete sets curettes 4 8. Bone holding forceps. 4	
39.	Cutting Instrument Set	1. BP needle 2. A. Forceps 3. Allis Forceps 4. Sponge holding 5. Dissecting plain/tooth 6. Towel Clips 7. Needle Holders 8. Kidney Tray 9. Bowels 10. Instruments Tray 11. Dissecting Box 12. Suture Cutting Scissors 13. C-Zamy Refractors Scissors 14. Langback	
40.	Myringoplasty Set	1. Plaster first incision knife 2. Rotary first incision knife 3. Sickle knife 4. Myringotomes 5. Aural crocodile forceps Tilley's 6. Cawthorne crocodile scissors straight 7. Cawthorne crocodile scissors right 8. Cawthorne crocodile scissors left 9. Frazier suction nozzlesnos.6.7.8. 10. Micro suction nozzle	

- |  |  |  |
|--|--|--|
|  | <ul style="list-style-type: none"> <li>11. Cawthorne hook. Different angles</li> <li>12. Granulation forceps straight</li> <li>13. Micro ear instruments different (Mobilizer, Measuring rod , Curette ,elevator Rt,Lt</li> <li>14. Micro Hartmann crocodile forceps straight</li> <li>15. Micro Hartmann crocodile forceps right</li> <li>16. Micro Hartmann crocodile forceps left</li> <li>17. Mollison mastoid retractor adult</li> <li>18. Mollison mastoid retractor child</li> <li>19. Micro granulation forceps straight</li> <li>20. Micro granulation forceps right</li> <li>21. Micro granulation forceps left</li> <li>22. Plaster Jenson retractor right</li> <li>23. Plaster Jenson retractor left</li> <li>24. Crocodile forceps fine tips3"</li> <li>25. Tumarkin metal ear speculum slotted</li> <li>26. Ear speculums</li> <li>27. Caw thorne periosteal elevator</li> <li>28. King vein graft pressing forceps</li> <li>29. Instruments tray 12"X 14"</li> <li>30. Needles box</li> <li>31. Mastoid chisel</li> </ul> |  |
|--|--|--|

## **FABRICATION OF AMBULANCE**

**Note:** Bidder shall have to provide separate rate (price) for both

- 1). Fabrication on van
- &**
- 2). Fabrication on 4x4 pickup.

### **1).Fabrication of ambulance on Van.**

#### **AMBULATORY ITEMS**

- Main stretcher – **Auto Loader** / moving type with seat belt and head section (Light Weight Aluminum/Imported CE Approved)
- Emergency folding stretcher (Canvas cloth/Aluminum/Imported)
- Beacon lamps (4 Feet Emergency LED Strobe Light. Red-Blue Color)
- First Aid Bag
- Electric siren amplifier & speaker
- Room lamp, 10 W
- Attendant/Doctor seat, folding type, 01 each
- Fire extinguisher 2 kg & 4 Kg. One in driver cabin and one in patient cabin.
- Hand lamp with connector, 30 W
- Intravenous feeding hook
- Complete oxygen cylinder kit, key and regulator & portable artificial resuscitation equipment. (2 cylinders of 10 Liters capacity each, with regulators)
- Side cabinet standing & fixed to wall/floor
- Wash basin along with water tank
- Fan (revolving)
- Frosted half painted side and rear glasses
- Surgical instrument box with essential surgical instrument
- Waste bucket
- Ambulance writing with monogram with institution name on all sides and on front in mirror image.
- Connection for dual power supply (12V & 220V)

#### **DETAILED SPECS OF FABRICATION TO BE CARRIED OUT.**

##### **1. Floor:**

Floor would not be left punctured for installations. Special molded F/G or MDF flooring base. The floor would be carpeted with, non-slip, stain resistant, water proof and washable special coating vinyl sheet.

##### **2. Partition Wall:**

Partition wall between the driver and patient compartment would be made of fiber glass. A small window would be given in between the driver and patient compartment with a built-in place with sliding glass for communication.

##### **3. Ceiling Panel:**

Made of fiber glass material with internal LED lights, one long grip handle along the length of ceiling made of SS or Aluminum properly reinforced and option for holding two IV hooks with anti-swing belts in ceiling or side panel.

##### **4. Side Utility Panel:**

Made of Fiber Glass (FG) molded material on the right side. Having dedicated O2 system having two outlets, O2 alarm system, O2 cylinder changeover system and electrical system having all switches and sockets for 12 V & 220 V, having 220 V inverter.

##### **5. Electrical Wiring:**

All electrical wiring of ambulatory compartment would be of wiring harness system with no joint and taping having all connector system and having a separate fuse box for each operation. All wires would be of 10mm, 8 mm and 6 mm size and would be of fire retardant and high temperature resistant, material. There would be a 220 volts imported inverter of 1500 watts approximately.

#### **6. Oxygen Supply System:**

Brand new imported oxygen cylinders of approx. 10 liter capacity duly tested, certified and filled by Government approved company, with low oxygen alarm system, changeover system and oxygen supply hose made of resilient, reinforced plastics to retain its flexibility in cold & un-crack able in heat up to 65°C with brass sockets and connectors along with pressure regulator for cylinders. Oxygen would be delivered through two outlets on the panel and one outlet over the attendant bench (for additional patient) with flow meters and face masks.

#### **7. One Person Crew Seat:**

One crew foldable seat fixed to the body of the vehicle with waist seat belt, at the head end of patient with best quality artificial leather or fabric.

#### **9. Medical Cabinet:**

Made of high quality non- staining scratch resistant, rust proof, water proof Fiber Glass material. All front doors & drawers having double side finished with self-retaining recessed handles. All doors having closable imported surface hinges. Cabinet having four sections.

##### **a. Oxygen Section:-**

To accommodate two M.F size O2 cylinders, would have double steel brackets with rubber padding. The door having flexi-glass window, an internal light with a door switch. Floor of cabinet matted with vinyl flooring.

##### **b. Disposable Section:-**

Disposable section having 3 to 4 shelves for various disposables.

##### **c. Drawers Section:-**

Having 3 to 5 drawers (depending upon the size of vehicle). All drawers inside made of Fiber Glass material. All drawers having special self closing&self retaining catcher handle lock system which is not self open-able during emergency driving.

##### **d. Wash Basin Section:-**

This section having special molded wash basin with tap, having a water reservoir of 15 to 20 Liters capacity. Water should be dispensable through an electrical pump operated with a switch. Top of the cabinet having rounded edges & corners. One soap dispenser & one toilet roll holder to be provided.

#### **10. Side Cabinet Shelf for AED, Monitor and Suction unit:**

Made of completely FG material on right side of the vehicle starting from the end of main cabinet and doctor seat to the rear length of right side, one top shelf having capacity to accommodate AED, Monitor, Emergency bag etc. if any.

#### **11. Bleeding Kit Packed in Kidney Tray:**

Bleeding Kit packed in Kidney Tray having following items: -

(02), Toothed Forceps (01), Tourniquets (04), Tissue Scissor (01), Sponge Holder (01), Dressing Scissor (01), Crepe Bandages small & large (02 each), Gauze Packs large (04), Catgut 2/0 (05).

#### **12. One Folding Stretcher Four-Fold:**

Bedding area made of very strong water resistant PVC coated washable orange parachute cloth with name printed on it and special carrying bag made of Parachute and structure made of 1 ¼ " round light-weight aluminum alloy.

#### **13. Trauma First Aid Bag:**

One rucksack type trauma first aid bag made of strong water resistant PVC coated washable red parachute cloth with reflective strips with appropriate placement for and including the following items:- Wooden splints (2), Crepe Bandage (4"=01 6"=01), N/Saline 0.9% (01), Pyodine Solution (01), Dressing Scissor (01), Cicatrin Powder (01), 4X4 Gauze Pad (04), Sticking 1" (02). Antiseptic wipes 01 box.

#### **14. One Airway Management Bag:**

It should be made of strong water resistant PVC coated washable red parachute cloth with strips printed on it with appropriate placement for and including the following items:-

- Ambo Bag having special valves, which should limit the excessive flow of gas into the patient airway significantly reducing the risk of gastric insufflations by effectively lowering the airway pressure, generated.
- Silicon Laryngeal Mask of 3 variable sizes with transparent tube. (3 pcs total)
- Laryngoscope with three to four curved blades
- One Professional LED torch
- Color coded Airways of assorted sizes (1 set)
- Mouth opener
- Sterilized disposable gloves (04)
- Contaminant bags (04).



## **15. Ambulatory equipment's**

- One BP apparatus (Mercury type) with stethoscope
- One BP Set with Dial (wall mounted) with spiral tubing, cuff, pump and stethoscope.
- Spine Board with Head Immobilizer (imported CE Certified).

## **16. Control Panel:**

The patient area shall have control panel. The panel shall be surface mounted and shall permit operation of all patient area electrical function as well oxygen outlets. The lights shall be controlled through a switch located.

12V and 220V electrical outlets should be installed.

## **2).Fabrication of ambulance on 4x4 pickup.**

### **2.1 Construction of Fiber Glass Canopy on 4x4 pickup.**

### **2.2 AMBULATORY ITEMS**

- Main stretcher – **Auto Loader** / moving type with seat belt and head section (Light Weight Aluminum/Imported CE Approved)
- Emergency folding stretcher (Canvas cloth/Aluminum/Imported)
- Beacon lamps (4 Feet Emergency LED Strobe Light. Red-Blue Color)
- First Aid Bag
- Electric siren amplifier & speaker
- Room lamp, 10 W
- Attendant/Doctor seat, folding type, 01 each
- Fire extinguisher 2 kg & 4 Kg. One in driver cabin and one in patient cabin.
- Hand lamp with connector, 30 W
- Intravenous feeding hook
- Complete oxygen cylinder kit, key and regulator & portable artificial resuscitation equipment. (2 cylinders of 10 Liters capacity each, with regulators)
- Side cabinet standing & fixed to wall/floor
- Wash basin along with water tank
- Fan (revolving)
- Frosted half painted side and rear glasses
- Surgical instrument box with essential surgical instrument
- Waste bucket
- Ambulance writing with monogram with institution name on all sides and on front in mirror image.
- Connection for dual power supply (12V & 220V)

## **DETAILED SPECS OF FABRICATION TO BE CARRIED OUT ON 4x4 PICKUP.**

### **Floor:**

Floor would not be left punctured for installations. Special molded F/G or MDF flooring base. The floor would be carpeted with, non-slip, stain resistant, water proof and washable special coating vinyl sheet.

### **Partition Wall:**

Partition wall between the driver and patient compartment would be made of fiber glass. A small window would be given in between the driver and patient compartment with a built-in place with sliding glass for communication.

### **Ceiling Panel:**

Made of fiber glass material with internal LED lights, one long grip handle along the length of ceiling made of SS or Aluminum properly reinforced and option for holding two IV hooks with anti-swing belts in ceiling or side panel.

### **Side Utility Panel:**

Made of Fiber Glass (FG) molded material on the right side. Having dedicated O2 system having two outlets, O2 alarm system, O2 cylinder changeover system and electrical system having all switches and sockets for 12 V & 220 V, having 220 V inverter.

**Electrical Wiring:**

All electrical wiring of ambulatory compartment would be of wiring harness system with no joint and taping having all connector system and having a separate fuse box for each operation. All wires would be of 10mm, 8 mm and 6 mm size and would be of fire retardant and high temperature resistant, material. There would be a 220 volts imported inverter of 1500 watts approximately.

**Oxygen Supply System:**

Brand new imported oxygen cylinders of approx. 10 liter capacity duly tested, certified and filled by Government approved company, with low oxygen alarm system, changeover system and oxygen supply hose made of resilient, reinforced plastics to retain its flexibility in cold & un-crack able in heat up to 65°C with brass sockets and connectors along with pressure regulator for cylinders. Oxygen would be delivered through two outlets on the panel and one outlet over the attendant bench (for additional patient) with flow meters and face masks.

**Medical Cabinet:**

Made of high quality non- staining scratch resistant, rust proof, water proof Fiber Glass material. All front doors & drawers having double side finished with self-retaining recessed handles. All doors having closable imported surface hinges. Cabinet having four sections.

**a. Oxygen Section:-**

To accommodate two M.F size O2 cylinders, would have double steel brackets with rubber padding. The door having flexi-glass window, an internal light with a door switch. Floor of cabinet matted with vinyl flooring.

**b. Disposable Section:-**

Disposable section having 3 to 4 shelves for various disposables.

**c. Drawers Section:-**

Having 3 to 5 drawers (depending upon the size of vehicle). All drawers inside made of Fiber Glass material. All drawers having special self closing&self retaining catcher handle lock system which is not self-open-able during emergency driving.

**d. Wash Basin Section:-**

This section having special molded wash basin with tap, having a water reservoir of 15 to 20 Liters capacity. Water should be dispensable through an electrical pump operated with a switch. Top of the cabinet having rounded edges & corners. One soap dispenser & one toilet roll holder to be provided.

**Side Cabinet Shelf for AED, Monitor and Suction unit:**

Made of completely FG material on right side of the vehicle starting from the end of main cabinet and doctor seat to the rear length of right side, one top shelf having capacity to accommodate AED, Monitor, Emergency bag etc. if any.

**Bleeding Kit Packed in Kidney Tray:**

Bleeding Kit packed in Kidney Tray having following items: -

(02), Toothed Forceps (01), Tourniquets (04), Tissue Scissor (01), Sponge Holder (01), Dressing Scissor (01), Crepe Bandages small & large (02 each), Gauze Packs large (04), Catgut 2/0 (05).

**One Folding Stretcher Four-Fold:**

Bedding area made of very strong water resistant PVC coated washable orange parachute cloth with name printed on it and special carrying bag made of Parachute and structure made of 1 ¼ " round light-weight aluminum alloy.

**Trauma First Aid Bag:**

One rucksack type trauma first aid bag made of strong water resistant PVC coated washable red parachute cloth with reflective strips with appropriate placement for and including the following items:- Wooden splints (2), Crepe Bandage (4"=01 6"=01), N/Saline 0.9% (01), Pyodine Solution (01), Dressing Scissor (01), Cicatrin Powder (01), 4X4 Gauze Pad (04), Sticking 1" (02). Antiseptic wipes 01 box.

**One Airway Management Bag:**

It should be made of strong water resistant PVC coated washable red parachute cloth with strips printed on it with appropriate placement for and including the following items:-

- Ambo Bag having special valves, which should limit the excessive flow of gas into the patient airway significantly reducing the risk of gastric insufflations by effectively lowering the airway pressure, generated.
- Silicon Laryngeal Mask of 3 variable sizes with transparent tube. (3 pcs total)
- Laryngoscope with three to four curved blades
- One Professional LED torch
- Color coded Airways of assorted sizes (1 set)
- Mouth opener
- Sterilized disposable gloves (04)

- Contaminant bags (04).

**Ambulatory equipment's**

- One BP apparatus (Mercury type) with stethoscope
- One BP Set with Dial (wall mounted) with spiral tubing, cuff, pump and stethoscope.
- Spine Board with Head Immobilizer (imported CE Certified)

**Control Panel:**

The patient area shall have control panel. The panel shall be surface mounted and shall permit operation of all patient area electrical function as well oxygen outlets. The lights shall be controlled through a switch located.

12V and 220V electrical outlets should be installed.

**TECHNICAL EVALUATION CRITERIA FOR MACHINERY & EQUIPMENT, FABRICATION OF  
AMBULANCES WITH AMBULATORY ITEMS, AIR CONDITIONS, INSTRUMENTS & OTHER  
HOSPITAL SUPPLIES, ETC FOR THE YEAR 2018-19.**

(Maximum Allocable Marks Score = 70 marks)

***Note: For further details of evaluation criteria and marking scheme please see section on proformas in these SBDs.***

**Technical Evaluation Criteria for the Purchase of Category-A Equipment  
(Section-IV of Statement of Requirement) for the financial year 2018-19.**

Firm Name: \_\_\_\_\_

Bid Reference No: \_\_\_\_\_

S. No.	Description of Variables	Allocated Points	Remarks
<b>A</b>	<b>Product Evaluation Parameters</b>		
1	Product General Information		
1.1	Ref. No of item in SBD Schedule of Requirement		
1.2	Name of equipment		
2	<b>Conformance To Specification</b>		
2.1	Fully compliance with the required specifications as per Statement of Requirement. Up to a maximum of four minor deviations may be accommodated subject to the condition that main function and performance in any aspect would not be affected. (One mark for each deviation will be deducted).	40	
2.2	Additional features of the product ( One mark for each additional feature)	2(42)	
3	<b>Product International Certification</b>		
3.1	Certificate of US Food and Drug Administration (US FDA)	No marks, being mandatory parameter (Any two certificates out of three is Mandatory)	
3.2	Certificate of European Community MDD (CEMDD -93/42)		
3.3	Certificate of Japan Industrial Standard (JIS PAL)/MHLW Japan.		
3.4	Weightage for local Pakistani original manufacturers	4 (46)	
3.5	Quoted Product must have manufacturing plant/s within OECD countries Except Israel.	10 (56)	
4	<b>Product Local Performance</b>		
4.1	One mark for each satisfactory performance certificate (verifiable) on letter head of hospital, for quoted model or at least the previous provided model of equipment from the public sector medical institution of Pakistan.	3(59)	
4.2	One mark for each satisfactory performance certificate (verifiable) on letter head of hospital for quoted model or at least the previous provided model of equipment from the teaching level private sector medical institution of Pakistan.	3(62)	
4.3	Warranty Period three years both with spare parts and services & Next two year services only without parts, from the date of Installation.	No marks, being mandatory parameter	
	<b>Total score of the Product Evaluation</b>	<b>62</b>	
<b>B</b>	<b>Firm Evaluation Parameters</b>		
1	<b>Personnel/Human Resource</b>		
1.1	Simple Technician (6 months/12 months certificate)	1	
1.2	Associate Engineer with Diploma of Associate Engineer	2 (3)	
1.3	Graduate Engineer duly registered with PEC. (Salary slip and bank	5 (8)	

	account statement for at least one year must be provided).		
1.4	Firm registered with PEC in code ME 06(Medical Equipment).	5 (13)	
2	<b>Workshop facility Testing/ Calibration of Equipment</b>		
2.1	Availability of work shop in Khyber Pakhtunkhwa.	No marks, being mandatory parameter	
2.2	Availability of workshop at National level	5(18)	
2.3	List of related tools available at workshop	3(21)	
2.4	List of Testing and Calibration tools for the quoted item	2(23)	
2.5	Detail of Spare parts availability (for the quoted items )	2(25)	
2.6	Firm Registration with Security and Exchange Commission of Pakistan (SECP).	5(30)	
2.7	Annual Sales tax returns for last 2 years	2(32)	
3	<b>Manufacturer Performance</b>		
3.1	Valid ISO 14001 (Environment Certificate)	2(34)	
3.2	Valid ISO 9001 Quality Management Certificate	2(36)	
3.3	Valid ISO 13485 Quality Management Certificate for design and Manufacture of medical devices	2(38)	
	<b>Total Score of the Firm</b>	<b>38</b>	
<b>A+B</b>	<b>Total Technical Score</b>	<b>(62+38) 100</b>	

**Technical Evaluation Criteria for the Purchase of Category-B Equipment for the Financial Year 2018 -19****(Maximum Allocable Marks Score = 70 marks)*****NOTE: For further details of evaluation criteria and marking scheme, please see section on proformas in these SBDs.***

Firm Name: \_\_\_\_\_

Bid Reference No: \_\_\_\_\_

S. No.	Description of Variables	Allocated Points	Remarks
<b>A</b>	<b>Product Evaluation Parameters</b>		
1	Product General Information		
1.1	Ref. No of item in SBD Schedule of Requirement		
1.2	Name of equipment		
2	<b>Conformance To Specification</b>		
2.1	Fully compliance with the required specifications as per Statement of Requirement. Up to a maximum of four minor deviations may be accommodated subject to the condition that main function and performance in any aspect would not be affected. (One mark for each deviation may be deducted).	40	
2.2	Additional features of the product ( One mark for each additional feature)	2(42)	
3	<b>Product International Certification</b>		
3.1	Certificate of US Food and Drug Administration (USFDA)	2 (44)	
3.2	Certificate of European Community MDD (CEMDD -93/42)	2 (46)	
3.3	Certificate of Japan Industrial Standard (JIS PAL)/MHLW Japan.	2 (48)	
3.4	Weightage for local Pakistani original manufacturers	6 (54)	
3.5	Quoted Product must have manufacturing plant/s within OECD countries Except Israel.	10(64)	
4	<b>Product Local Performance</b>		
4.1	One mark for each satisfactory performance certificate (verifiable) on letter head of hospital, for quoted model or at least the previous provided model of equipment from the public sector medical institution of Pakistan.	3(67)	
4.2	One mark for each satisfactory performance certificate (verifiable) on letter head of hospital for quoted model or at least the previous provided model of equipment from the teaching level private sector medical institution of Pakistan.	3(70)	
4.3	Warranty Period three years both with spare parts and services & Next two year services only without parts, from the date of Installation.	No marks, being mandatory parameter	
	<b>Total score of the Product Evaluation</b>	<b>70</b>	
<b>B</b>	<b>Firm Evaluation Parameters</b>		
1	<b>Personnel/Human Resource</b>		
1.1	Simple Technician (6 months/12 months certificate)	1	
1.2	Associate Engineer with Diploma of Associate Engineer	2 (3)	
1.3	Graduate Engineer duly registered with PEC. (Salary slip and bank account statement for at least one must be provided).	3 (6)	
1.4	Firm registered with PEC in code ME 06(II)	3 (9)	
2	<b>Workshop facility Testing/ Calibration of Equipment</b>		
2.1	Availability of workshop in Khyber Pakhtunkhwa.	No marks, being mandatory	

		parameter	
2.2	Availability of workshop at National level	5(14)	
2.3	List of related tools available at workshop	2(16)	
2.4	List of Testing and Calibration tools for the quoted item	2(18)	
2.5	Detail of Spare parts availability (for the quoted items )	2(20)	
2.6	Firm Registration with Security and Exchange Commission of Pakistan (SECP).	2(22)	
2.7	Annual Sale tax returns for last 2 years	2(24)	
3	<b>Manufacturer Performance</b>		
3.1	Valid ISO 14001 (Environment Certificate)	2(26)	
3.2	Valid ISO 9001 Quality Management Certificate	2(28)	
3.3	Valid ISO 13485 Quality Management Certificate for design and Manufacture of medical devices	2(30)	
	<b>Total Score of the Firm</b>	<b>30</b>	
<b>A+B</b>	<b>Total Technical Score</b>	<b>(70+30) 100</b>	

**Technical Evaluation Criteria for the Purchase of Category-C Items for the Financial Year 2018 -19.**

Firm Name: \_\_\_\_\_

Bid Reference No: \_\_\_\_\_

S. No.	Description of Variables	Allocated Points	Remarks
<b>A</b>	<b>Product Evaluation Parameters</b>		
1	Product General Information		
1.1	Ref. No of item in SBD Schedule of Requirement		
1.2	Name of equipment		
<b>2</b>	<b>Conformance to the specification subject to the clearance on Sample test</b>		
2.1	Total compliance with specification given in statement of Requirement subject to the clearance on sample test by the Committee	40	
3	One year warranty for instruments and three year for beds & other hospital Supplies with replacement/repair of product (in addition to product standard warranty).	No marks, being mandatory parameter	
<b>4</b>	<b>Past Performance for the last five years</b>		
4.1	Two marks for each satisfactory performance certificate on letter head of hospital for quoted item from the public sector hospitals.	<b>10 (50)</b>	
4.2	Two marks for each satisfactory performance certificate on letter head of hospital for quoted items from the private sector teaching medical institution of Pakistan.	<b>10 (60)</b>	
	<b>Total score of the Product Evaluation</b>	<b>60</b>	
<b>B</b>	<b>Firm / bidder Evaluation Matrix</b>		
1.1	The bidder will have to give valid proof of being manufacturer /importer.	No marks, being mandatory parameter	
1.2	Audited Balance Sheets for last 4 years (2 Marks Per Year)	<b>8</b>	
1.3	Last three-year annual sales tax returns two marks for each year.	<b>6 (14)</b>	
1.4	Last three-year Income tax returns two marks for each year)	<b>8 (22)</b>	
1.5	Availability of workshop in Khyber Pakhtunkhwa.	No marks, being mandatory parameter	
1.6	Simple Technician (6 months/12 months certificate)	<b>2 (24)</b>	
	Associate Engineer with Diploma of Associate Engineer	<b>3(27)</b>	
1.6	Graduate Engineer duly registered with PEC. (Salary slip and bank account statement for at least one year must be provided).	<b>5(32)</b>	
	Firm registered with PEC in code ME 06(II)	<b>2 (34)</b>	
1.7	Detail of networking set up / branch office in Khyber Pakhtunkhwa	<b>6(40)</b>	
	<b>Total Score of the firm</b>	<b>40</b>	
	<b>Total technical Score (A+B)</b>	<b>(60+40)100</b>	



**Technical Evaluation Criteria for the Purchase of Category- D Items for the Financial Year 2018 -19.**

Firm Name: \_\_\_\_\_

Bid Reference No: \_\_\_\_\_

S. No.	Description of Variables	Allocated Points	Remarks
<b>A</b>	<b>Product Evaluation Parameters</b>		
1	Product General Information		
1.1	Ref. No of item in SBD Schedule of Requirement		
1.2	Name of equipment		
<b>2</b>	<b>Conformance to the specification subject to the clearance on Sample test</b>		
2.1	Total compliance with specification given in statement of Requirement subject to the clearance on sample test by the Committee	40	
3	One year warranty for instruments and three year for beds & other hospital Supplies with replacement/repair of product (in addition to product standard warranty).	No marks, being mandatory parameter	
<b>4</b>	<b>Past Performance for the last five years</b>		
4.1	Two marks for each satisfactory performance certificate on letter head of hospital for quoted item from the public sector hospitals.(in case of Air Conditions satisfactory performance certificate from any public sector organization is acceptable)	<b>10 (50)</b>	
4.2	Two marks for each satisfactory performance certificate on letter head of hospital for quoted items from the private sector teaching medical institution of Pakistan. (in case of Air Conditions satisfactory performance certificate from any private sector organization is acceptable)	<b>10 (60)</b>	
	<b>Total score of the Product Evaluation</b>	<b>60</b>	
<b>B</b>	<b>Firm / bidder Evaluation Matrix</b>		
1.1	The bidder will have to give valid proof of being manufacturer/ importer/authorized dealer.	<b>10</b>	
1.2	Audited Balance Sheets for last 3 years (2 Marks Per Year)	<b>6 (16)</b>	
1.3	Last three-year annual sales tax returns two marks for each year.	<b>6(22)</b>	
1.4	Last three-year Income tax returns two marks for each year)	<b>6(28)</b>	
1.5	Availability of workshop in Khyber Pakhtunkhwa.	No marks, being mandatory parameter	
1.6	Graduate Engineer duly registered with PEC. (Salary slip and bank account statement for at least one year must be provided).	<b>6(34)</b>	
1.7	Detail of networking set up / branch office in Khyber Pakhtunkhwa (3 Marks for each branch office).	<b>6(40)</b>	
	<b>Total Score of the firm</b>	<b>40</b>	
	<b>Total technical Score (A+B)</b>	<b>(60+40)100</b>	

**Technical Evaluation Criteria for the Purchase of Category-E Items for the Financial Year 2018 -19.****(Maximum Allocable Marks Score = 70 marks)****NOTE:** For further details of evaluation criteria and marking scheme, please see section on proforma in these SBDs.

Firm Name: \_\_\_\_\_

Bid Reference No: \_\_\_\_\_

S. No.	Description of Variables	Allocated Points	Remarks
<b>A</b>	<b>Product Evaluation Parameters</b>		
1	Product General Information		
1.1	Ref. No of item in SBD Schedule of Requirement		
1.2	Name of equipment		
<b>2</b>	<b>Conformance To Specification of fabrication</b>		
2.1	Fully compliance with the required specifications as per Statement of Requirement. (Up to a maximum of four Minor deviations may be accommodated subject to the condition that main function and performance in any aspect would not affect. However, up to four marks will be deducted).	<b>30</b>	
2.2	Warranty Period three years both with spare parts and services & Next two year services without parts, from the date of handing/taking over	<b>No marks, being mandatory parameter</b>	
2.3	Project of fabrication of vehicles completed in last 5 years with Government organization (2 Marks per project not less than Rs.150 million cost of each project subject to provision of Contract agreement and work order between Government organization and firm as a proof).	<b>10 (40)</b>	
2.4	Firm having satisfactory performance certificate after Sales from at least 05 Government organization of same items (Per certificate 2 Nos.)	<b>10 (50)</b>	
	<b>Total score of the Product Evaluation</b>	<b>50</b>	
<b>B</b>	<b>Firm Evaluation Parameters</b>		
3.1	Audited Balance Sheets for last three years (each year 2 marks with Sales above Rs.300.0 million per year)	<b>6</b>	
3.2	Firm Income Tax certificates for last 3 years	<b>3 (9)</b>	
3.3	Firm Sale Tax Returns Certificate for last 3 years	<b>3 (12)</b>	
3.4	Firm Production setup having facilities of treatment of metal parts (Chromium, cadmium, phosphateing).	<b>5 (17)</b>	
3.5	Qualified Graduate Engineers in relevant Category registered with PEC.(2 marks per Engineer)	<b>6 (23)</b>	
3.6	Firm available Bank Credit Line/ Limit (One mark for Rs.150 million each). Duly attested by bank authority.	<b>5 (28)</b>	
3.7	Firm having its own manufacturing plant. (in case of 4x4 pickup expertise of fabrication of Fiber glass canopy )	<b>No marks, being mandatory parameter</b>	
3.8	Firm registered under Factory Act		
3.9	Documented proof of import of parts used in fabrication	<b>4 (32)</b>	
<b>4</b>	<b>Workshop facility Testing/ Calibration of Equipment</b>		
4.1	3 S Facility at Peshawar- Khyber Pakhtunkhwa	<b>5 (37)</b>	
4.2	Detail of Spare parts availability (for the quoted items)	<b>3 (40)</b>	
<b>5</b>	<b>Manufacturer Performance</b>		
5.1	Valid ISO 14001 (Environment Certificate)	<b>2 (42)</b>	
5.2	Valid ISO 9001 (Quality Management Certificate)	<b>2 (44)</b>	
5.3	Valid ISO 18001 (Occupational Health and Safety)	<b>2 (46)</b>	
5.4	Valid CE certificate in field of fabrication	<b>4 (50)</b>	
	<b>Total Score of the Firm</b>	<b>50</b>	
<b>A+B</b>	<b>Total Technical Score</b>	<b>(50+50)100</b>	

## Section V. Technical Specifications (Continued)

### Financial Evaluation and Scoring System for Bids

(Maximum Allocable Marks Score = 30 marks)

The financial bids of technically qualified bidders will be opened publicly at the time to be announced by the Procuring Agency and the financial bids found technically non-responsive shall be returned un-opened to the respective Bidders.

Total Allocable marks for Technical Proposal = 70

Total Allocable marks in Financial Proposal= 30

Total Combined Allocable Score for individual bids =Marks obtained in Technical Evaluation  
+ Marks obtained in Financial Evaluation = 100

#### **Scoring Methodology:**

Contract will be awarded to the best evaluated fair and responsive bidder whose product ranks highest in the Combined Evaluation scoring calculated through the Marks awarded to Technical Proposal and Financial Proposal as stated in the Bid Data Sheet of these Standard Bidding Documents.

The Evaluation Methodology is a combination of non-price factors (in Technical Criteria) and price factor (in Financial Criteria); and each having points as elaborated in the evaluation preforms provided in these SBDs.

**Procedure for the Marks Scoring:** Marks will be awarded or otherwise for various technical parameters to each quoted product based on the prescribed Technical and Financial criteria. The total combined marks will determine the highest-ranking product in each product category for contract award.

**The formula to calculate the marks for the price by the bidders other than lowest bidder is given below:**

Financial Evaluation Score of individual quoted Product:

= [Lowest quoted Price of the item ÷ Next higher proposed Price of the competing item] x Total allocable financial score

#### **Solved Example of Financial Scoring:**

- If the lowest quoted price of an item is Rs. 86/-, the same lowest bidder will obtain score as below: =  $[86 \div 86] \times 30$   
= 30 marks, being the lowest bidder for the quoted item.
- If the next higher quoted price of the same item is Rs. 105/-, the marks obtained will be: =  $[86 \div 105] \times 30 = 24.57$  Marks
- If the next higher quoted price of the same item is Rs. 130/-, the marks obtained will be: =  $[86 \div 130] \times 30 = 19.84$  Marks
- .... And so on.

## Section VI. Sample Forms

### **MANDATORY STANDARD FORMS (1 to 5)**

**BID FORM 1: BID COVER SHEET**

**BID FORM 2: LETTER OF INTENTION**

**BID FORM 3: AFFIDAVIT**

**BID FORM 4: PRICE SCHEDULE FORMAT FOR FINANCIAL BID**

(To be submitted in separate sealed envelope)

**BID FORM 5: INTEGRALITY PACTS**

**CONTRACT AGREEMENT** (for information only, shall be signed by the successful Bidders only)

## **BID FORM -1**

### **BID COVER SHEET**

#### **Mandatory General Information of Applicant Firm**

**NOTE:** Complete filling of this form along with the provision of all requisite information is mandatory. Missing or not providing any of the requisite information may lead to dis-qualification of the bidder/s from the bidding competition without any correspondence. Any appeal from bidder/s, for whatsoever reasons, will not be entertained in such a case.

S.No.	Name of the Bidding Firm:	
1.	Please indicate whether the firm is : i. Manufacturer, or ii. Importer, or iii. Both; For various items Offered for this bidding competition.	
2.	Please indicate the category/ies under which the Firm is applying for bidding i. Machinery & Equipment ii. Instrument/ other Hospital supplies iii. General items iv. Office equipment v. Bedding & Clothing etc	
3.	Please provide names, attested copies of CNICs , two recent attested photographs , valid street addresses in Pakistan, all landline and mobile phone numbers of: i. Owner/Proprietor of the Firm; and ii. Managing Director / CEO of the Firm; and iii. Focal person officially made responsible and authorized by the Firm for day-to-day official Correspondence with Procurement cell DGHS. iv. (Please provide clear, legible and visible attested photocopies of all the requisite items mentioned items)	
4.	Please provide the following valid information Regarding applicant Firm: I. Complete street address of the: a. Head Office b. Main warehouse; and II. Valid & working official Landline Phone and Fax Numbers; and III. Mobile phone numbers of the Focal Person registered against his /her CNIC No. And name; and IV. Valid and functional Email address; and V. Official Website address /es .	
5.	i. Please provide in original the bid security instrument along with the Financial Proposal in the sealed envelope in the form of valid Call Deposit Receipt / Bank Draft / Pay Order / Bank Guarantee of the requisite amount from a scheduled Bank of Pakistan in the name of Director General Health Services, Peshawar. Non- provision of bid Security shall render the bid as non -responsive. ii. However, please provide an affidavit on judicial stamp paper of appropriate face value in the sealed Envelope of the technical proposal to the effect that the bid security of the required amount (without mentioning the amount of bid security) has been inside the sealed envelope of the financial bid except where flat rates in bid security has been demanded by the Directorate General Office.	

6.	Please provide attested copies of the following Tax related mandatory documents: <ol style="list-style-type: none"> <li>National Tax Number (NTN) of the Firm (FTN) for Income Tax, and</li> <li>Last year Income Tax Return of the Firm; and</li> <li>Sales Tax Registration Certificate of the Firm; and</li> <li>Certificate of Professional Tax.</li> </ol>
7.	In case of being manufacturer, the Firm should provide attested copies of the following mandatory documents also: <ol style="list-style-type: none"> <li>Duly attested copy of valid Certificate from Chamber of Commerce of the respective country</li> </ol>
8.	In case of being importers, the Firm should provide attested copies of the following mandatory document/s also: <ol style="list-style-type: none"> <li>Valid Authorization Certificate for the quoted items, duly attested by the Embassy concerned.</li> </ol>
9.	The bidding Firm should also provide an Affidavit to undertake on Judicial Stamp Paper of the value of at least Rs. 100/- (Rs. One Hundred Only) to the effect that: <ol style="list-style-type: none"> <li>They have carefully read the whole set of Standard Bidding Documents for this bidding competition and that they have fully understood and agree to the terms and conditions, evaluation criteria, mechanism of evaluation &amp; selection of items for which the Firm has applied for competition; and</li> <li>They fully understand and agree that the bidding competition for which they have applied to enter in, shall be based on merit based scoring system for the evaluation of technical bids which has inverse relationship with the rates quoted by the bidders in their financial bids submitted; and that in this situation, the lowest financial bid/s may or may not win the bidding competition; and</li> <li>They guarantee that the quoted items are and will be freely available in the market of Pakistan; and Particularly the market of Khyber Pakhtunkhwa Province; and</li> <li>They shall provide the evaluating teams authorized for the purpose by the Health Department Khyber Pakhtunkhwa; an uninterrupted and free access to all relevant documents, sections of the manufacturing facilities and warehousing facilities as well as any other area relevant to the purpose of such teams in their opinion; and</li> <li>In case any documents submitted in relation to this bidding competition or any undertaking given by the Firm, if found incorrect or false or misleading or diverting the decision making for the competition, shall be liable to be proceeded for blacklisting for any business with / by the Government of Khyber Pakhtunkhwa, Health Department, confiscation of bid security and / or any other lawful action as deemed appropriate by the Government of Khyber Pakhtunkhwa.</li> <li>The bidder have provided the details regarding country of origin, Model, Make, manufacturer, along with details of Manufacturing Units and any other associated details of both the component items and that of the main quoted equipment.</li> </ol>
10.	I certify and affirm that I have attached all the requisite mandatory documents / information including Bid Security with this Bid and that I fully understand that any document if not provided / missing shall result in the disqualification and declaring my bid as ineligible and thus non-responsive.       Signatures: _____ Name: _____ CNIC No. _____ Designation: _____ Address: _____ _____

## Bid Form 2

### Letter of Intention

*Bid Ref No.*

*Date of the Opening of Bids*

Name of the Contract: {Add name. e.g. Supply of machinery & equipment, instruments and other hospital supplies, etc.}

To: *[Name and address of Procuring Agency]*

Dear Sir/Madam,

Having examined the bidding documents, including Addenda Nos. *[insert numbers & Date of individual Addendum]*, the receipt of which is hereby acknowledged, we, the undersigned, offer to supply and deliver the Goods under the above-named Contract in full conformity with the said bidding documents and at the rates/unit prices described in the financial bid are not more than a trade price & the prices are not more than the market rates.

We undertake, if our bid is accepted, to deliver the Goods in accordance with terms and condition of contract agreement.

We agree to abide by this bid, for the Bid Validity Period specified in the Bid Data Sheet and it shall remain binding upon us and may be accepted by you at any time before the expiration of that period.

Until the formal final Contract is prepared and executed between us, this bid, together with your written acceptance of the bid and your notification of award, shall constitute a binding Contract between us.

We understand that you are not bound to accept the lowest or any bid you may receive.

We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud and corruption in force in Pakistan.

Dated this *[insert: number]* day of *[insert: month]*, *[insert: year]*.

Signed:

In the capacity of *[insert: title or position]*  
Duly authorized to sign this bid for and on behalf of *[insert: name of Bidder]*

### **Bid Form 3**

#### **AFFIDAVIT** *(on Judicial Stamp Paper)*

I/We, the undersigned [**Name of the Supplier**] hereby solemnly declare and Undertake that:

- 1) We have read the contents of the Bidding Document and have fully understood it.
- 2) The Bid being submitted by the undersigned complies with the requirements enunciated in the bidding documents.
- 3) The Goods that we propose to supply under this contract are eligible goods within the meaning of this SBD.
- 4) The undersigned are also eligible Bidders within the meaning of the Standard Bidding Documents.
- 5) The undersigned are solvent and competent to undertake the subject contract under the Laws of Pakistan.
- 6) The undersigned have not paid nor have agreed to pay, any Commissions or Gratuities to any official or agent related to this bid or award or contract.
- 7) The undersigned are not blacklisted or facing debarment from any Government, or its organization or project.
- 8) That undersigned has not employed any child labor in the organization/unit.
- 9) We understand that the Selection and Rate Contracting Committee of the Procuring Agency is not bound to accept the lowest or any other bid they may receive.

We affirm that the contents of this affidavit are correct to the best of our knowledge and belief.

Signatures with s tamp

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

CNIC No. \_\_\_\_\_

For, Messer. [**Name of Supplier**]



**Bid Form-4**

**Note : This form is to be submitted in separate sealed envelope**

**Price Schedule format for Financial Bid of Machinery & Equipment, Instruments  
and other Hospital supplies etc. for the year 2018-19**

**1. In case of Machinery & Equipment.**

S. No	Serial No. of quoted item in Statement of  Requirement of these SBDs 2018-19	Name of the item	Number of item	Rate offered per Unit (Inclusive of all applicable taxes)	Total Price of the bid in Pak. Rupees (Rs)

**Bid Form-5**

**INTEGRITY PACT** (on Judicial Stamp Paper)

**Declaration of Fees, Commission and Brokerage etc Payable by Manufacturers, Importers for the supply of Machinery & Equipment, Ambulance with Ambulatory items, Instrument and other Hospital supplies etc. 2018-19**

In response to advertisement related to the bidding process / competition regarding purchase and supply of machinery and equipment, instrument and other hospital supplies for 2016-17 for the health facilities / institutions through Procurement Cell, DGHS I, Mr. \_\_\_\_\_ s/o \_\_\_\_\_ bearing CNIC No. \_\_\_\_\_, And having the \_\_\_\_\_ Designation of \_\_\_\_\_ In Messrs. (M/S) [***Name of Supplier***] do hereby solemnly Affirm, declare \_\_\_\_\_ and certify on behalf of M/S [***Name of Supplier***] that:

1. [***Name of Supplier***] has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Khyber Pakhtunkhwa (GoKP) or any administrative subdivision or agency thereof or any other entity owned or controlled by GoKP through any corrupt business practice; and
2. That without limiting the generality of the foregoing, [Name of Supplier] represents and warrants that it has fully declared the brokerage, commission, fees etc. Paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoKP, except that which has been expressly declared pursuant hereto; and
3. That [***Name of Supplier***] has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with GoKP and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty; and
4. That [***Name of Supplier***] accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to GoKP under any law, contract or other instrument, be voidable at the option of GoKP; and
5. That notwithstanding any rights and remedies exercised by GoKP in this regard, [***Name of Supplier***] agrees to indemnify GoKP for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to GoKP in

an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [name of Supplier] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoKP.

**Signatures with stamp**

**Name:** \_\_\_\_\_

**Designation:** \_\_\_\_\_

**CNIC No.** \_\_\_\_\_

**Messer.** [*Name of Supplier*]

**Witness No. 1**

**Witness No. 2**

(Signatures, name, father's name, CNIC & address of each Witness)

## RATE CONTRACT AGREEMENT (for successful bidders)

THIS RATE CONTRACT AGREEMENT is made and agreed today on \_\_\_\_\_ day of [Month], 2016 between the Government of Khyber Pakhtunkhwa Health Department through Director General Health Services (*hereinafter referred to as the Procuring Agency or the first party, which expression shall, where the context admits, be deemed to include the assignee/s of the provincial Government of Khyber Pakhtunkhwa*) ; and Messrs.[**Name of Supplier**] through Mr. \_\_\_\_\_ Designation \_\_\_\_\_

CNIC No. \_\_\_\_\_, (*hereinafter referred to as the Supplier or the second party or he/his, which expression, unless repugnant to the context, means and includes their legal heir/s, successors-in-interest, assignee/s and legal representative/s*) that:

WHEREAS the Procuring Agency has made a bidding competition for selection and rate contracting for supply of **machinery & equipment, instruments and other hospital supplies** (*hereinafter referred to as goods*) for actual purchases of the selected and rate contracted goods to be made by the offices / officers of the Health Department, Government of Khyber Pakhtunkhwa (*hereinafter called the Purchasing Agency or Purchasing Agencies where the context so admits*); and

WHEREAS the Supplier declares that he is not a broker, middle-man, distributor or authorized dealer but himself a Manufacturer and / or direct Importer of goods for which he has won the bidding competition for supply of goods to the Procuring Agency throughout the province of Khyber Pakhtunkhwa (*hereinafter referred to as the Province*) to the Purchasing Agencies; and WHEREAS both the parties have agreed that the Purchasing Agencies in the Province shall purchase all or some or none of the goods, as of details given in the Schedule-1 of this Contract

Agreement, from the Supplier at the sole discretion of the individual Purchasing Agencies; and WHEREAS the Supplier shall supply all the goods ordered by the Purchasing Agency to the latter in the quantity as mentioned in the supply order to be issued by the Purchasing Agency within the timeframe as mentioned in clause 17 of this contract agreement; Now, therefore, both the parties mutually agree to enter into this contract agreement as under:

1. The Supplier agrees to take full responsibility of the validity and implications, that may arise in future, of declaration submitted by him in the form of affidavit on judicial stamp paper along with the financial bids; and also that in case of any kind of breach of the said declaration, the Supplier shall be liable to be proceeded against by the Procuring Agency in accordance with the clauses of this rate contract agreement as well as relevant laws, rules and regulations of the Government of Khyber Pakhtunkhwa, as amended from time to time, to govern the situation/s.
2. The Supplier shall supply the ordered goods to the Purchasing Agency exactly at the address of the official premises situated within the district of the official jurisdiction of the latter as given in the supply order issued to the former.
3. The Supplier shall be solely responsible for transportation, loading and / or unloading and staking of the supplied items till and at the time of delivery to the destination indicated by the Purchasing Agency including any damage or untoward incidence, maintenance of required temperature and protection from light and other environmental conditions as well as other hazards that may possibly or Potentially affect the safety, quality and efficacy of the supplied items.
4. The Supplier shall NOT claim or charge transportation, loading / unloading, labor or any other charges related to or in the name of logistics, accidents, insurance, freight, etc.
5. The Procuring Agency shall arrange to obtain sample/s from each supplier before Finalization of award with the successful bidder in each category.

6. The Supplier will arrange demo for the physical inspection to the Procuring Agency and shall bear the associated cost.

7. The Supplier will make necessary arrangements including on job training to the end user as well as related engineer before release of final payment or damage liability period is over.

8. The Supplier will provide Service Manual, Circuit diagram and error logbook and operational Manual for the supplied goods.

9. In case of non-supply or delayed supply of items the Supplier shall be proceeded against under the relevant law of the land i.e. Procurement regime and associated country laws.

10. The Purchasing Agency shall recommend to the Procuring Agency for taking legal / lawful action against the Supplier regarding non-supply, short supply, substituted supply, delayed supply or any other unlawful action / shortcoming, on the part of Supplier during the execution of this contract agreement.

The Procuring Agency shall take lawful / legal action against the Supplier in accordance with the clauses of this contract agreement as well as relevant laws, rules and regulations of the Government of Khyber Pakhtunkhwa, as amended from time to time, to govern suchlike situation/s, which may include, but not limited to, blacklisting, forfeiture of earnest money and performance guarantee, etc.

11. The Supplier agrees to the following conditions related to packing, packaging and labeling of the goods to be supplied to Purchasing Agencies under this contract agreement:

12. The Procuring Agency or its representative shall have the right to inspect the manufacturing facility, premises, warehouse, godowns, laboratories etc. at any time during the financial year 2018-19 and/or till the execution of supply orders given under this contract agreement by Purchasing Agencies Khyber Pakhtunkhwa.

13. RATE VALIDITY:

The Supplier agrees that the approved price of all individual items quoted in the financial bids shall remain valid till and up to 30<sup>th</sup> June 2017.

14. PERFORMANCE GUARANTEE:

Upon receipt of supply order from the Purchasing Agency, the Supplier shall submit Performance Guarantee to the former, amounting to ten per cent (10% i.e. 8+2%) of the total value of the each individual supply order, which shall be returned to the Supplier upon request after the successful finalization of the process of procurement by the Purchasing Agencies.

15. WARRANTY:

The supplier shall provide warranty on prescribed form to the Purchasing Agency for each item supplied in response to supply orders.

16. PAYMENT SCHEDULE:

Bill for payment in triplicate along with all other relevant and required documents shall be submitted by the Supplier, to the Procuring Agency immediately after complete supply of stock. The Supplier shall be bound to pay all sorts of government taxes, duties and stamp duties, imposed earlier or during the financial year by the Government of Pakistan or by the Provincial Government of Khyber Pakhtunkhwa on any supplied / purchased item.

17. FORCE MAJEURE:

a. In case of the situation related to Force Majeure, the Supplier may inform the Procuring Agency and the Purchasing Agency in writing about the situation immediately without delay along with solid proof through the fastest, lawful and available means of communication, but not through the electronic mail, and request the Procuring Agency for the grant of extension in the supply period.

b. The Procuring Agency, in case of being fully satisfied with the genuineness of situation arising from Force Majeure for the Supplier, may extend the period of supply of goods up to a maximum of not more than thirty days without penalty. However, the Procuring Agency and / or Purchasing

Agency shall, in no case, be responsible or held responsible for any complications in making payments to Supplier by the Purchasing Agency that may arise from the closure of financial year and lapse / surrender of public funds vis-à-vis the normal financial management procedures in public sector.

**18. PENALTIES:**

A: The Supplier shall complete the supply of the ordered goods under this agreement within the stipulated period as laid down in the SBDs. In case of delay in supplies reaching to the Purchasing Agency, except in situation/s covered under clause 17 above, the following penalties shall be imposed by the Purchasing Agency upon the Supplier:

- i. For delay in supply from one day up to fifteen days, a lump sum penalty amounting to three per cent (03%) of the total bid price of the total number of item/s supplied late shall be levied through deducting the total amount of penalty from the total pre-tax payable billed amount by the Purchasing Agency.
- ii. For delay in supply from sixteen days up to thirty days, a lump sum total penalty amounting to seven per cent (07%) of the total bid price of the total number of item/s supplied late shall be levied through deducting the total amount of penalty from the total pre-tax payable billed amount by the Purchasing Agency.
- iii. Upon delay in supply more than thirty days, the supply contract shall stand cancelled and the ten percent performance guarantee shall stand forfeited and Procuring Agency shall have the right, duty and authority to impose any or all of the below mentioned penalties; that is
  - a. Forfeiting the earnest money and performance guarantee of the Supplier related to this contract agreement; and
  - b. Immediately debarring the Supplier from future participation and business for at least next three (03) calendar years with the Procurement Cell or any other health institution, project and / or Program directly or indirectly run or implemented by or through the provincial Health Department or autonomous Medical Teaching Institutions or district governments in Khyber Pakhtunkhwa; and
  - c. Initiating the process for and recommending for blacklisting of the Supplier with the Agencies; and
  - d. Proceeding for de-registration of the winning bidder under the relevant laws as well as further judicial proceedings, if the situation so warrants in the opinion of Procuring Agency.

B. In case of delay of more than thirty days extended period as in clause 17 above, the contract shall stand cancelled and the performance guarantee of ten per cent shall stand forfeited.

**1819. INDEMNITY:**

a. Notwithstanding any rights, duties and / or remedial measures and / or managerial actions taken and / or to be taken and / or any powers exercised and / or to be exercised by the Procuring Agency and / or Purchasing Agency and / or Purchasing Officer/s with regard to the execution of this contract agreement, the Supplier agrees to indemnify them for any loss or damage incurred or inflicted upon by them in individual or official capacity upon the Supplier whether through any of their actions and / or practices and / or otherwise.

b. The Supplier further agrees to pay compensation to the Government of Khyber Pakhtunkhwa of an amount equivalent to ten times the sum of any commission, gratification, bribe or kickback

and / or finder's fee given by the Supplier for the purpose of obtaining and / or inducing the procurement of any contract, right, interest, privilege or other obligation/s or benefit in whatsoever form, from the Procuring Agency or any of the Purchasing Agencies.

20. RESOLUTION OF DISPUTES:

a) The Purchasing Agency and the Supplier shall make every effort to resolve amicably by direct negotiation any disagreement or dispute arising between them under or in connection with the contract / supplies.

b) Despite such negotiation if the Purchasing Agency & Supplier have been unable to resolve amicably a contract dispute, either party may refer the case to Secretary Health Khyber Pakhtunkhwa for decision through a Dispute Resolution Committee under the chairmanship of Secretary Health Khyber Pakhtunkhwa with Director General Health Services, Khyber Pakhtunkhwa and Additional Secretary Health (Development) Khyber Pakhtunkhwa as members. The decision of the Dispute Resolution Committee shall be final and binding upon both the parties.

\_\_\_\_\_  
Signature  
Director General Health Services  
Khyber Pakhtunkhwa  
For and on behalf of Government of  
Khyber Pakhtunkhwa,  
Health Department Peshawar

\_\_\_\_\_  
Signature:  
Name:  
Designation  
CNIC No.  
Stamp:  
For and on behalf of the Bidder

WITNESS NO. 1

Signature:  
Name:  
Father's Name:  
Address:  
CNIC No.





































